BARTLETT-SHOTTS-WILSON COMPANY

DOORS - SASH - AND - GENERAL - MILLWORK

B S W

RECEIVED
DEC 6 1915
ANSWERED

PITTSBURGH - PA.

TD CAT 1915 Bartlett . . .
ATHENAEUM OF PHILADELPHIA

pur. Phila Rare Bk & Mo Co 9/88
225L

T. R. SHOTTS, Pres't.
A. C. BARTLETT, Treas.

R. H. WILSON, Vice-Pres't.
E. A. BOWLES, Sec'y and Mgr.

Bartlett - Shotts - Wilson Company

Western Pennsylvania's

Leading Wholesale

Sash and Door House

1915

Catalogue No. 1

1916

Office and Warehouse:

South Eighteenth Street, South Side

Pittsburgh, Pa.

BARTLETT · SHOTTS · WILSON COMPANY

To the Trade

WE take pleasure in presenting to you this, our first, catalogue, confident that you will not fail to appreciate its merit and give it a place on your desk as your reference and design book.

We have endeavored to select the most practical and up-to-date designs and styles of millwork now in demand.

This catalogue contains the New Universal Price List of Sash, Doors and Blinds approved by the Wholesale Sash, Door and Blind Manufacturers' Association of the Northwest and the General Sash and Door Association, January 28th, 1914. Approved April 1st, 1914.

Bartlett-Shotts-Wilson Co.

Office and Warehouse:

South 18th Street, South Side

Pittsburgh, Pa.

#24476922 Td Cat 1915
10-1-91

BARTLETT · SHOTTS · WILSON COMPANY

WINDOWS and SASH

To find the Outside opening of any size Window observe the following rules:

WESTERN OPENINGS

ADD FOR WOOD OVER GLASS OPENING

2 Light Windows.....4- inch width, 6-inch height
4 Light Windows.....5- inch width, 6-inch height
8 Light 1⅛ Plain.....4½-inch width, 6-inch height
8 Light 1⅜ Check.....5- inch width, 6-inch height
12 Light 1⅛ Plain.....4- inch width, 6-inch height
12 Light 1⅜ Check.....4½-inch width, 6-inch height

OHIO OPENINGS

ADD FOR WOOD OVER GLASS OPENING

2 Light Windows.....4½-inch width, 6⅛-inch height
4 Light Windows.....4½-inch width, 6⅛ inch height
8 Light Windows.....4½-inch width, 6⅛-inch height
12 Light Windows.....4½-inch width, 6⅛-inch height

EASTERN OPENINGS

ADD FOR WOOD OVER GLASS OPENING

2 Light Windows.....4-inch width, 6-inch height
4 Light Windows.....4-inch width, 6-inch height
8 Light Windows.....4-inch width, 6-inch height
12 Light Windows.....4-inch width, 6-inch height

OFFICIAL GRADES

SASH, DOORS and BLINDS

Adopted by the Wholesale Sash, Door and Blind Manufacturers' Association of the Northwest.

DOORS.

AAA. Oil Finish Doors.—Material for AAA oil Finish Doors must be Clear, no white sap admitted. Workmanship must be good.

AA. Oil Finish Doors.—Material for AA oil Finish Doors must be Clear with the exception that white sap will be admitted, not to exceed twenty-five (25) per cent. of the face of any one piece. Workmanship must be good.

No. 1 Quality. Materials in No. 1 Doors must be Clear, with the exception that water stains and small pin knots not exceeding one-fourth (¼) inch in diameter may be admitted. No piece to contain more than two (2) such defects and no door more than five (5) such defects on each side; white sap not considered a defect. Workmanship must be good.

No. 2 Quality. Material in No. 2 Doors may contain knots not to exceed one (1) inch in diameter, and blue sap showing on both sides not to exceed fifty (50) per cent in any one piece of the door and gum spots showing on one (1) side of a piece only and other slight defects, shall not exceed ten (10) in number on each side and each white pine stile, bottom and lock rail must contain at least one (1) and not to exceed three (3) such defects; plugs admitted and not regarded as a defect. Slight defects in workmanship admitted.

No. 3 Quality. Materials for No. 3 Doors may contain all stained sap and small worm holes and fine shake; also knots not exceeding one and three-fourths (1¾) inches in diameter. Twenty (20) defects may be allowed on each side, also slight defects in workmanship. Each piece of white pine in a No. 3 Door must contain a defect. Not more than six (6) defects allowed in any one piece.

No. 4 Quality. No. 4 Doors are regarded as a cull door and must contain large coarse knots and may contain rot, worm holes, shake and other serious defects.

A standard door may be through tennon, blind tennon or dowelled.

WINDOWS.

Check Rail Windows may contain two (2) knots three-eighths (3/8) inch in diameter or one red knot five-eights (5/8) inch in diameter in each piece of a window. White sap and not over twenty-five (25) per cent blue sap may be admitted in any one window. Workmanship must be good.

Plain Rail Windows and Sash may contain blue sap and small knots.

BLINDS.

No. 1 Outside Blinds for paint must be made of sound lumber and may contain small sound pin knots, water stain and white sap, also twenty-five (25) per cent. of blue sap may be admitted. A slight imperfection in workmanship also admitted.

No. 2 Outside Blinds must be made of sound stock which may contain sound knots up to five-eighths (5/8) inch in diameter in any amount of either white or blue sap. Slight imperfection in workmanship admitted.

Inside Blinds must be made of clear lumber suitable for oil finish. Workmanship must be good.

WOODS ADMISSIBLE.

Woods other than Michigan, Wisconsin and Minnesota or Western Pine shall be admitted in Doors, Blinds and Windows.

DIRECTIONS FOR ORDERING.

Time, Annoyance and Expense can be Saved by Noting and Following Closely the Suggestions Below:

We will understand all orders and inquiries as calling for **Regular Ohio Style and Sizes** as described in this catalogue, unless specifically ordered otherwise, or unless covered by standing instructions to the contrary.

Be Explicit in ordering. Do not assume that we know what you want.

Always give **width** first, length or height second, then thickness.

Always use inches to designate glass sizes, and feet and inches for openings or outside measurements.

SASH and WINDOW.

The term "Sash" indicates only one piece to fill opening.

The term "Window" indicates two pieces (upper and lower sash).

State size of glass, number of lights, opening (unless regular stock) and thickness. State whether open or glazed, and if glazed whether single or double strength.

If a window whether check or plain rail.

If segment or circle head give number of style desired (see page 41) and radius of circle or segment if not regular. When not otherwise specified we will furnish Circle Head made Style No. 2 with a radius one-half the width of the sash less the width of the stile, and for Segment Head made Style No. 4 with a radius the width of the sash less the width of the stile.

When an odd sash or window is ordered always give both glass size and number of lights and outside opening, and if possible send sketch.

If glass sizes only are given we will understand that regular stock widths of stiles, rails and bars are required.

Note—All windows and sash are understood to be glazed unless ordered open specifically. All glazed windows are primed or oiled one coat unless otherwise ordered.

DOORS

In the absence of other instructions we will consider an order or inquiry for doors to call for the Standard Four Panel O G Door No. 1 quality.

State width, height and thickness, number of panels and arrangement of same and quality.

DIRECTIONS FOR ORDERING.

DOORS—*Continued.*

State style of sticking unless O G is desired.

If molded state whether flush or raised mold one or two sides.

If oil finish state whether machine smoothed or hand smoothed is desired.

If odd send sketch or detail.

Odd doors will be made with regular stock widths of stiles, rails, muntins and panels unless specifically ordered otherwise.

OUTSIDE BLINDS.

We will understand all orders for blinds to call for **Regular Ohio Stock Styles and Sizes,** 1⅛ inch rolling slats unless specifically ordered otherwise.

State size and number of lights of window for which blinds are ordered, also thickness of blind, and whether all rolling slats (R. S.), stationary slats (S. S.), or half rolling and half stationary (½ R. S. ½ S. S.)

If odd give outside opening, thickness, arrangement of slats and send sketch.

The regular stock blind is the width of the window to be covered and one inch longer.

Blinds for brick buildings must be so specified, and will in the absence of additional instructions be made two inches longer than window opening.

A blind indicates a single piece to fill opening.

A pair of blinds indicates two pieces to fold together to fill opening.

A set of blinds indicates more than two pieces, and should always be accompanied by sketch.

INSIDE BLINDS.

Inside blinds we will understand are to be made four-fold, 1⅛ inch thi k, outside panel and inside slats; made to be cut in the center unless otherwise stated.

Give exact outside opening always, thickness, number of folds and arrangement of panels or slats (see page 74).

If cut twice or more specify height from top to each cut.

If wanted to fold into box give width of outside folds.

If not the usual arrangement of panels or slats, always send sketch.

BARTLETT · SHOTTS · WILSON COMPANY



LISTED SIZES OF

TWO LIGHT CHECK RAIL WINDOWS.

1⅜ Inches Thick.

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
12 x 16	1.16	2.75	.....	1- 4½ x 3- 2⅛
18	1.19	2.90	.....	3- 6⅛
20	1.21	3.00	.....	3-10⅛
22	1.29	3.20	.....	4- 2⅛
24	1.32	3.45	.....	4- 6⅛
26	1.40	3.65	.....	4-10⅛
28	1.44	3.80	.....	5- 2⅛
30	1.54	4.15	.....	5- 6⅛
32	1.59	4.30	.....	5-10⅛
14 x 16	1.19	2.90	.....	1- 6½ x 3- 2⅛
18	1.22	3.00	.....	3- 6⅛
20	1.24	3.20	.....	3-10⅛
22	1.32	3.40	.....	4- 2⅛
24	1.35	3.70	.....	4- 6⅛
26	1.44	3.90	.....	4-10⅛
28	1.48	4.20	.....	5- 2⅛
30	1.56	4.45	.....	5- 6⅛
32	1.61	4.65	.....	5-10⅛
16 x 16	1.24	3.10	3.75	1- 8½ x 3- 2⅛
18	1.26	3.25	3.95	3- 6⅛
20	1.29	3.35	4.15	3-10⅛
22	1.39	3.75	4.70	4- 2⅛
24	1.40	3.75	4.70	4- 6⅛
26	1.46	4.10	5.35	4-10⅛
28	1.53	4.50	5.85	5- 2⅛
30	1.59	4.75	6.20	5- 6⅛
32	1.63	4.95	6.45	5-10⅛
34	1.74	5.25	6.80	6- 2⅛
36	1.84	5.50	7.20	6- 6⅛
18 x 16	1.29	3.30	4.00	1-10½ x 3- 2⅛
18	1.29	3.55	4.45	3- 6⅛
20	1.32	3.75	4.70	3-10⅛
22	1.42	4.30	5.50	4- 2⅛
24	1.43	4.30	5.55	4- 6⅛
26	1.49	4.55	5.75	4-10⅛
28	1.56	4.80	6.10	5- 2⅛
30	1.61	5.05	6.70	5- 6⅛
32	1.64	5.10	6.75	5-10⅛
34	1.77	5.65	7.45	6- 2⅛
36	1.87	6.00	8.10	6- 6⅛
20 x 16	1.36	3.60	4.50	2- 0½ x 3- 2⅛
18	1.36	3.80	4.80	3- 6⅛
20	1.36	3.90	4.80	3-10⅛
22	1.44	4.40	5.55	4- 2⅛
24	1.47	4.45	5.55	4- 6⅛
26	1.51	4.60	6.00	4-10⅛
28	1.59	4.85	6.40	5- 2⅛
30	1.64	5.30	6.80	5- 6⅛
32	1.67	5.75	7.40	5-10⅛

(Continued on next page.)

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

TWO LIGHT CHECK RAIL WINDOWS.

1⅜ Inches Thick.



Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in ft. in.
20 x 34	1.79	5.90	7.55	2- 0½ x 6- 2⅛
36	1.89	6.55	8.30	6- 6⅛
38	2.17	7.30	9.20	6-10⅛
40	2.21	7.40	9.30	7- 2⅛
22 x 16	1.46	3.95	4.70	2- 2½ x 3- 2⅛
18	1.46	4.20	5.20	3- 6⅛
20	1.46	4.40	5.50	3-10⅛
22	1.46	4.55	5.75	4- 2⅛
24	1.50	4.60	5.80	4- 6⅛
26	1.54	4.75	6.05	4-10⅛
28	1.63	5.30	6.45	5- 2⅛
30	1.67	5.75	7.35	5- 6⅛
32	1.70	6.10	7.90	5-10⅛
34	1.84	6.50	8.20	6- 2⅛
36	1.92	7.00	8.70	6- 6⅛
38	2.22	7.35	9.30	6-10⅛
40	2.25	8.45	10.60	7- 2⅛
24 x 16	1.47	4.05	4.75	2- 4½ x 3- 2⅛
18	1.47	4.30	5.25	3- 6⅛
20	1.47	4.50	5.60	3-10⅛
22	1.55	4.70	6.55	4- 2⅛
24	1.58	5.15	6.55	4- 6⅛
26	1.61	5.20	6.60	4-10⅛
28	1.70	5.65	7.25	5- 2⅛
30	1.74	6.00	7.75	5- 6⅛
32	1.79	6.65	8.55	5-10⅛
34	1.91	7.00	8.90	6- 2⅛
36	1.95	7.35	9.45	6- 6⅛
38	2.29	8.50	10.65	6-10⅛
40	2.34	8.55	10.75	7- 2⅛
26 x 16	1.57	4.45	5.50	2- 6½ x 3- 2⅛
18	1.57	4.70	5.85	3- 6⅛
20	1.57	4.85	6.10	3-10⅛
24	1.61	5.25	6.75	4 6⅛
26	1.65	5.60	7.20	4-10⅛
28	1.74	6.20	7.90	5- 2⅛
30	1.78	6.65	8.50	5- 6⅛
32	1.82	6.70	8.80	5-10⅛
34	1.96	8.05	10.20	6- 2⅛
36	2.00	8.10	10.25	6- 6⅛
38	2.33	9.20	11.70	6-10⅛
40	2.39	9.30	11.80	7- 2⅛
27½ x 24	1.70	5.95	7.60	2- 8 x 4- 6⅛
26	1.74	6.50	8.25	4-10⅛
28	1.83	7.00	8.95	5- 2⅛
30	1.87	7.10	9.05	5- 6⅛
28 x 16	1.67	4.70	5.80	2- 8½ x 3- 2⅛
18	1.67	5.00	6.25	3- 6⅛
20	1.67	5.15	6.50	3-10⅛

(Continued on next page.)

BARTLETT · SHOTTS · WILSON COMPANY



LISTED SIZES OF

TWO LIGHT CHECK RAIL WINDOWS.

1⅜ Inches Thick.

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
28 x 24	1.70	5.95	7.60	2- 8½ x 4- 6⅛
26	1.74	6.50	8.25	4-10⅛
28	1.83	6.95	8.80	5- 2⅛
30	1.87	7.10	9.05	5- 6⅛
32	1.92	7.85	10.00	5-10⅛
34	2.03	8.15	10.30	6- 2⅛
36	2.07	8.65	11.10	6- 6⅛
38	2.43	9.35	11.85	6-10⅛
40	2.48	10.30	13.20	7- 2⅛
30 x 16	1.71	4.90	6.05	2-10½ x 3- 2⅛
18	1.71	5.15	6.55	3- 6⅛
20	1.71	5.40	6.85	3-10⅛
24	1.74	6.15	7.90	4- 6⅛
26	1.78	6.80	8.65	4-10⅛
28	1.87	7.00	8.95	5- 2⅛
30	1.91	7.80	9.90	5- 6⅛
32	1.94	8.00	10.15	5-10⅛
34	2.06	8.85	11.35	6- 2⅛
36	2.11	8.90	11.40	6- 6⅛
38	2.48	10.30	13.20	6-10⅛
40	2.53	10.40	13.30	7- 2⅛
32 x 16	1.84	5.25	6.50	3- 0½ x 3- 2⅛
18	1.84	5.45	6.80	3- 6⅛
20	1.84	5.95	7.60	3-10⅛
24	1.95	7.05	8.95	4- 6⅛
26	2.00	7.10	9.00	4-10⅛
28	2.10	8.25	10.40	5- 2⅛
30	2.14	8.30	10.45	5- 6⅛
32	2.18	.....	11.50	5-10⅛
34	2.33	.....	11.70	6- 2⅛
36	2.48	.....	13.20	6- 6⅛
38	2.53	.....	14.20	6-10⅛
40	2.57	.....	14.30	7- 2⅛
34 x 16	1.89	.....	6.85	3- 2½ x 3- 2⅛
18	1.89	.....	7.30	3- 6⅛
20	1.89	.....	7.65	3-10⅛
24	2.00	.....	9.00	4- 6⅛
26	2.06	.....	10.35	4-10⅛
28	2.14	.....	10.45	5- 2⅛
30	2.20	.....	11.50	5- 6⅛
32	2.22	.....	11.60	5-10⅛
34	2.37	.....	13.10	6- 2⅛
36	2.52	.....	14.20	6- 6⅛
38	2.57	.....	14.25	6-10⅛
40	2.62	.....	16.35	7- 2⅛
36 x 16	2.15	.....	7.35	3- 4½ x 3- 2⅛
18	2.15	.....	8.05	3- 6⅛
20	2.15	.....	8.60	3-10⅛
22	2.15	.....	9.20	4- 2⅛

(Continued on next page.)

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

TWO LIGHT CHECK RAIL WINDOWS.

1⅜ Inches Thick.



Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
36 x 24	2.15	.....	9.90	3- 4½ x 4- 6⅛
26	2.18	.....	10.50	4-10⅛
28	2.27	.....	11.60	5- 2⅛
30	2.32	.....	11.70	5- 6⅛
32	2.36	.....	13.65	5-10⅛
34	2.52	.....	14.85	6- 2⅛
36	2.65	.....	15.00	6- 6⅛
38	2.72	.....	17.20	6-10⅛
40	2.76	.....	17.30	7- 2⅛
38 x 24	2.18	.....	10.75	3- 6½ x 4- 6⅛
26	2.24	.....	11.85	4-10⅛
28	2.33	.....	11.95	5- 2⅛
30	2.38	.....	13.40	5- 6⅛
32	2.42	.....	14.40	5-10⅛
34	2.57	.....	14.90	6- 2⅛
36	2.71	.....	17.20	6- 6⅛
38	2.76	.....	17.30	6-10⅛
40	2.81	.....	17.35	7- 2⅛
40 x 20	2.24	.....	9.60	3- 8½ x 3-10⅛
22	2.24	.....	10.85	4- 2⅛
24	2.24	.....	10.85	4- 6⅛
26	2.28	.....	11.90	4-10⅛
28	2.37	.....	13.35	5- 2⅛
30	2.42	.....	13.45	5- 6⅛
32	2.46	.....	14.45	5-10⅛
34	2.61	.....	17.00	6- 2⅛
36	2.76	.....	17.20	6- 6⅛
38	2.81	.....	17.35	6-10⅛
40	2.87	.....	17.45	7- 2⅛
44 x 20	2.42	.....	11.05	4- 0½ x 3-10⅛
22	2.42	.....	12.10	4- 2⅛
24	2.42	.....	12.10	4- 6⅛
26	2.45	.....	13.50	4-10⅛
28	2.55	.....	14.60	5- 2⅛
30	2.59	.....	16.70	5- 6⅛
32	2.64	.....	16.75	5-10⅛
34	2.81	.....	17.10	6- 2⅛
36	2.95	.....	17.30	6- 6⅛
48 x 20	2.52	.....	11.25	4- 4½ x 3-10⅛
22	2.52	.....	12.25	4- 2⅛
24	2.52	.....	14.50	4- 6⅛
26	2.56	.....	14.60	4-10⅛
28	2.66	.....	16.80	5- 2⅛
30	2.70	.....	16.85	5- 6⅛
32	2.74	.....	16.90	5-10⅛
34	2.92	.....	20.60	6- 2⅛
36	3.00	.....	21.00	6- 6⅛

For larger than listed sizes, see Rule 1, page 47.
For Extras see pages 47 to 51.

BARTLETT · SHOTTS · WILSON COMPANY



LISTED SIZES OF

FOUR LIGHT CHECK RAIL WINDOWS.

1⅜ Inches Thick.

Size of Glass	List Open	List Glazed S. S.	List Glazed D. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
10 x 16	1.55	3.80	.....	2- 0½ x 3- 2⅛
18	1.58	4.00	.....	3- 6⅛
20	1.60	4.20	.....	3-10⅛
22	1.64	4.40	.....	4- 2⅛
24	1.67	4.40	.....	4- 6⅛
26	1.71	5.00	.....	4-10⅛
28	1.81	5.15	.....	5- 2⅛
30	1.93	5.60	.....	5- 6⅛
32	2.01	6.05	.....	5-10⅛
12 x 16	1.61	4.15	.....	2- 4½ x 3- 2⅛
18	1.64	4.40	.....	3- 6⅛
20	1.65	4.55	.....	3-10⅛
22	1.74	4.85	.....	4- 2⅛
24	1.78	5.10	.....	4- 6⅛
26	1.82	5.30	.....	4-10⅛
28	1.92	5.70	.....	5- 2⅛
30	1.97	6.10	.....	5- 6⅛
32	2.09	6.40	.....	5-10⅛
34	2.21	7.05	.....	6- 2⅛
36	2.29	7.35	.....	6- 6⅛
40	2.65	9.10	.....	7- 2⅛
13¼ x 24	1.91	5.95	.....	2- 7 x 4- 6⅛
26	1.95	6.15	.....	4-10⅛
28	2.05	6.85	.....	5- 2⅛
30	2.09	7.10	.....	5- 6⅛
14 x 18	1.85	4.90	.....	2- 8½ x 3- 6⅛
20	1.85	5.10	.....	3-10⅛
22	1.88	5.65	.....	4- 2⅛
24	1.91	5.95	.....	4- 6⅛
26	1.95	6.15	.....	4-10⅛
28	2.05	6.85	.....	5- 2⅛
30	2.09	7.10	.....	5- 6⅛
32	2.15	7.25	9.60	5-10⅛
34	2.27	7.85	10.15	6- 2⅛
36	2.33	8.00	10.70	6- 6⅛
38	2.73	8.95	11.50	6-10⅛
40	2.80	9.40	12.15	7- 2⅛
15 x 24	2.14	6.40	7.90	2-10½ x 4- 6⅛
26	2.19	7.00	9.00	4-10⅛
28	2.30	7.40	9.45	5- 2⅛
30	2.36	7.70	9.90	5- 6⅛
32	2.40	8.00	10.35	5-10⅛
34	2.57	8.50	11.00	6- 2⅛
36	2.72	9.30	12.00	6- 6⅛
38	2.78	9.35	12.10	6-10⅛
40	2.84	10.25	13.10	7- 2⅛

For larger than listed sizes see Rule 1, page 47.
For Sash Extras see pages 47 to 51.

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

FOUR LIGHT PLAIN RAIL WINDOWS

1⅛ Inches Thick. Not Ploughed or Bored.



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
12 x 20	1.49	4.40	2- 4½ x 3-10⅛
24	1.60	4.90	4- 6⅛
26	1.64	5.10	4-10⅛
28	1.73	5.50	5- 2⅛
14 x 26	1.75	5.95	2- 8½ x 4-10⅛
28	1.85	6.65	5- 2⅛

LISTED SIZES OF

FOUR LIGHT CHECK RAIL WINDOWS

1⅛ Inches Thick. Ploughed and Bored



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
12 x 20	1.57	4.45	2- 4½ x 3-10⅛
24	1.70	5.00	4- 6⅛
26	1.73	5.20	4-10⅛
28	1.82	5.60	5- 2⅛

LISTED SIZES OF

TWO LIGHT PLAIN RAIL WINDOWS

1⅛ Inches Thick. Not Ploughed or Bored.



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
24 x 20	1.32	4.35	2- 4½ x 3-10⅛
24	1.42	5.00	4- 6⅛
26	1.45	5.05	4-10⅛
28	1.53	5.50	5- 2⅛
27 x 24	1.53	5.80	2- 7½ x 4- 6⅛
26	1.57	6.35	4-10⅛
28	1.65	6.80	5- 2⅛

For larger than listed sizes see Rule 1, page 47.
For Sash extras see pages 47 to 51.



LISTED SIZES OF

EIGHT LIGHT PLAIN RAIL WINDOWS

1⅛ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	1.48	3.60	1- 8½ x 3-10⅛
12	1.59	4.10	4- 6⅛
9 x 12	1.64	4.30	1-10½ x 4- 6⅛
14	1.74	4.80	5- 2⅛
10 x 12	1.65	4.35	2- 0½ x 4- 6⅛
14	1.77	4.80	5- 2⅛
16	2.04	5.55	5-10⅛
12 x 14	1.86	5.40	2- 4½ x 5- 2⅛
16	2.14	6.15	5-10⅛
18	2.30	7.05	6- 6⅛



LISTED SIZES OF

EIGHT LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	1.75	4.15	1- 8½ x 3-10⅛
12	1.83	4.50	4- 6⅛
9 x 12	1.83	4.60	1-10½ x 4- 6⅛
14	1.97	5.10	5- 2⅛
10 x 12	1.87	4.65	2- 0½ x 4- 6⅛
14	2.01	5.15	5- 2⅛
16	2.18	6.05	5-10⅛
12 x 14	2.13	5.80	2- 4½ x 5- 2⅛
16	2.24	6.30	5-10⅛
18	2.66	7.60	6- 6⅛
20	2.76	8.55	7- 2⅛
14 x 16	2.60	7.60	2- 8½ x 5-10⅛
18	2.80	8.25	6- 6⅛
20	2.92	8.85	7- 2⅛

For larger than listed sizes, see Rule 1, page 47.
For Sash Extras, see pages 47 to 51.

LISTED SIZES OF

TWELVE LIGHT PLAIN RAIL WINDOWS.

1⅛ Inches Thick.



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
7 x 9	1.76	4.35	2- 1½ x 3- 6⅛
8 x 10	1.79	4.60	2- 4½ x 3-10⅛
12	1.95	5.10	4- 6⅛
14	2.06	5.90	5- 2⅛
9 x 12	1.97	5.35	2- 7½ x 4- 6⅛
13	2.06	5.95	4-10⅛
14	2.09	6.00	5- 2⅛
15	2.36	6.75	5- 6⅛
10 x 12	2.03	5.75	2-10½ x 4- 6⅛
14	2.15	6.30	5- 2⅛
15	2.40	7.10	5- 6⅛
16	2.45	7.30	5-10⅛
18	2.60	8.30	6- 6⅛
12 x 14	2.50	7.90	3- 4½ x 5- 2⅛
16	2.63	8.60	5-10⅛
18	2.78	9.40	6- 6⅛

LISTED SIZES OF

TWELVE LIGHT CHECK RAIL WINDOWS.

1⅜ Inches Thick.



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	2.02	4.95	2- 4½ x 3-10⅛
12	2.21	5.75	4- 6⅛
9 x 12	2.26	5.80	2- 7½ x 4- 6⅛
13	2.36	6.45	4-10⅛
14	2.40	6.70	5- 2⅛
10 x 12	2.32	6.15	2-10½ x 4- 6⅛
14	2.46	6.80	5- 2⅛
15	2.82	7.95	5- 6⅛
16	2.82	7.95	5-10⅛
18	3.02	9.05	6- 6⅛
12 x 14	2.96	8.25	3- 4½ x 5- 2⅛
16	3.07	8.95	5-10⅛
18	3.26	10.25	6- 6⅛
20	3.38	10.90	7- 2⅛

For larger than listed sizes, see Rule 1, page 47.
For Sash Extras, see pages 47 to 51.



LISTED SIZES OF

FIFTEEN LIGHT PLAIN RAIL WINDOWS

1⅛ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
7 x 9	2.15	5.35	2- 1½ x 4- 3⅞
8 x 10	2.28	5.95	2- 4½ x 4- 8⅞
12	2.44	6.55	5- 6⅞
14	2.57	7.20	6- 4⅞
9 x 12	2.53	6.95	2- 7½ x 5- 6⅞
13	2.59	7.30	5-11⅞
14	2.67	7.70	6- 4⅞
15	2.76	8.00	6- 9⅞
16	2.82	8.25	7- 2⅞
10 x 12	2.58	7.40	2-10½ x 5- 6⅞
14	2.72	8.15	6- 4⅞
15	2.81	8.40	6- 9⅞
16	2.87	9.20	7- 2⅞
12 x 14	2.91	9.45	3- 4⅛ x 6- 4⅞
16	3.09	10.35	7- 2⅞



LISTED SIZES OF

FIFTEEN LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	2.55	6.30	2- 4½ x 4- 8⅞
12	2.74	6.90	5- 6⅞
14	2.90	7.60	6- 4⅞
9 x 12	2.87	7.35	2- 7½ x 5- 6⅞
13	2.94	7.75	5-11⅞
14	3.03	8.15	6- 4⅞
16	3.21	8.75	7- 2⅞
10 x 12	2.94	7.85	2-10½ x 5- 6⅞
14	3.10	8.60	6- 4⅞
15	3.21	8.95	6- 9⅞
16	3.28	9.70	7- 2⅞
18	3.46	10.50	8- 0⅞
12 x 14	3.34	10.00	3- 4½ x 6- 4⅞
16	3.51	10.85	7- 2⅞
18	3.69	11.85	8- 0⅞

For larger than listed sizes see Rule 1, page 47.
For Sash extras see pages 47 to 51.

LISTED SIZES OF

EIGHTEEN LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts	$ cts.	ft. in. ft. in.
8 x 10	2.99	7.50	2- 4½ x 5- 7⅛
12	3.24	8.30	6- 7⅛
14	3.40	9.05	7- 7⅛
9 x 12	3.36	8.80	2- 7½ x 6- 7⅛
13	3.45	9.25	7-11⅛
14	3.53	9.65	7- 7⅛
16	3.78	10.45	8- 7⅛
10 x 12	3.44	9.35	2-10½ x 6- 7⅛
14	3.61	10.25	7- 7⅛
15	3.78	10.95	8- 1⅛
16	3.86	11.60	8- 7⅛
18	4.03	12.50	9- 7⅛
12 x 14	3.85	11.85	3- 4½ x 7- 7⅛
16	4.11	12.95	8- 7⅛
18	4.28	14.05	9- 7⅛

LISTED SIZES OF

TWENTY LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
6 x 8	2.86	6.75	2- 4¾ x 3-10⅛
7 x 9	3.10	7.55	2- 8¾ x 4- 3⅛
8 x 10	3.27	8.40	3- 0¾ x 4- 8⅛
12	3.47	9.15	5- 6⅛
14	3.63	10.00	6- 4⅛
9 x 12	3.65	9.75	3- 4¾ x 5- 6⅛
14	3.82	10.75	6- 4⅛
10 x 12	3.76	10.40	3- 8¾ x 5- 6⅛
14	3.93	11.35	6- 4⅛
16	4.12	12.80	7- 2⅛
18	4.32	13.80	8- 0⅛
12 x 14	4.23	13.20	4- 4¾ x 6- 4⅛
16	4.42	14.35	7- 2⅛
18	4.62	15.60	8- 0⅛

For larger than listed sizes, see Rule 1, page 47.
For sash extras, see pages 47 to 51.

BARTLETT · SHOTTS · WILSON COMPANY



LISTED SIZES OF

TWENTY-FOUR LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
6 x 8	3.33	8.10	2- 4¾ x 4- 7⅛
7 x 9	3.62	9.05	2- 8¾ x 5- 0⅛
8 x 10	3.81	10.05	3- 0¾ x 5- 7⅛
12	4.06	11.00	6- 7⅛
14	4.24	11.90	7- 7⅛
9 x 12	4.26	11.70	3- 4¾ x 6- 7⅛
14	4.44	12.80	7- 7⅛
10 x 12	4.37	12.45	3- 8¾ x 6- 7⅛
14	4.55	13.55	7- 7⅛
16	4.81	15.35	8- 7⅛
18	5.01	16.55	9- 7⅛
12 x 14	4.85	15.75	4- 4¾ x 7- 7⅛
16	5.13	17.15	8- 7⅛
18	5.32	18.60	9- 7⅛



LISTED SIZES OF

THIRTY LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
6 x 8	4.08	10.15	2-11 x 4- 7⅛
7 x 9	4.43	11.35	3- 4 x 5- 1⅛
8 x 10	4.67	12.60	3- 9 x 5- 7⅛
12	4.98	13.70	6- 7⅛
14	5.13	14.90	7- 7⅛
9 x 12	5.15	14.55	4- 2 x 6- 7⅛
14	5.36	15.95	7- 7⅛
10 x 12	5.30	15.50	4- 7 x 6- 7⅛
14	5.50	16.85	7- 7⅛
16	5.78	19.15	8- 7⅛
18	5.99	20.55	9- 7⅛
12 x 14	5.80	19.55	5- 5 x 7- 7⅛
16	6.08	21.20	8- 7⅛
18	6.29	21.95	9- 7⅛

For larger than listed sizes see Rule 1, page 47.
For Sash Extras see pages 47 to 51.

LISTED SIZES OF

THIRTY-TWO LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
6 x 8	4.30	10.95	2- 4¾ x 5-11⅝
7 x 9	4.67	12.20	2- 8¾ x 6- 7⅝
8 x 10	4.90	13.55	3- 0¾ x 7- 3⅝
12	5.23	14.75	8- 7⅝
14	5.49	16.10	9-11⅝
9 x 12	5.43	15.60	3- 4¾ x 8- 7⅝
14	5.69	17.15	9-11⅝
10 x 12	5.55	16.55	3- 8¾ x 8- 7⅝
14	5.81	18.10	9-11⅝
16	6.06	20.50	11- 3⅝
18	6.33	22.00	12- 7⅝
12 x 14	6.14	21.00	4- 4¾ x 9-11⅝
16	6.39	22.70	11- 3⅝
18	6.65	24.55	12- 7⅝

LISTED SIZES OF

THIRTY-SIX LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
6 x 8	4.81	12.50	2- 4¾ x 6- 7⅛
7 x 9	5.20	13.90	2- 8¾ x 7- 4⅛
8 x 10	5.46	15.35	3- 0¾ x 8- 1⅞
12	5.74	16.65	9- 7⅛
14	6.06	18.15	11- 1⅞
9 x 12	5.99	17.60	3- 4¾ x 9- 7⅛
14	6.28	19.30	11- 1⅞
10 x 12	6.12	18.65	3- 8¾ x 9- 7⅛
14	6.41	20.40	11- 1⅞
16	6.69	23.10	12- 7⅛
18	6.98	24.85	14- 1⅞
12 x 14	6.75	23.65	4- 4¾ x 11- 1⅞
16	7.02	25.60	12- 7⅛
18	7.32	26.75	14- 1⅞

For larger than listed sizes see Rule 1, page 47.
For Sash extras see pages 47 to 51.

BARTLETT · SHOTTS · WILSON COMPANY



LISTED SIZES OF

FORTY LIGHT CHECK RAIL WINDOWS

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
6 x 8	5.24	13.95	2-11 x 5-11⅝
7 x 9	5.68	15.50	3- 4 x 6- 7⅛
8 x 10	5.97	17.15	3- 9 x 7- 3⅛
12	6.32	18.60	8- 7⅛
14	6.60	20.20	9-11⅛
9 x 12	6.54	19.65	4- 2 x 8- 7⅛
14	6.82	21.50	9-11⅛
10 x 12	6.72	20.85	4- 7 x 8- 7⅛
14	6.99	22.70	9-11⅛
16	7.26	25.75	11- 3⅛
18	7.54	27.60	12- 7⅛
12 x 14	7.30	26.30	5- 5 x 9-11⅛
16	7.58	28.40	11- 3⅛
18	7.86	30.75	12- 7⅛

For larger than listed sizes, see Rule 1, page 47.
For Sash Extras, see pages 47 to 51.

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

ONE LIGHT SASH

1⅜ Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	0.76	1.30	1- 0½ x 1- 3
10 x 12	.77	1.55	1- 2½ x 1- 5
14	.80	1.65	1- 7
12 x 16	.83	1.80	1- 4½ x 1- 9
20	.91	1.95	2- 1
16 x 16	.95	2.05	1- 8½ x 1- 9
18	.98	2.15	1-11
20	1.00	2.25	2- 1
24	1.02	2.45	2- 5
18 x 18	1.00	2.30	1-10½ x 1-11
20	1.01	2.40	2- 1
24	1.03	2.60	2- 5
26	1.04	2.70	2- 7
28	1.05	2.80	2- 9
30	1.10	2.95	2-11
20 x 16	1.01	2.30	2- 0½ x 1- 9
18	1.02	2.40	1-11
20	1.03	2.55	2- 1
24	1.04	2.70	2- 5
24 x 16	1.03	2.45	2- 4½ x 1- 9
18	1.04	2.60	1-11
20	1.05	2.75	2- 1
24	1.06	3.00	2- 5
26	1.07	3.05	2- 7
28	1.10	3.20	2- 9
30	1.12	3.40	2-11
26x 28	1.13	3.40	2- 6½ x 2- 9
30	1.15	3.75	2-11
28 x 16	1.03	2.65	2- 8½ x 1- 9
18	1.04	2.80	1-11
20	1.07	2.90	2- 1
24	1.10	3.25	2- 5
28	1.15	3.65	2- 9
30	1.17	3.80	2-11
30 x 16	1.05	2.70	2-10½ x 1- 9
18	1.06	2.85	1-11
20	1.07	3.00	2- 1
24	1.13	3.40	2- 5
28	1.16	3.75	2- 9
30	1.18	4.30	2-11
36 x 16	1.12	3.10	3- 4½ x 1- 9
18	1.13	3.30	1-11
20	1.15	3.60	2- 1
24	1.18	4.05	2- 5

(Continued on next page)



LISTED SIZES OF

ONE LIGHT SASH

1⅜ Inches Thick

Size of Glass	List Open	List Glazed D. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
40 x 16	1.15	4.15	3- 8½ x 1- 9
18	1.17	4.50	1-11
20	1.28	4.85	2- 1
24	1.43	5.70	2- 5
42 x 16	1.16	4.25	3-10½ x 1- 9
18	1.18	4.50	1-11
20	1.30	4.90	2- 1
24	1.44	6.20	2- 5
44 x 16	1.28	4.65	4- 0½ x 1- 9
18	1.30	5.15	1-11
20	1.43	5.35	2- 1
24	1.48	6.30	2- 5
48 x 16	1.43	5.35	4- 4½ x 1- 9
18	1.44	5.75	1-11
20	1.48	5.80	2- 1
24	1.53	7.45	2- 5

For larger than listed sizes, see Rule 11, page 49.
For Extras, see pages 47 to 51.



LISTED SIZES OF

ONE LIGHT STALL SASH

1⅛ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	0.68	1.30	1- 0½ x 1- 3
10 x 12	.69	1.40	1- 2½ x 1- 5
14	.72	1.45	1- 7
12 x 16	.75	1.60	1- 4½ x 1- 9
20	.82	1.80	2- 1
24	.90	2.05	2- 5
26	.91	2.10	2- 7

For larger than listed sizes see Rule 11, page 49.

LISTED SIZES OF

CUPBOARD SASH, TWO LIGHT

1⅛ Inches Thick

Size of Sash	List Open	List Glazed S. S
ft. in. ft. in.	$ cts.	$ cts.
1- 4 x 4- 0	1.21	3.30
1- 4 x 4- 6	1.29	3.60
1- 4 x 5- 0	1.37	3.90
1- 6 x 4- 0	1.23	3.60
1- 6 x 4- 6	1.32	3.85
1- 6 x 5- 0	1.39	4.25
1- 8 x 4- 0	1.28	3.85
1- 8 x 4- 6	1.35	4.05
1- 8 x 5- 0	1.43	4.55
1-10 x 4- 0	1.29	4.15
1-10 x 4- 6	1.38	4.35
1-10 x 5- 0	1.45	4.85
2- 0 x 4- 0	1.32	4.40
2- 0 x 4- 6	1.41	4.65
2- 0 x 5- 0	1.48	5.05

LISTED SIZES OF

CUPBOARD SASH, TWO LIGHT

¾ Inches Thick

Size of Sash	List Open	List Glazed S. S.
ft. in. ft. in.	$ cts.	$ cts.
1- 4 x 4- 0	1.05	3.10
1- 4 x 4- 6	1.11	3.35
1- 4 x 5- 0	1.17	3.65
1- 6 x 4- 0	1.08	3.40
1- 6 x 4- 6	1.14	3.60
1- 6 x 5- 0	1.19	4.00
1- 8 x 4- 0	1.11	3.65
1- 8 x 4- 6	1.17	3.80
1- 8 x 5- 0	1.23	4.25
1-10 x 4- 0	1.13	3.90
1-10 x 4- 6	1.18	4.10
1-10 x 5- 0	1.25	4.60
2- 0 x 4- 0	1.14	4.15
2- 0 x 4- 6	1.20	4.35
2- 0 x 5- 0	1.26	4.75

For Cupboard Sash larger than listed sizes see Rule 11, page 49.
For Extras see pages 47 to 51.



LISTED SIZES OF

TWO LIGHT CELLAR SASH

1⅜ Inches Thick

Size of Glass	List Open	List Single Glazed S. S.	List Double Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	0.65	1.55	2.65	1- 8½ x 1- 3
10 x 12	.72	1.80	3.10	2- 0½ x 1- 5
14	.74	1.90	3.30	1- 7
16	.77	2.05	3.60	1- 9
18	.79	2.15	3.80	1-11
20	.81	2.25	4.00	2- 1
12 x 12	.79	1.95	3.35	2- 4½ 1- 5
14	.81	2.10	3.65	1- 7
16	.84	2.25	3.95	1- 9
18	.86	2.40	4.25	1-11
20	.88	2.50	4.45	2- 1
22	.90	2.65	4.75	2- 3
24	.95	2.90	5.25	2- 5
14 x 16	.91	2.50	4.40	2- 8½ x 1- 9
18	.93	2.60	4.60	1-11
20	.95	2.75	4.90	2- 1
22	.98	3.00	5.45	2- 3
24	1.02	3.25	5.95	2- 5



LISTED SIZES OF

THREE LIGHT CELLAR SASH

1⅛ Inches Thick

Size of Glass	List Open	List Single Gla S. S.	List Double Gla S. S	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
7 x 9	0.72	1.70	2.90	2- 1½ x 1- 2
8 x 10	.77	1.85	3.15	2- 4½ x 1- 3
12	.78	1.95	3.35	1- 5
9 x 12	.81	2.05	3.55	2- 7½ x 1- 5
13	.82	2.15	3.75	1- 6
14	.83	2.20	3.85	1- 7
16	.86	2.35	4.15	1- 9
10 x 12	.87	2.20	3.80	2-10½ x 1- 5
14	.88	2.35	4.15	1- 7
16	.91	2.55	4.50	1- 9
18	.93	2.70	4.70	1-11
12 x 12	.96	2.45	4.25	3- 4½ x 1- 5
14	.99	2.70	4.70	1- 7
16	1.01	2.90	5.20	1- 9
18	1.03	3.05	5.50	1-11
14 x 16	1.08	3.15	5.65	3-10½ x 1- 9
18	1.09	3.35	6.05	1-11

For larger than listed sizes see Rule 1, page 47.
For Sash extras see pages 47 to 51.

LISTED SIZES OF

THREE LIGHT CELLAR SASH

1⅜ Inches Thick

Size of Glass	List Open	List Single Gla. S. S.	List Double Gla. S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
7 x 9	0.86	1.85	3.05	2- 1½ x 1- 2
8 x 10	.92	2.00	3.30	2- 4½ x 1- 3
12	.94	2.10	3.50	1- 5
9 x 12	.97	2.20	3.60	2- 7½ x 1- 5
13	.98	2.30	3.90	1- 6
14	1.00	2.35	4.00	1- 7
16	1.03	2.50	4.30	1- 9
10 x 12	1.04	2.35	3.95	2-10½ x 1- 5
14	1.06	2.55	4.35	1- 7
16	1.09	2.75	4.70	1- 9
18	1.12	2.90	4.90	1-11
12 x 12	1.15	2.65	4.45	3- 4½ x 1- 5
14	1.19	2.90	4.90	1- 7
16	1.21	3.10	5.40	1- 9
18	1.24	3.25	5.70	1-11
14 x 16	1.30	3.35	5.85	3-10½ x 1- 9
18	1.31	3.55	6.25	1-11

For larger than listed sizes see Rule 1, page 47.
For Sash extras see pages 47 to 51.

LISTED SIZES OF

FOUR LIGHT BARN SASH

1⅛ Inches Thick



Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
7 x 9	0.84	1.90	1- 6½ x 1-11
8 x 10	.92	2.15	1- 8½ x 2- 1
12	.99	2.35	2- 5
14	1.05	2.50	2- 9
9 x 12	.99	2.45	1-10½ x 2- 5
14	1.05	2.65	2- 9
16	1.10	2.80	3- 1
10 x 10	.96	2.50	2- 0½ x 2- 1
12	1.01	2.55	2- 5
14	1.07	2.80	2- 9
16	1.10	3.05	3- 1
12 x 12	1.12	3.20	2- 4½ x 2- 5
14	1.12	3.20	2- 9
16	1.16	3.35	3- 1

For larger than listed sizes, see Rule 1, page 47.
For Sash Extras, see pages 47 to 51.

BARTLETT · SHOTTS · WILSON COMPANY



LISTED SIZES OF

FOUR LIGHT BARN SASH

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
7 x 9	1.01	2.05	1- 6½ x 1-11
8 x 10	1.10	2.35	1- 8½ x 2- 1
12	1.19	2.55	2- 5
14	1.26	2.70	2- 9
9 x 12	1.19	2.65	1-10½ x 2- 5
14	1.26	2.85	2- 9
16	1.32	3.00	3- 1
10 x 10	1.15	2.70	2- 0½ x 2- 1
12	1.21	2.75	2- 5
14	1.28	3.00	2- 9
16	1.32	3.25	3- 1
12 x 12	1.34	3.40	2- 4½ x 2- 5
14	1.34	3.40	2- 9
16	1.39	3.55	3- 1

For larger than listed sizes, see Rule 1, page 47. For Extras, see pages 47 to 51.



LISTED SIZES OF

SIX LIGHT BARN SASH

1⅛ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in ft. in.
7 x 9	1.03	2.55	2- 1½ x 1-11
8 x 10	1.10	2.85	2- 4½ x 2- 1
9 x 12	1.18	3.25	2- 7½ x 2- 5
10 x 12	1.24	3.45	2-10½ x 2- 5



LISTED SIZES OF

SIX LIGHT BARN SASH

1⅜ Inches Thick

Size of Glass	List Open	List Glazed S. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
7 x 9	1.24	2.75	2- 1½ x 1-11
8 x 10	1.32	3.05	2- 4½ x 2- 1
9 x 12	1.42	3.50	2- 7½ x 2- 5
10 x 12	1.49	3.70	2-10½ x 2- 5

For larger than listed sizes, see Rule 11, page 49. For Extras, see pages 47 to 51.

LISTED SIZES OF

ONE LIGHT TRANSOMS

1⅜ Inches Thick



Size of Opening	Size of Glass	List Open	List Glazed S. S.
ft. in. ft. in.	in. in.	$ cts.	$ cts.
2- 6 x 1- 0	26 x 8	0.73	1.80
1- 2	10	.75	1.85
1- 4	12	.77	1.95
1- 6	14	.78	2.10
1- 8	16	.82	2.30
2- 8 x 1- 0	28 x 8	.78	1.90
1- 2	10	.80	1.95
1- 4	12	.82	2.10
1- 6	14	.84	2.30
1- 8	16	.86	2.45
1-10	18	.89	2.60
2- 0	20	.90	2.70
2-10 x 1- 2	30 x 10	.82	2.00
1- 4	12	.84	2.20
1- 6	14	.86	2.40
1- 8	16	.90	2.55
1-10	18	.91	2.70
2- 0	20	.93	2.85
3- 0 x 1- 2	32 x 10	.85	2.10
1- 4	12	.86	2.30
1- 6	14	.89	2.45
1- 8	16	.92	2.65
1-10	18	.94	2.75
2- 0	20	.95	3.05

For Extras see pages 47 to 51. 1 3/4 40%

LISTED SIZES OF

HOT BED SASH

1⅜ Inches Thick

Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
in.		$ cts.	$ cts.	ft. in. ft. in.
6	5	3.14	9.35	3- 0 x 6- 0
8	4	3.18	9.80	3- 2 x 6- 0
8	4	3.27	9.90	3- 4 x 6- 0
7	5	3.42	10.45	3- 6 x 6- 0
7	5	3.73	11.40	3- 6 x 7- 0
10	4	3.84	13.45	4- 0 x 7- 0

For Hot Bed Sash with Crossbars, add 10 cents net for each sash for 3 or more; for less than 3 sash a minimum charge of 25 cents will be made.

For Extras see pages 47 to 51.



LISTED SIZES OF

HOT BED SASH

1¾ Inches Thick

Width of Glass	Rows of Glass	List Open	List Glazed S. S.	Size of Opening
in.		$ cts.	$ cts.	ft. in. ft. in.
6	5	4.53	10.75	3- 0 x 6- 0
8	4	4.59	11.25	3 2 x 6- 0
8	4	4.83	11.45	3- 4 x 6- 0
7	5	5.00	12.05	3- 6 x 6- 0
7	5	5.52	13.20	3- 6 x 7- 0
10	4	5.60	15.20	4- 0 x 7- 0

For Hot Bed Sash with Crossbars, add 10 cents net for each sash for 3 or more; for less than 3 sash, a minimum charge of 25 cents will be made.

For Extras, see pages 47 to 51.

COTTAGE FRONT WINDOWS.



14

15

For prices see page 31.

COTTAGE FRONT SINGLE SASH.

16

For prices see page 32.

COTTAGE FRONT CHECK RAIL WINDOWS



17



18

For prices on above windows see page 43.

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

COTTAGE WINDOWS AND SASH

Two Lights, 1⅜ Inches Thick

Size of Glass		No. 14 Window 2 Lt. 1⅜ in. Check Rail		No. 15 Sash 2 Lt 1⅜ in.		Size of Opening
Bottom Lt.	Top Lt.	List Open	List Glazed D. S.	List Open	List Glazed D. S.	
in. in.	in. in.	$ cts.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
36 x 36	36 x 16	2.76	12.95	2.40	12.60	3-4½x4-10⅛
36 x 36	36 x 20	2.76	13.55	2.40	13.20	5- 2⅛
40 x 36	40 x 16	2.76	13.70	2.40	13.35	3-8½x4-10⅛
40 x 40	40 x 16	2.76	14.05	2.40	13.60	5- 2⅛
40 x 44	40 x 16	2.85	15.75	2.46	15.30	5- 6⅛
40 x 48	40 x 16	2.90	16.30	2.50	15.80	5-10⅛
40 x 50	40 x 18	2.94	16.60	2.55	16.10	6- 2⅛
40 x 36	40 x 20	2.76	14.45	2.40	14.10	5- 2⅛
40 x 40	40 x 20	2.85	14.55	2.46	14.20	5- 6⅛
40 x 44	40 x 20	2.90	15.40	2.50	15.00	5-10⅛
42 x 40	42 x 16	2.81	16.05	2.44	15.55	3-10½x5- 2⅛
42 x 44	42 x 16	2.90	17.40	2.48	16.85	5- 6⅛
42 x 48	42 x 16	2.94	17.45	2.54	16.95	5-10⅛
42 x 48	42 x 20	2.98	18.20	2.59	17.70	6- 2⅛
44 x 40	44 x 16	2.93	16.40	2.54	15.90	4-0½x5- 2⅛
44 x 44	44 x 16	3.02	17.80	2.59	17.25	5- 6⅛
44 x 46	44 x 18	3.06	18.30	2.64	17.80	5-10⅛
44 x 50	44 x 18	3.11	21.50	2.70	21.00	6- 2⅛
44 x 40	44 x 20	3.02	17.30	2.59	16.90	5- 6⅛
44 x 44	44 x 20	3.06	18.65	2.64	18.25	5-10⅛
48 x 40	48 x 16	3.03	18.10	2.61	17.60	4-4½x5- 2⅛
48 x 42	48 x 18	3.06	18.95	2.67	18.45	5- 6⅛
48 x 46	48 x 18	3.15	22.20	2.72	21.65	5-10⅛
48 x 50	48 x 18	3.21	24.35	2.87	23.80	6- 2⅛

For larger than listed sizes, see Rule 1, page 47.
For Sash Extras see pages 47 to 51.

LISTED SIZES OF

ONE LIGHT COTTAGE FRONT SASH

1⅜ Inches Thick

Size of Glass	List Open	List Glazed D. S.	Size of Opening
in. in.	$ cts.	$ cts.	ft. in. ft. in.
40 x 40	2.09	10.35	3- 8½ x 3- 9
44	2.18	12.05	4- 1
48	2.23	12.60	4- 5
52	2.28	12.80	4- 9
56	2.33	17.45	5- 1
60	2.39	17.55	5- 5
64	2.44	18.65	5- 9
68	2.49	23.45	6- 1
44 x 40	2.21	12.10	4- 0½ x 3- 9
44	2.30	13.50	4- 1
48	2.36	16.65	4- 5
52	2.42	18.80	4- 9
56	2.46	18.90	5- 1
60	2.51	23.10	5- 5
64	2.56	25.40	5- 9
68	2.62	27.65	6- 1
48 x 40	2.29	13.30	4- 4½ x 3- 9
44	2.38	17.30	4- 1
48	2.42	19.45	4- 5
52	2.48	19.50	4- 9
56	2.54	23.75	5- 1
60	2.58	25.00	5- 5
64	2.63	28.30	5- 9
68	2.69	38.85	6- 1
50 x 40	2.32	14.00	4- 6½ x 3- 9
44	2.42	18.00	4- 1
48	2.46	20.15	4- 5
52	2.51	21.45	4- 9
56	2.57	26.65	5- 1
60	2.62	26.70	5- 5
64	2.66	29.00	5- 9
68	2.72	39.00	6- 1
56 x 44	2.52	20.85	5- 0½ x 4- 1
48	2.57	25.05	4- 5
52	2.63	27.35	4- 9
56	2.67	33.50	5- 1
60	2.72	40.15	5- 5
64	2.78	40.20	5- 9
68	2.83	43.45	6- 1

For larger than listed sizes, see Rule 11, page 49.
For Extras, see pages 47 to 51.

QUEEN ANNE WINDOWS



20



21

22



23



24



25



26



27

For prices on stock sizes see page 43.
For prices on other sizes see Rule 4, page 48.

QUEEN ANNE WINDOWS.



28



29

30

31

32

33

34



35

For prices on stock sizes, Designs 28, 29, 30, see page 43.
For prices Design No. 31 see page 36.
For prices on other sizes see Rule 4, page 48.

QUEEN ANNE WINDOWS.



36



37

38



39



40

For prices on stock sizes see pages 36 and 37.
For prices on other sizes see Rule 4, page 48.

BARTLETT · SHOTTS · WILSON COMPANY

LIST PRICES of QUEEN ANNE WINDOWS

2 Lt. 1⅜ Ck.	Fig. 31 top cut up to 6 Lt.		Fig. 32 top cut up to 8 Lt.		Fig. 33 top cut up to 4 Lt.		Fig. 34 top cut up to 6 Lt.		Fig. 35 top cut up to 9 Lt.	
	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.
in. in.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.
16 x 20	1.89	4.25	2.09	4.55	1.69	3.95	1.89	4.25	2.19	4.70
22	1.99	4.65	2.19	4.95	1.79	4.35	1.99	4.65	2.29	5.10
24	2.00	4.65	2.20	4.95	1.80	4.35	2.00	4.65	2.30	5.10
26	2.06	5.00	2.26	5.30	1.86	4.70	2.06	5.00	2.36	5.45
28	2.13	5.40	2.33	5.70	1.93	5.10	2.13	5.40	2.43	5.85
30	2.19	5.65	2.39	5.95	1.99	5.35	2.19	5.65	2.49	6.10
32	2.23	5.85	2.43	6.15	2.03	5.55	2.23	5.85	2.53	6.30
18 x 20	1.92	4.65	2.12	4.95	1.72	4.35	1.92	4.65	2.22	5.10
22	2.02	5.20	2.22	5.50	1.82	4.90	2.02	5.20	2.32	5.65
24	2.03	5.20	2.23	5.50	1.83	4.90	2.03	5.20	2.33	5.65
26	2.09	5.45	2.29	5.75	1.89	5.15	2.09	5.45	2.39	5.90
28	2.16	5.70	2.36	6.00	1.96	5.40	2.16	5.70	2.46	6.15
30	2.21	5.95	2.41	6.25	2.01	5.65	2.21	5.95	2.51	6.40
32	2.24	6.00	2.44	6.30	2.04	5.70	2.24	6.00	2.54	6.45
20 x 20	1.96	4.80	2.16	5.10	1.76	4.50	1.96	4.80	2.26	5.25
22	2.04	5.30	2.24	5.60	1.84	5.00	2.04	5.30	2.34	5.75
24	2.07	5.35	2.27	5.65	1.87	5.05	2.07	5.35	2.37	5.80
26	2.11	5.50	2.31	5.80	1.91	5.20	2.11	5.50	2.41	5.95
28	2.19	5.75	2.39	6.05	1.99	5.45	2.19	5.75	2.49	6.20
30	2.24	6.20	2.44	6.50	2.04	5.90	2.24	6.20	2.54	6.65
32	2.27	6.65	2.47	6.95	2.07	6.35	2.27	6.65	2.57	7.10
22 x 20	2.06	5.30	2.26	5.60	1.86	5.00	2.06	5.30	2.36	5.75
22	2.06	5.45	2.26	5.75	1.86	5.15	2.06	5.45	2.36	5.90
24	2.10	5.50	2.30	5.80	1.90	5.20	2.10	5.50	2.40	5.95
26	2.14	5.65	2.34	5.95	1.94	5.35	2.14	5.65	2.44	6.10
28	2.23	6.20	2.43	6.50	2.03	5.90	2.23	6.20	2.53	6.65
30	2.27	6.65	2.47	6.95	2.07	6.35	2.27	6.65	2.57	7.10
32	2.30	7.00	2.50	7.30	2.10	6.70	2.30	7.00	2.60	7.45
24 x 20	2.07	5.40	2.27	5.70	1.87	5.10	2.07	5.40	2.37	5.85
22	2.15	5.60	2.35	5.90	1.95	5.30	2.15	5.60	2.45	6.05
24	2.18	6.05	2.38	6.35	1.98	5.75	2.18	6.05	2.48	6.50
26	2.21	6.10	2.41	6.40	2.01	5.80	2.21	6.10	2.51	6.55
28	2.30	6.55	2.50	6.85	2.10	6.25	2.30	6.55	2.60	7.00
30	2.34	6.90	2.54	7.20	2.14	6.60	2.34	6.90	2.64	7.35
32	2.39	7.55	2.59	7.85	2.19	7.25	2.39	7.55	2.69	8.00
26 x 20	2.17	5.75	2.37	6.05	1.97	5.45	2.17	5.75	2.47	6.20
22	2.21	6.15	2.41	6.45	2.01	5.85	2.21	6.15	2.51	6.60
24	2.21	6.15	2.41	6.45	2.01	5.85	2.21	6.15	2.51	6.60
26	2.25	6.50	2.45	6.80	2.05	6.20	2.25	6.50	2.55	6.95
28	2.34	7.10	2.54	7.40	2.14	6.80	2.34	7.10	2.64	7.55
30	2.38	7.55	2.58	7.85	2.18	7.25	2.38	7.55	2.68	8.00
32	2.42	7.60	2.62	7.90	2.22	7.30	2.42	7.60	2.72	8.05
28 x 20	2.27	6.05	2.47	6.35	2.07	5.75	2.27	6.05	2.57	6.50
22	2.30	6.85	2.50	7.15	2.10	6.55	2.30	6.85	2.60	7.30
24	2.30	6.85	2.50	7.15	2.10	6.55	2.30	6.85	2.60	7.30
26	2.34	7.40	2.54	7.70	2.14	7.10	2.34	7.40	2.64	7.85
28	2.43	7.85	2.63	8.15	2.23	7.55	2.43	7.85	2.73	8.30
30	2.47	8.00	2.67	8.30	2.27	7.70	2.47	8.00	2.77	8.45
32	2.52	8.75	2.72	9.05	2.32	8.45	2.52	8.75	2.82	9.20
30 x 20	2.31	6.30	2.51	6.60	2.11	6.00	2.31	6.30	2.61	6.75
22	2.34	7.05	2.54	7.35	2.14	6.75	2.34	7.05	2.64	7.50
24	2.34	7.05	2.54	7.35	2.14	6.75	2.34	7.05	2.64	7.50
26	2.38	7.70	2.58	8.00	2.18	7.40	2.38	7.70	2.68	8.15
28	2.47	7.90	2.67	8.20	2.27	7.60	2.47	7.90	2.77	8.35
30	2.51	8.70	2.71	9.00	2.31	8.40	2.51	8.70	2.81	9.15
32	2.54	8.90	2.74	9.20	2.34	8.60	2.54	8.90	2.84	9.35

BARTLETT · SHOTTS · WILSON COMPANY

LIST PRICES of QUEEN ANNE WINDOWS

2 Lt. 1⅜ Ck.	Fig. 36 cut up to 12 Lt.		Fig. 37 top cut up to 3 Lt.		Fig. 38 top cut up to 4 Lt.		Fig. 39 top cut up to 8 Lt.		Fig. 40 top cut up to 12 diamond Lts.	
	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.	Open	Glazed S. S.
in. in.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts.	$ cts	$ cts.
16 x 20	2.49	5.15	1.59	3.80	1.69	3.95	2.09	4.55	4.89	7.55
22	2.59	5.55	1.69	4.20	1.79	4.35	2.19	4.95	4.99	7.95
24	2.60	5.55	1.70	4.20	1.80	4.35	2.20	4.95	5.00	7.95
26	2.66	5.90	1.76	4.55	1.86	4.70	2.26	5.30	5.06	8.30
28	2.73	6.30	1.83	4.95	1.93	5.10	2.33	5.70	5.13	8.70
30	2.79	6.55	1.89	5.20	1.99	5.35	2.39	5.95	5.19	8.95
32	2.83	6.75	1.93	5.40	2.03	5.55	2.43	6.15	5.23	9.15
18 x 20	2.52	5.55	1.62	4.20	1.72	4.35	2.12	4.95	4.92	7.95
22	2.62	6.10	1.72	4.75	1.82	4.90	2.22	5.50	5.02	8.50
24	2.63	6.10	1.73	4.75	1.83	4.90	2.23	5.50	5.03	8.50
26	2.69	6.35	1.79	5.00	1.89	5.15	2.29	5.75	5.09	8.75
28	2.76	6.60	1.86	5.25	1.96	5.40	2.36	6.00	5.16	9.00
30	2.81	6.85	1.91	5.50	2.01	5.65	2.41	6.25	5.21	9.25
32	2.84	6.90	1.94	5.55	2.04	5.70	2.44	6.30	5.24	9.30
20 x 20	2.56	5.70	1.66	4.35	1.76	4.50	2.16	5.10	4.96	8.10
22	2.64	6.20	1.74	4.85	1.84	5.00	2.24	5.60	5.04	8.60
24	2.67	6.25	1.77	4.90	1.87	5.05	2.27	5.65	5.07	8.65
26	2.71	6.40	1.81	5.05	1.91	5.20	2.31	5.80	5.11	8.80
28	2.79	6.65	1.89	5.30	1.99	5.45	2.39	6.05	5.19	9.05
30	2.84	7.10	1.94	5.75	2.04	5.90	2.44	6.50	5.24	9.50
32	2.87	7.55	1.97	6.20	2.07	6.35	2.47	6.95	5.27	9.95
22 x 20	2.66	6.20	1.76	4.85	1.86	5.00	2.26	5.60	5.06	8.60
22	2.66	6.35	1.76	5.00	1.86	5.15	2.26	5.75	5.06	8.75
24	2.70	6.40	1.80	5.05	1.90	5.20	2.30	5.80	5.10	8.80
26	2.74	6.55	1.84	5.20	1.94	5.35	2.34	5.95	5.14	8.95
28	2.83	7.10	1.93	5.75	2.03	5.90	2.43	6.50	5.23	9.50
30	2.87	7.55	1.97	6.20	2.07	6.35	2.47	6.95	5.27	9.95
32	2.90	7.90	2.00	6.55	2.10	6.70	2.50	7.30	5.30	10.30
24 x 20	2.67	6.30	1.77	4.95	1.87	5.10	2.27	5.70	5.07	8.70
22	2.75	6.50	1.85	5.15	1.95	5.30	2.35	5.90	5.15	8.90
24	2.78	6.95	1.88	5.60	1.98	5.75	2.38	6.35	5.18	9.35
26	2.81	7.00	1.91	5.65	2.01	5.80	2.41	6.40	5.21	9.40
28	2.90	7.45	2.00	6.10	2.10	6.25	2.50	6.85	5.30	9.85
30	2.94	7.80	2.04	6.45	2.14	6.60	2.54	7.20	5.34	10.20
32	2.99	8.45	2.09	7.10	2.19	7.25	2.59	7.85	5.39	10.85
26 x 20	2.77	6.65	1.87	5.30	1.97	5.45	2.37	6.05	5.17	9.05
22	2.81	7.05	1.91	5.70	2.01	5.85	2.41	6.45	5.21	9.45
24	2.81	7.05	1.91	5.70	2.01	5.85	2.41	6.45	5.21	9.45
26	2.85	7.40	1.95	6.05	2.05	6.20	2.45	6.80	5.25	9.80
28	2.94	8.00	2.04	6.65	2.14	6.80	2.54	7.40	5.34	10.40
30	2.98	8.45	2.08	7.10	2.18	7.25	2.58	7.85	5.38	10.85
32	3.02	8.50	2.12	7.15	2.22	7.30	2.62	7.90	5.42	10.90
28 x 20	2.87	6.95	1.97	5.60	2.07	5.75	2.47	6.35	5.27	9.35
22	2.90	7.75	2.00	6.40	2.10	6.55	2.50	7.15	5.30	10.15
24	2.90	7.75	2.00	6.40	2.10	6.55	2.50	7.15	5.30	10.15
26	2.94	8.30	2.04	6.95	2.14	7.10	2.54	7.70	5.34	10.70
28	3.03	8.75	2.13	7.40	2.23	7.55	2.63	8.15	5.43	11.15
30	3.07	8.90	2.17	7.55	2.27	7.70	2.67	8.30	5.47	11.30
32	3.12	9.65	2.22	8.30	2.32	8.45	2.72	9.05	5.52	12.05
30 x 20	2.91	7.20	2.01	5.85	2.11	6.00	2.51	6.60	5.31	9.60
22	2.94	7.95	2.04	6.60	2.14	6.75	2.54	7.35	5.34	10.35
24	2.94	7.95	2.04	6.60	2.14	6.75	2.54	7.35	5.34	10.35
26	2.98	8.60	2.08	7.25	2.18	7.40	2.58	8.00	5.38	11.00
28	3.07	8.80	2.17	7.45	2.27	7.60	2.67	8.20	5.47	11.20
30	3.11	9.60	2.21	8.25	2.31	8.40	2.71	9.00	5.51	12.00
32	3.14	9.80	2.24	8.45	2.34	8.60	2.74	9.20	5.54	12.20

GOTHIC and PEAK HEAD WINDOWS.

50

51



52

53

For prices see page 44.

QUEEN ANNE SASH.



62



60



63



61



64



65



67



66



68

For prices see page 43.

TRANSOMS.

Segment, Circle and Gothic Top.



69

70

71

72



73



74

75

In ordering above specify width and height.

For prices see page 45.

CIRCLE and SEGMENT TOP WINDOWS



Fig. 1.
Circle inside and outside.
Radius, one-half width of sash



Fig. 2.
Circle outside, square inside.
Radius, one-half width of sash.
(Less width of one stile.)

Fig. 3.
Segment inside and outside.
Radius, width of sash



Fig. 4.
Segment outside, square inside.
Radius, width of sash.
(Less width of one stile.)

For segment, circle or gothic windows always give radius if not as above. If not given it will be understood that the regular radius as indicated above will apply.

For prices, Figures 1, 2, 3 and 4 see page 44.

CIRCLE-FACE WINDOWS

When ordering, give radius measured to outside of top sash, and say whether frames are made with square jambs like No. 90, or radiating jambs like No. 91.



No. **90**



No. **91**

A full size paper pattern of sill sent will prevent errors.

If made like No. 91, give distance measured straight across between jambs from outside edges of the top sash.

For prices on Bent Windows see Rule 16, page 50.

LIST PRICES OF CUT UP OR FANCY TOP WINDOWS AND SASH

To arrive at list prices for Cut Up or Fancy Top Windows or Sash add to the list price of one-light Sash or 2-light Window, as the case may be, for designs shown on pages 30, 33 to 35, 39 as follows:

Design No.	1⅜ Open	1⅜ Glazed
17	$ 9.10	$10.35
18	14.20	16.30
20	1.80	2.55
21	6.90	8.00
22	3.70	4.15
23	3.00	3.50
24	4.90	5.55
25	6.60	7.70
26	2.50	2.75
27	30.40	32.60
28	4.70	5.35
29	7.40	8.50
30	8.00	8.40
60	1.80	2.55
61	3.95	4.80
62	15.60	18.20
63	9.90	11.65
64	1.35	1.90
65	6.90	8.00
66	7.50	8.75
67	9.10	10.35
68	14.20	16.30

For 1¾-inch thick Windows or Sash of the above designs add to the 1⅜ full Open list 40% of the extra provided for 1⅜ Open Windows or Sash of similar design.

For other Fancy or Cut Up Sash see Rule 4.

List prices on the above designs are based on the exact number of lights shown in cuts, and price will vary in proportion as there may be more or less number of lights in the article made owing to size or otherwise.

For Windows or Sash glazed with white chipped, Florentine or similar glass of equal value add to glazed list for each square foot of glass measure, list 40c.

SEGMENT, CIRCLE or GOTHIC HEAD SASH.

As shown on pages 38-41.

SEGMENT HEADS

For List Price	1⅜ thick up to 3 feet	1⅜ thick up to 5 feet	1¾ thick up to 3 feet	1¾ thick up to 5 feet
Design No. 3 add	$1.50	$3.20	$1.90	$3.75
Design No. 4 add	1.50	3.20	1.90	3.75
Circle Head In and Out				
For List Price				
Design No. 1 add	4.80	8.00	5.75	9.00
Circle Head Outside, Square Inside				
For List Price				
Design No. 2 add	5.50	12.00	6.50	13.50
Gothic Head In and Out				
For List Price				
Design No. 50 add	4.80	8.00	5.75	9.00
Peak Head In and Out				
For List Price				
Design No. 52 add	2.25	4.50	2.75	5.25
For List Extra				
Design No. 51 add to list	7.80	12.00	9.25	13.50
For List Extra				
Design No. 53 add to list	4.05	6.30	5.00	7.50

For each light cut odd shape, of glazed, add list 10c.

NOTE "A"—For Segment, Gothic, Circle or Peak Head Sash over 5 feet in width add for each additional 6 inches or fraction thereof to price of 5-foot width, 15%.

FULL CIRCLE SASH

NOTE "A"—For list price on Sash full circle in and out add double the list provided by rule for circle head in and out, Design No. 1.

NOTE "B"—For list price on Sash full circle outside, square inside, add double the list provided by rule for circle head outside, square inside, Design No. 2.

KITE SHAPED ELLIPTICAL OR EYEBROW SASH

For list price add to the Open list of a full circle sash of similar size 30%.

LIST PRICE on SEGMENT, CIRCLE or GOTHIC HEAD TRANSOMS

as shown on page 40.

For list price on Design No.	1⅜ thick up to 3 ft. wide	1⅜ thick up to 5 ft. wide	1¾ thick up to 3 ft. wide	1¾ thick up to 5 ft. wide
69–70 add	$1.50	$ 3.20	$ 1.90	$ 3.75
71–74 add	4.80	8.00	5.75	9.00
72 add	6.80	10.00	8.00	11.50
73 add	8.60	12.80	10.65	15.00
75 add	7.80	12.00	9.25	13.50

To arrive at glazed list for any of the above designs figure a Sash glazed 1 light of the size required for square head Sash of the extreme width and height given and add for each square or diamond cut light if glazed, list 5c.

For each light cut odd shape if glazed, add list 10c.

Quarter Circle Sash or Windows

	1⅜	1¾
(a)—For list on open or glazed quarter circle inside and outside not over 2 foot wide base, add for	$3.00	$3.75
(b)—For list on open or glazed quarter circle inside and outside over 2 feet and not over 4-foot wide base, add for	6.00	7.50
(c)—For list on open or glazed quarter circle outside and square inside, not over 2-foot wide base, add for	4.00	5.25
(d)—For list on open or glazed quarter circle outside and square inside, over 2 feet and not over 4-foot wide base, add for	8.00	10.00

Diamond Shape Sash

For list on open or glazed Sash, diamond shape, add to open or glazed list double the list given for Peak Head Sash.

GABLE FRAMES and SASH.



80

81



82



83

84



86



85

87

Sash Design	Outside Measure of Sash	Thickness	List Price Open	List Price Glazed	Frame Design	List Price Frame for 2x4 Studs
	ft.in. ft.in.	in.	$ cts.	$ cts.		$ cts.
80	2-0 x 2-5	1⅜	1.00	2.50	80B	6.00
81	2-0 x 2-0	1⅜	11.75	13.20	81B	8.00
82	2-0 x 2-5	1⅜	3.00	4.60	82B	10.00
83	2-0 x 2-3	1⅜	8.75	10.85	83B	10.50
84	2-0 x 2-0	1⅜	20.00	22.65	84B	10.50
85	1-8 x 2-8	1⅜	14.50	16.20	85B	12.00
86	2-6 x 1-6	1⅜	12.00	14.05	86B	10.00
87	1-8 x 2-8	1⅜	23.00	25.90	87B	12.00

Frames are made for sash square inside.
Price given for Frames is subject to sash discount.

SASH EXTRAS.

NOTE "A"—Unless otherwise specified, when a net extra or a list extra is provided, it will apply to either Open or Glazed list, and when a percentage of the list is provided, it applies to Open list only, and is to be applied before Glazing list is added.

NOTE "B"—The list extras specified are presumed and intended to enable the building up of a list which when completed shall be subject to the "oddwork" discount, except when ordered in stock quantities of a size and kind

LARGER SIZES

RULE 1.—(a) For list on open windows wider than listed sizes, add to the open list for similar window of widest listed size of same height, for each additional 2 inches or part thereof..... **15c list**

(b) For list on open windows longer than listed sizes, add to the open list for similar window of longest listed size of same width for each additional 4 inches or part thereof..... **15c list**

WIDE STILES, RAILS OR BARS

RULE 2.—For list on open windows, or sash, with stiles, rails or bars wider than regular stock sizes, add as follows:

(a) For stiles and top rails wider than 2 inches to glass rabbet, for each additional ¼ inch or part thereof, add of the open list to open or glazed list..... **10% list**

(b) For bottom rails wider than 3 inches to glass rabbet, for each additional ½ inch or part thereof, add of open list to open or glazed list **5% list**

(c) For check rails thicker than 1⅜ inch and not over 1¾ inches finished sizes, add of open list to open or glazed list..... **10% list**

(d) For bars or muntins wider than stock add of the open list for each additional ¼ inch or part thereof on each bar or muntin to the open or glazed list..... **1½%**

(For example, a 6-light sash when made 3-light wide would be figured as containing 3 bars or muntins.)

NOTE—For rabbeting rails, see Rule 20.

O. G. LUGS

RULE 3.—For list on 1⅜-inch open or glazed windows with O. G. lugs add to open on glazed list for each sash with lugs..... **30c list**

DIVIDED SASH

	1⅜ inch list	1¾ inch list
RULE 4.—For list on open or glazed windows or sash divided into small lights, and not specifically listed, add to the list for similar two-light window or one-light sash for each light as follows:		
(a) For rectangular or margin lights add	**$0.12**	**$0.16**
(b) For lights not rectangular, but formed by straight bars on all sides (diamond lights), (except suspended lights, see Note "C")	**.30**	**.40**
(c) For suspended diamond lights (similar to long and square lights in sash Nos. 17, 18, page 30.	**.50**	**.65**
(d) For lights not rectangular but formed by curved bars	**2.00**	**2.50**

(e) For suspended circle lights similar to Fig. 21 in 1⅜-inch open Sash add $5.00 list for the 1-light and 12c list for each additional light as shown in cut.

(f) For suspended circle lights similar to Fig. 21 in 1¾ open Sash add $6.00 list for the 1-light and 16c list for each additional light as shown in cut.

(g) For suspended circle lights similar to Fig. 21 if glazed with putty add to the glazed list 10c list extra for each of the 5 center lights and 5c list extra for each of the square lights.

COTTAGE STYLE WINDOWS

RULE 5.—For cottage style windows (with top and bottom light of different heights) not listed, add together one-half of the lists of windows of the same width containing the same or next larger glass size, for the bottom and top, respectively, and add ..... **30c** list

HALF WINDOWS

RULE 6.—For half windows (either top or bottom sash) add to half of the list of such window ..... **30c** list

1⅛ INCH THICK

RULE 7.—(a) For list on 1⅛-inch sash, not listed, and for two and four light plain rail windows, use 1⅜-inch list, open or glazed, and deduct from the open list **10%**

(b) For list on 1⅛-inch check rail windows, open or glazed, deduct from 1⅜ open list **5%**

(c) For 1⅜ single sash not listed add to list of 1⅛ listed open sash **20%**

1⅜ INCHES PLAIN RAIL WINDOWS

RULE 8.—For 1⅜-inch plain rail windows use 1⅜-inch check rail list, open or glazed.

1¾ INCHES THICK

RULE 9.—(a) For 1¾-inch windows or sash, open or glazed, add of the 1⅜-inch open list to the 1⅜-inch open or glazed list, unless otherwise provided for.. **40% list**

(b) For all extras for 1¾-inch windows or sash, unless otherwise provided for, add to extras for 1⅜-inch sash..... **40% list**

2¼ INCHES THICK

RULE 10.—For 2 or 2¼-inch windows or sash, open or glazed, add of the 1¾-inch open list to the 1¾-inch open or glazed list..... **100% list**

SINGLE SASH

RULE 11.—(a) To make open Sash list on 1⅜ 1-light Transom, Cellar or other single sash not otherwise provided for in this list figure the united inches, width and length, added of the entire glass measurement not over 100 united inches at per inch..... **2½c**

(b) No sash to be figured as less than..... **$1.00 list**

(c) For more than 1 light in the above add as per Rule 4.

CASEMENT SASH

RULE 12.—For casement sash, figure each sash as per Rule 11. If rabbeted, see Rule 20, page 51.

STORE SASH

RULE 13.—(a) Store sash with stiles and top rail 3 inches to glass line, and bottom rail 4 inches to glass line, 1⅜ inches thick, per lineal foot around the opening, list.....

1⅜	1¾
25c	**35c**

(b) Bars for 1⅜-inch sash not over 1 inch between glass, per lineal foot, list.....

15c	**20c**

(c) For wider stiles, rails, etc., see Rule 2, page 47

(d) For glass beads or stops, see Rule 15, page 49.

(e) For panels under store sash, see Rule 14.

PANELS FOR STORE FRONTS

RULE 14.—(a) Panels for store front, solid stuck, 1⅜ inches thick, per square foot, 60c list, subject to Door Discount.

(b) Panels for store front, solid stuck, 1¾ inches thick, per square foot, 85c list, subject to Door Discount.

STOPS AND BEADS

RULE 15.—For stock size and pattern stops or beads around square glass in Sash or Windows not over 1¾ inches thick, add for beads around each light:

(a) 24 united inches or less..... 20c list
(b) 25 to 60 united inches..... 30c list
(c) 61 to 90 united inches..... 40c list
(d) For over 90 united inches add ½c per inch list.
(e) For rabbeting sash to receive stops add per sash list 5c.

The minimum charge for stops or rabbeting will be net 15c.

(f) For stops or glass bead for diamond, also sprung stops for segment or circle lights add..... 50%

BENT SASH

RULE 16.—(a) For open square head 1-light bent sash, either 1⅜ or 1¾ inches thick, not over 2 feet wide, add to the open list of a regular sash of same size..... $10.00 list
(b) For each additional 6 inches in width or fraction thereof add..... $2.50 list
(c) For bent bars add 20% of above extras for each bent bar.
(d) For bent open windows double the list for a similar bent sash.
(e) For bent sash thicker than 1¾ inches add to the above extras for each ½ inch or fraction thereof..... 25%

OIL FINISH

RULE 17.—For windows or sash selected for oil finish, add of the open list to open or glazed list..... 10%

GLAZING

RULE 18.—(a) For glazing with AA glass, add of the 1⅜-inch glazed list..... 33⅓%
(b) In figuring glass of unlisted glazed sash with marginal or divided lights, either diamond, square, peak, or otherwise, figure as though sash was glazed with but one full light of glass and add for extra cost of glazing with putty each square or diamond light per light 5c list
(c) For each light cut odd shape, if glazed, add extra 10c list
(d) For windows or sash glazed with white chip, Florentine, or similar glass of equal value, add to D. S. glazed list for each square foot of glass measure..... 40c list

STORM SASH

RULE 19.—(a) 1⅛-inch storm sash, with regular 2¼-inch wide stiles over all, take the same list as given for a 1⅜-inch check rail window with an equal number of lights of the same size.

(b) For 1⅜-inch storm sash add of the 1⅛-inch open storm sash list to the open or glazed list... 20%

RABBETING

RULE 20.—(a) For rabbeting outside edge of rails, or stiles of windows or sash, add to the list for each edge rabbeted (except as below)..... **15c** list

(b) For rabbeting standard size check rails of windows, per window..... **25c** list

(c) For rabbeting in pairs center stiles of casement or cupboard sash, per pair..... **30c** list

(d) For rabbeting sash for plate or other thick glass, add for each sash so rabbeted..... **5c** list

NOTE—The minimum charge under Rule 20 for any one order will be..... **15c** net

WATER DRIPS

RULE 21.—Grooving bottom rail and furnishing stock pattern water drip for same, **loose:**

(a) 3 feet and under in length, add..... **75c** list

(b) Over 3 feet, up to 5 feet, add..... **$1.25** list

BARTLETT · SHOTTS · WILSON COMPANY



200

LISTED SIZES OF

FOUR PANEL O G DOORS No. 200

Size of Door	Thick-ness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
ft. in. ft. in.	in.	$ cts.	$ cts.	$ cts.
2- 0 x 6- 0	¾	4.65	4.20	3.50
2- 4 x 6- 4	¾	5.05	4.60	.....
2- 0 x 6- 6	¾	5.05	4.60	.....
2- 6 x 6- 6	¾	5.35	4.85	3.90
2- 8 x 6 8	¾	5.45	5.00	4.15
2- 0 x 6- 0	1⅛	5.15	4.65	3.85
2- 2 x 6- 0	1⅛	5.90	5.35	.....
2- 6 x 6- 0	1⅛	5.90	5.35	.....
2- 8 x 6- 0	1⅛	6.05	5.50	.....
3- 0 x 6- 0	1⅛	7.15	6.45	.....
2- 4 x 6- 4	1⅛	5.55	5.05	.....
2- 0 x 6- 6	1⅛	5.60	5.10	.....
2- 2 x 6- 6	1⅛	5.90	5.35	.....
2- 4 x 6- 6	1⅛	5.90	5.35	.....
2- 6 x 6- 6	1⅛	5.90	5.35	4.30
2- 0 x 6- 8	1⅛	6.00	5.45	.....
2- 4 x 6- 8	1⅛	6.00	5.45	.....
2- 6 x 6- 8	1⅛	6.00	5.45	.....
2- 8 x 6- 8	1⅛	6.05	5.50	4.60
2-10 x 6-10	1⅛	7.65	6.90	5.35
2- 6 x 7- 0	1⅛	7.60	6.85	.....
3- 0 x 7- 0	1⅛	8.15	7.30	5.70
2- 0 x 6- 0	1⅜	5.70	5.15	4.20
2- 4 x 6- 0	1⅜	6.50	5.90	.....
2- 6 x 6- 0	1⅜	6.50	5.90	.....
2- 8 x 6- 0	1⅜	6.70	6.05	.....
3- 0 x 6- 0	1⅜	7.90	7.15	.....
2- 4 x 6- 4	1⅜	6.10	5.55	.....
2- 6 x 6- 4	1⅜	6.50	5.90	.....
2- 8 x 6- 4	1⅜	6.70	6.05	.....
3- 0 x 6- 4	1⅜	8.50	7.70	.....
2- 0 x 6- 6	1⅜	6.15	5.60	.....
2- 2 x 6- 6	1⅜	6.30	5.70	.....
2- 4 x 6- 6	1⅜	6.30	5.70	.....
2- 6 x 6- 6	1⅜	6.50	5.90	4.75
2- 8 x 6- 6	1⅜	6.70	6.05	.....
2-10 x 6- 6	1⅜	8.00	7.25	.....
3- 0 x 6- 6	1⅜	8.50	7.70	.....
2- 0 x 6- 8	1⅜	6.25	5.65	.....
2- 2 x 6- 8	1⅜	6.40	5.80	.....
2- 4 x 6- 8	1⅜	6.40	5.80	.....
2- 6 x 6- 8	1⅜	6.65	6.00	.....

Continued on next page)

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

FOUR PANEL O G DOORS No. 200



200

Size of Door	Thick-ness	List No. 1 Quality	List No. 2 Quality	List No. 3 Quality
ft. in. ft. in.	in.	$ cts.	$ cts.	$ cts.
2- 8 x 6- 8	1⅜	6.70	6.05	5.05
2-10 x 6- 8	1⅜	8.00	7.25	.....
3- 0 x 6- 8	1⅜	8.50	7.70	.....
2- 0 x 6-10	1⅜	7.40	6.70	.....
2- 2 x 6-10	1⅜	7.60	6.85	.....
2- 4 x 6-10	1⅜	7.60	6.85	.....
2- 6 x 6-10	1⅜	7.65	6.90	.....
2- 8 x 6-10	1⅜	7.65	6.90	.....
2-10 x 6-10	1⅜	8.00	7.25	5.90
3- 0 x 6-10	1⅜	8.50	7.70	.....
2- 0 x 7- 0	1⅜	7.55	6.85	.....
2- 2 x 7- 0	1⅜	7.65	6.90	.....
2- 4 x 7- 0	1⅜	7.65	6.90	.....
2- 6 x 7- 0	1⅜	7.70	6.95	.....
2- 8 x 7- 0	1⅜	7.90	7.15	.....
2-10 x 7- 0	1⅜	8.15	7.35	.....
3- 0 x 7- 0	1⅜	8.50	7.70	6.30
2- 6 x 7- 6	1⅜	9.45	8.55	.....
2- 8 x 7- 6	1⅜	9.90	8.95	.....
2-10 x 7- 6	1⅜	10.40	9.40	.....
3- 0 x 7- 6	1⅜	10.85	9.80	.....
2- 6 x 8- 0	1⅜	10.80	9.75	.....
2- 8 x 8- 0	1⅜	11.25	10.15	.....
3- 0 x 8- 0	1⅜	12.30	11.10	.....
2- 6 x 6- 6	1¾	9.60	8.65	.....
2- 8 x 6- 8	1¾	9.90	8.95	.....
2-10 x 6-10	1¾	11.85	10.70	.....
2- 6 x 7- 0	1¾	11.40	10.30	.....
2- 8 x 7- 0	1¾	11.70	10.55	.....
2-10 x 7- 0	1¾	12.10	10.90	.....
3- 0 x 7- 0	1¾	12.60	11.40	.....
2- 6 x 7- 6	1¾	14.05	12.70	.....
2- 8 x 7- 6	1¾	14.70	13.25	.....
2-10 x 7- 6	1¾	15.45	13.95	.....
3- 0 x 7- 6	1¾	16.15	14.55	.....
2- 6 x 8- 0	1¾	16.05	14.50	.....
2- 8 x 8- 0	1¾	16.75	15.10	.....
3- 0 x 8- 0	1¾	18.30	16.50	.....
3- 0 x 8- 6	1¾	21.50	19.40	.....
3- 0 x 9- 0	1¾	23.70	21.35	.....

For irregular or intermediate sizes, see Note B, page 65.
For larger than listed sizes, see Rule 1, page 65.
For Extras, see pages 65 to 68.



201

LISTED SIZES OF

FIVE PANEL O G DOORS No. 201

Size of Door	List ¾-in. No. 1 Quality	List 1⅛-in. No. 1 Quality	List 1⅛-in. No. 2 Quality
ft.in. ft.in.	$ cts.	$ cts.	$ cts.
2-0 x 6-0	4.95	5.45	4.95
2-0 x 6-6	.....	5.90	5.40
2-6 x 6-6	.....	6.20	5.65

Size of Door	List 1⅜-in. No. 1 Quality	List 1⅜-in. No. 2 Quality	List 1¾-in. No. 1 Quality	List 1¾-in. No. 2 Quality
ft. in. ft. in.	$ cts.	$ cts.	$ cts.	$ cts.
2- 0 x 6- 0	6.00	5.45	.....	.....
2- 4 x 6- 0	6.80	6.20	.....	.....
2- 6 x 6- 0	6.80	6.20	.....	.....
2- 8 x 6- 0	7.00	6.35	.....	.....
3- 0 x 6- 0	8.20	7.45	.....	.....
2- 0 x 6- 4	6.70	6.10	.....	.....
2- 4 x 6- 4	6.70	6.10	.....	.....
2- 0 x 6- 6	6.70	6.10	.....	.....
2- 2 x 6- 6	6.70	6.10	.....	.....
2- 4 x 6- 6	6.70	6.10	.....	.....
2- 6 x 6- 6	6.80	6.20	9.90	8.95
2- 8 x 6- 6	7.00	6.35	.....	.....
2-10 x 6- 6	8.30	7.55	.....	.....
2- 0 x 6- 8	6.85	6.25	.....	.....
2- 2 x 6- 8	6.85	6.25	.....	.....
2- 4 x 6- 8	6.85	6.25	.....	.....
2- 6 x 6- 8	6.95	6.30	.....	.....
2- 8 x 6- 8	7.00	6.35	10.20	9.25
2-10 x 6- 8	8.30	7.55	.....	.....
3- 0 x 6- 8	8.80	8.00	.....	.....
2- 0 x 6-10	7.90	7.15	.....	.....
2- 4 x 6-10	7.90	7.15	.....	.....
2- 6 x 6-10	7.95	7.20	.....	.....
2- 8 x 6-10	7.95	7.20	.....	.....
2-10 x 6-10	8.30	7.55	12.15	11.00
2- 0 x 7- 0	7.95	7.20	.....	.....
2- 2 x 7- 0	7.95	7.20	.....	.....
2- 4 x 7- 0	7.95	7.20	.....	.....
2- 6 x 7- 0	8.00	7.25	11.70	10.60
2- 8 x 7- 0	8.20	7.45	12.00	10.85
2-10 x 7- 0	8.45	7.65	12.40	11.20
3- 0 x 7- 0	8.80	8.00	12.90	11.70
2- 6 x 7- 6	9.75	8.85	14.35	13.00
2- 8 x 7- 6	10.20	9.25	15.00	13.55
2-10 x 7- 6	10.70	9.70	15.75	14.25
3- 0 x 7- 6	11.15	10.10	16.45	14.85
2- 6 x 8- 0	11.10	10.05	16.35	14.80
2- 8 x 8- 0	11.55	10.45	17.05	15.40
3- 0 x 8- 0	12.60	11.40	18.60	16.80

For irregular or intermediate sizes, see Note B, page 65.
For larger than listed sizes, see Rule 1, page 65.
For Extras, see pages 65 to 68

Five-panel 1⅛-inch doors, when ordered in stock quantities, use list for 1⅛-inch four-panel door same size and add 30c. For same in less than stock quantities, use 1⅛-inch five-panel list for same size.

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

FIVE CROSS PANEL O G DOORS No. 202½



202½

Size of Door	List ¾-in. No. 1 Quality	List 1⅛-in. No. 1 Quality
ft. in. ft. in.	$ cts.	$ cts.
2- 0 x 6- 0	4.95	5.45
2- 0 x 6- 6	.....	5.90

Size of Door	List 1⅜-in. No. 1 Quality	List 1⅜-in. No. 2 Quality	List 1¾-in. No. 1 Quality	List 1¾-in. No. 2 Quality
ft. in. ft. in.	$ cts.	$ cts.	$ cts.	$ cts.
2- 0 x 6- 0	6.00	5.45	.....	.....
2- 2 x 6- 0	6.80	6.20	.....	.....
2- 4 x 6- 0	6.80	6.20	.....	.....
2- 6 x 6- 0	6.80	6.20	.....	.....
2- 8 x 6- 0	7.00	6.35	.....	.....
2-10 x 6- 0	8.20	7.45	.....	.....
3- 0 x 6- 0	8.20	7.45	.....	.....
2- 0 x 6- 4	6.70	6.10	.....	.....
2- 2 x 6- 4	6.70	6.10	.....	.....
2- 4 x 6- 4	6.70	6.10	.....	.....
2- 6 x 6- 4	6.80	6.20	.....	.....
2- 8 x 6- 4	7.00	6.35	.....	.....
3- 0 x 6- 4	8.80	8.00	.....	.....
2- 0 x 6- 6	6.70	6.10	.....	.....
2- 2 x 6- 6	6.70	6.10	.....	.....
2- 4 x 6- 6	6.70	6.10	.....	.....
2- 6 x 6- 6	6.80	6.20	9.90	8.95
2- 8 x 6- 6	7.00	6.35	.....	.....
2-10 x 6- 6	8.30	7.55	.....	.....
3- 0 x 6- 6	8.80	8.00	.....	.....
2- 0 x 6- 8	6.85	6.25	.....	.....
2- 2 x 6- 8	6.85	6.25	.....	.....
2- 4 x 6- 8	6.85	6.25	.....	.....
2- 6 x 6- 8	6.95	6.30	10.15	.....
2- 8 x 6- 8	7.00	6.35	10.20	9.25
2-10 x 6- 8	8.30	7.55	.....	.....
3- 0 x 6- 8	8.80	8.00	.....	.....
4- 0 x 6- 8	13.20	.....	19.35	.....
4- 6 x 6- 8	15.40	.....	22.60	.....
5- 0 x 6- 8	17.60	.....	25.80	.....
2- 0 x 6-10	7.90	7.15	.....	.....
2- 2 x 6-10	7.90	7.15	.....	.....
2- 4 x 6-10	7.90	7.15	.....	.....

(Continued on next page.)



202½

LISTED SIZES OF

FIVE CROSS PANEL O G DOORS No. 202½

Size of Door	List 1⅜-inch No. 1 Quality	List 1⅜-inch No. 2 Quality	List 1¾-inch No. 1 Quality	List 1¾-inch No. 2 Quality
ft. in. ft. in.	$ cts.	$ cts.	$ cts.	$ cts
2- 6 x 6-10	7.95	7.20	.....	.....
2- 8 x 6-10	7.95	7.20	.....	.....
2-10 x 6-10	8.30	7.55	12.15	11.00
2- 0 x 7- 0	7.95	7.20	.....	.....
2- 2 x 7- 0	7.95	7.20	.....	.....
2- 4 x 7- 0	7.95	7.20	.....	.....
2- 6 x 7- 0	8.00	7.25	11.70	10.60
2- 8 x 7- 0	8.20	7.45	12.00	10.85
2-10 x 7- 0	8.45	7.65	12.40	11.20
3- 0 x 7- 0	8.80	8.00	12.90	11.70
4- 0 x 7- 0	13.20	.....	19.35	.....
5- 0 x 7- 0	17.60	.....	25.80	.....
2- 0 x 7- 6	9.75	8.85	.....	.....
2- 4 x 7- 6	9.75	8.85	.....	.....
2- 6 x 7- 6	9.75	8.85	14.35	13.00
2- 8 x 7- 6	10.20	9.25	15.00	13.55
2-10 x 7- 6	10.70	9.70	15.75	14.25
3- 0 x 7- 6	11.15	10.10	16.45	14.85
5- 0 x 7- 6	22.30	.....	32.90	.....
2- 6 x 8- 0	11.10	10.05	16.35	14.80
2- 8 x 8- 0	11.55	10.45	17.05	15.40
3- 0 x 8- 0	12.60	11.40	18.60	16.80

For irregular or intermediate sizes, see Note "B," page 65.

For larger than listed sizes, see Rule 1, page 65.

For Extras, see pages 65 to 68.

Five cross panel 1⅛-inch doors, when ordered in stock quantities, use list for 1⅛-inch four-panel door same size and add 60c. For same in less than stock quantities, use 1⅜-inch 5-cross panel list for same size.

For 201½ O G Door, three cross and two upright panels, use five cross panel O G list for same size.

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

FIVE CROSS PANEL DOORS, B. & C.

No. 202¾ Raised Panels Both Sides



202¾

Size of Door	List 1⅜-in. No. 1 Quality	List 1⅜-in. No. 2 Quality	List 1¾-in. No. 1 Quality	List 1¾-in. No. 2 Quality
ft. in. ft. in.	$ cts.	$ cts.	$ cts.	$ cts.
2- 0 x 6- 0	6.20	5.65	.....	.....
2- 4 x 6- 0	7.00	6.40	.....	.....
2- 6 x 6- 0	7.00	6.40	.....	.....
2- 4 x 6- 4	6.90	6.30	.....	.....
2- 0 x 6- 6	6.90	6.30	.....	.....
2- 2 x 6- 6	6.90	6.30	.....	.....
2- 4 x 6- 6	6.90	6.30	.....	.....
2- 6 x 6- 6	7.00	6.40	10.10	9.15
2- 8 x 6- 6	7.20	6.55	.....	.....
2- 0 x 6- 8	7.05	6.45	.....	.....
2- 2 x 6- 8	7.05	6.45	.....	.....
2- 4 x 6- 8	7.05	6.45	.....	.....
2- 6 x 6- 8	7.15	6.50	.....	.....
2- 8 x 6- 8	7.20	6.55	10.40	9.45
3- 0 x 6- 8	9.00	8.20	.....	.....
2- 0 x 6-10	8.10	7.35	.....	.....
2- 2 x 6-10	8.10	7.35	.....	.....
2- 4 x 6-10	8.10	7.35	.....	.....
2- 6 x 6-10	8.15	7.40	.....	.....
2- 8 x 6-10	8.15	7.40	.....	.....
2-10 x 6-10	8.50	7.75	12.35	11.20
2- 0 x 7- 0	8.15	7.40	.....	.....
2- 2 x 7- 0	8.15	7.40	.....	.....
2- 4 x 7- 0	8.15	7.40	.....	.....
2- 6 x 7- 0	8.20	7.45	11.90	10.80
2- 8 x 7- 0	8.40	7.65	12.20	11.05
2-10 x 7- 0	8.65	7.85	12.60	11.40
3- 0 x 7- 0	9.00	8.20	13.10	11.90
2- 6 x 7- 6	9.95	9.05	14.55	13.20
2- 8 x 7- 6	10.40	9.45	15.20	13.75
2-10 x 7- 6	10.90	9.90	15.95	14.45
3- 0 x 7- 6	11.35	10.30	16.65	15.05
2- 6 x 8- 0	11.30	10.25	16.55	15.00
2- 8 x 8- 0	11.75	10.65	17.25	15.60
3- 0 x 8- 0	12.80	11.60	18.80	17.00

For irregular or intermediate sizes, see Note "B" page 65.

For larger than listed sizes, see Rule 1, page 65.

For Extras, see pages 65 to 68.

For five cross panel 1⅛-inch doors when ordered in stock quantities, use list for 1⅛-inch four-panel door, same size, and add 80c. For same in less than stock quantities, use 1⅜-inch five cross panel list for same size. For No. 201½ bead and cove door, three cross and two upright panels, use five cross panel bead and cove list for same size.

BARTLETT · SHOTTS · WILSON COMPANY

Full Set

LISTED SIZES OF

O G CUPBOARD DOORS

¾ and 1⅛ Inches Thick

Full Set

Size of Door	No. of Panels	List 1⅛ in. No. 1 Quality	List 1⅛ in. No. 2 Quality	List ¾ in. No. 1 Quality	List ¾ in. No. 2 Quality
ft. in. ft. in.		$ cts.	$ cts.	$ cts.	$ cts.
1- 6 x 2- 6	1 or 2	1.85	1.75	1.50	1.40
2- 8	1 or 2	1.95	1.85	1.55	1.50
2-10	1 or 2	2.05	1.95	1.65	1.55
1- 8 x 2- 6	1 or 2	2.00	1.90	1.60	1.50
2- 8	1 or 2	2.10	2.00	1.70	1.60
2-10	1 or 2	2.20	2.10	1.75	1.65
1-10 x 2- 6	2	2.10	2.00	1.70	1.60
2- 8	2	2.20	2.10	1.75	1.65
2-10	2	2.30	2.20	1.85	1.75
2- 0 x 2- 6	2	2.25	2.15	1.80	1.70
2- 8	2	2.35	2.20	1.90	1.80
2-10	2	2.45	2.30	1.95	1.85
3- 0	2	2.30	2.45	2.10	2.00
1- 6 x 4- 0	2 or 4	2.95	2.80	2.35	2.25
4- 6	2 or 4	3.20	3.05	2.55	2.45
5- 0	2 or 4	3.50	3.30	2.80	2.65
1- 8 x 4- 0	2 or 4	3.15	3.00	2.50	2.35
4- 6	2 or 4	3.45	3.30	2.75	2.65
5- 0	2 or 4	3.75	3.60	3.00	2.85
1-10 x 4- 6	2 or 4	3.65	3.45	2.90	2.75
5- 0	2 or 4	4.00	3.80	3.20	3.05
5- 6	2 or 4	4.30	4.10	3.45	3.30
2- 0 x 4- 6	2 or 4	3.90	3.70	3.10	2.95
5- 0	2 or 4	4.25	4.05	3.40	3.25
5- 6	2 or 4	4.35	4.15	3.50	3.30

For cupboard doors with cross panels, add **15c** list.

For rabbeting single pair, add **15c** net; for two pair or more, add **10c** net, per pair.

For 1⅜ inch cupboard doors, add to 1⅛ inch list **15%**.

For bead and cove, add **10c** list.

For cupboard doors with a greater number of panels than provided for in above list for such size, add **10c** list for each extra panel.

Minimum charge, 50c net.

For irregular or intermediate sizes see Note "B," page 65.

For Extras, see pages 65 to 68

LISTED SIZES OF

No. 4 QUALITY O G DOORS

¾, 1⅛ and 1⅜ Inches Thick

Size of Door	Thickness	List 4-Panel Door No. 4 Quality	List 4-Panel Door Painted	List 5-Panel Door No. 4 Quality	List 5-Panel Door Painted
ft. in. ft. in.	in.	$ cts.	$ cts.	$ cts.	$ cts.
2- 0 x 6- 0	¾	2.35	3.00	.....	.....
2- 6 x 6- 6	¾	2.60	3.25	.....	.....
2- 8 x 6- 8	¾	2.75	3.40	.....	.....
Above doors have bevel raised panels, one side only.					
2- 0 x 6- 0	1⅛	2.60	3.25	2.80	3.45
2- 2 x 6- 6	1⅛	2.90	3.55	3.10	3.75
2- 4 x 6- 6	1⅛	2.90	3.55	3.10	3.75
2- 6 x 6- 6	1⅛	2.90	3.55	3.10	3.75
2- 6 x 6- 8	1⅛	3.05	3.70	3.25	3.90
2- 8 x 6- 8	1⅛	3.05	3.70	3.25	3.90
2-10 x 6-10	1⅛	3.55	4.20	3.75	4.40
3- 0 x 7- 0	1⅛	3.70	4.35	3.90	4.55
2- 0 x 6- 0	1⅜	2.85	3.50	3.05	3.70
2- 6 x 6- 6	1⅜	3.20	3.85	3.40	4.05
2- 6 x 6- 8	1⅜	3.40	4.05	3.60	4.25
2- 8 x 6- 8	1⅜	3.40	4.05	3.60	4.25
2-10 x 6-10	1⅜	3.95	4.60	4.15	4.80
3- 0 x 7- 0	1⅜	4.10	4.75	4.30	4.95

No. 4 QUALITY O G SASH DOORS.

1⅜ Inches Thick.

No. 210. Four light O G Door				No. 211. Two light O G Door			
Size of Door	List Open No. 4 Quality	List Open Painted	List Glazed Painted	Size of Door	List Open No. 4 Quality	List Open Painted	List Glazed Painted
ft. in. ft. in.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.	$ cts.	$ cts.	$ cts.
2- 6 x 6- 6	3.55	4.20	6.15	2- 6 x 6- 6	3.55	4.20	6.35
2- 8 x 6- 8	3.75	4.40	6.65	2- 8 x 6- 8	3.75	4.40	7.15
2-10 x 6-10	4.30	4.95	7.45	2-10 x 6-10	4.30	4.95	7.85
3- 0 x 7- 0	4.45	5.10	8.05	3- 0 x 7- 0	4.45	5.10	8.85
No. 212. One light O G Door.				**No. 212½.** Three panel, one light O G Door			
2- 6 x 6- 6	3.40	4.05	7.35	2- 6 x 6- 6	3.60	4.25	7.20
2- 8 x 6- 8	3.60	4.25	8.35	2- 8 x 6- 8	3.80	4.45	7.80
2-10 x 6-10	4.15	4.80	9.45	2-10 x 6-10	4.35	5.00	9.10
3- 0 x 7- 0	4.30	4.95	11.05	3- 0 x 7- 0	4.50	5.15	9.80

For grained doors, add 20c net.

For No. 213 door, No. 4 quality or painted, add to list of No. 211 door, open or glazed, $1.25.

For irregular or intermediate sizes, see Note "B", page 65.

For larger than listed sizes, see Rule 1, page 65.

For Extras, see pages 65 to 68.

OG SASH DOORS.

Raised Panels, two sides.



210



211

LISTED SIZES OF

TWO and FOUR LIGHT O G SASH DOORS.

1⅜ Inches Thick.

Size of Door	List Open No. 210 or No. 211	No. 210 List Glazed	No. 211 List Glazed
ft. in. ft. in.	$ cts	$ cts.	$ cts
2- 6 x 6- 0	6.70	8.65	8.85
2- 8 x 6- 0	6.90	9.15	9.65
2- 6 x 6- 6	6.70	8.65	8.85
2- 8 x 6- 8	6.90	9.15	9.65
2-10 x 6-10	8.20	10.70	11.10
2- 6 x 7- 0	7.90	10.00	10.50
2- 8 x 7- 0	8.10	10.55	11.40
3- 0 x 7- 0	8.70	11.65	12.45
3- 0 x 7- 6	11.05	14.50	17.70
3- 0 x 8- 0	12.50	16.60	20.60

For 1¾-inch Sash Doors, add 50% of the 1⅜-inch four-panel list, same size.
This list does not include Stops; for prices on Stops see Rule 8, page 67.
For irregular or intermediate sizes, see Note "B," page 65.
For larger than listed sizes, see Rule 1, page 65.
For Extras see pages 65 to 68.

O G SASH DOORS.

Raised Panels, two sides.



212



212½

LISTED SIZES OF

ONE LIGHT O G SASH DOORS.

1⅜ Inches Thick.

Size of Door	No. 212 List Open	No. 212 List Glazed	No. 212½ List Open	No. 212½ List Glazed
ft. in. ft. in.	$ cts.	$ cts.	$ cts.	$ cts.
2- 6 x 6- 0	6.45	9.75	.....	.....
2- 8 x 6- 0	6.65	10.75	.....	.....
2- 6 x 6- 6	6.45	9.75	6.75	9.70
2- 8 x 6- 8	6.65	10.75	6.95	10.25
2-10 x 6-10	7.95	12.60	8.25	12.35
2- 6 x 7- 0	7.65	12.30	7.95	11.25
2- 8 x 7- 0	7.85	12.50	8.15	12.25
2-10 x 7- 0			8.75	13.40
3- 0 x 7- 0	8.45	14.55	8.75	13.40
3- 0 x 7- 6	10.80	18.00	11.10	17.20
3- 0 x 8- 0	12.25	20.20	12.55	19.75

For 1¾-inch Sash Doors, add 50% of the 1⅜-inch four-panel list, same size
For irregular or intermediate sizes, see Note "B," page 65.
This list does not include Stops; for prices on Stops see Rule 8, page 67.
For larger than listed sizes, see Rule 1, page 65.
For Extras, see pages 65 to 68.

B & C SASH DOORS.

Raised Panels, two sides.



214

LISTED SIZES OF

ONE LIGHT B & C SASH DOOR.

1⅜ Inches Thick.

Size of Door	No. 214 List Open	No. 214 List Glazed D. S.
2- 6 x 6- 6	7.25	9.45
2- 8 x 6- 8	7.45	10.15
2-10 x 6-10	8.75	12.05
2- 6 x 7- 0	8.45	11.40
2- 8 x 7- 0	8.65	11.65
2-10 x 7- 0	9.25	13.35
3- 0 x 7- 0	9.25	13.35
3- 0 x 7- 6	11.60	16.25
3- 0 x 8- 0	13.05	19.15

For 1¾ inch Sash Doors add 50% of the 1¾ inch 4 panel list, same size.
This list does not include Stops; for prices on Stops, see Rule 8, page 67.
For irregular or intermediate sizes, see Note "B," page 65.
For larger than listed sizes, see Rule 1, page 65.
For Extras, see pages 65 to 68.

SINGLE STORE DOORS



775

DOUBLE STORE DOORS



780 781

LISTED SIZES OF STORE DOORS, O G PANELS

No. 775					Nos. 780 and 781				
Size of Door	List 1⅜-in. Open	List 1⅜-in. Glazed D. S.	List 1¾-in. Open	List 1¾-in. Glazed D. S.	Size of Pairs	List 1⅜-in. Open	List 1⅜-in. Glazed D. S.	List 1¾-in. Open	List 1¾-in. Glazed D. S.
ft in. ft.in.	$ cts.	$ cts.	$ cts.	$ cts.	ft.in. ft.in.	$ cts.	$ cts.	$ cts.	$ cts.
3–0 x 7–0	7.85	14.70	11.80	18.70	5–0 x 7–0	14.35	23.75	21.55	30.95
7–6	8.60	15.40	12.90	19.70	7–6	15.75	26.25	23.60	34.20
8–0	9.90	18.05	14.85	23.00	8–0	18.40	30.75	27.60	39.95
8–6	10.80	20.00	16.20	25.40	8–6	20.30	33.90	30.45	44.10
3–4 x 7–0	8.70	16.85	13.05	21.20	6–0 x 7–6	17.20	30.80	25.80	39.40
7–6	9.30	18.50	13.95	23.15	8–0	19.80	36.10	29.70	46.00
8–0	10.50	19.70	15.75	24.95	8–6	21.60	40.00	32.40	50.80
8–6	11.45	22.10	17.20	27.85	9–0	24.25	42.70	36.40	54.80

Panels for store front, solid mould 1⅜ inch thick, per square foot, 70c list.

Panels for store front, solid mould 1¾ inch thick, per square foot, $1.00 list.

For Moulding panels with flush moulding, add for each panel moulded, per side, 60c list

For moulding panels with raised moulding, add for each panel moulded, per side, $1.20 list.

For irregular or intermediate sizes, see Note "B," page 65.

For larger than listed sizes, see Rule 1, page 65.

For Extras, see pages 65 to 68.



LISTED SIZES OF

SIDE LIGHTS FOR DOORS.

Two or Three Lights.

O G Two Sides.

1⅜ Inches Thick.

Size of Opening	Thickness	List for Each Open	List for Each Glazed
ft. in. ft. in.	in.	$ cts.	$ cts.
1– 0 x 6– 6	1⅜	2.60	3.60
6– 8	1⅜	2.65	3.65
6–10	1⅜	3.00	4.10
7– 0	1⅜	3.05	4.15
7– 6	1⅜	3.40	4.75
1– 2 x 6– 6	1⅜	2.80	3.85
6– 8	1⅜	2.85	3.90
6–10	1⅜	3.20	4.30
7– 0	1⅜	3.25	4.35
7– 6	1⅜	3.60	4.95
8– 0	1⅜	4.35	5.85

Above prices are for two or three lights in each side light. State in ordering how many lights are desired. Above list subject to door discount.

For above side lights, 1¾ inches thick, add 50% of the open list, either open or glazed. For bead and cove, add 20c list per pair. For moulding panel with flush moulding, add for each side moulded, for each panel, 55c list.

For irregular or intermediate sizes, see Note "B," page 65. For wider than listed sizes, add to list of 1 ft. 2 in. side light of same length, for each additional 2 inches in width, or part thereof, 15% list. For extras, see pages 65 to 68.

DOOR EXTRAS.

NOTE "A"—When the term "Stock Quantities" is used in these rules it means 10 or more of one size, style and quality.

NOTE "B"—For irregular or intermediate sizes, in stock quantities, use same list as next larger listed size. For less than stock quantities on sizes not listed, an extra 10% will be charged.

LARGER THAN LISTED.

RULE 1.—(a) For list on doors wider than listed sizes, use the list of a 3 foot door, same height, and add for each additional 6 inches or part thereof..... 25% list

(b) For list on doors longer than listed sizes, use the list of the longest similar door of same width, and add for each additional 6 inches or part thereof..... 15% list

(c) For single doors made to represent a pair, add ..... $2.50 list

THICK DOORS.

RULE 2.—(a) For 1¾ inch doors, not otherwise provided for, add of the 1⅜ inch four-panel door list for same size.. 50% list

(b) For list on 2 or 2¼ inch doors (single or double thick) form list for a similar 1¾ inch door and add... 50% list

(c) For list on 2½ inch door (single or double thick) form list for a similar 1¾ inch door and add..... 70% list

(d) For list extras on doors thicker than 1⅜ inches, where extras are specified as applying to 1⅜ inch doors, add for the different thicknesses same percentage as above.

WIDE STILES, RAILS or MUNTS.

RULE 3.—(a) For 1⅜ inch doors with stiles and top rails wider than 4¾ inches (including solid mould) add for each additional 1 inch or part thereof..... 75c list

(b) For 1⅜ inch doors with cross rails (other than top, lock or bottom rails) wider than 4¾ inches (including solid mould), add for each wide rail for each additional 1 inch or part thereof..... 15c list

(c) For 1⅜ in. doors with lock or bottom rails wider than 8⅝ or 9¾ inches respectively (including solid mould), add for each wide rail for each additional 1 inch or part thereof..... 25c list

(d) Sliding doors having one stile wider than regular, add per door ⅔ price in Note "A."

DOOR EXTRAS—*Continued.*

PANELS.

RULE 4.—(a) **Arrangement of panels.**

Doors No. 200 and 201, over 3– 0 and not wider than 4– 0, 3 panels wide.
" " " " " 4– 0 " " " 4–10, 3 or 4 "
" " " " " 4–10 " " " 6– 0, 4 " 5 "
" " " " " 6– 0 " " " 7– 0, 5 " 6 "
Cross panel doors up to and including 7–4, 5 panels high.
" " " 7–6 and not higher than 8–6, 6 or 7 panels high.
" " " 8–8 " " " 10–0, 7 " 8 " "
For a less number of panels (making wider panels), special price will be charged.

ADDITIONAL PANELS.

NOTE "B"—For more panels than provided for in the lists, add for each additional panel..... **30c** list

CROSS PANELS.

NOTE "C"—For doors having two or more cross panels not covered or otherwise provided for, add to their respective list for crossing panels..... **30c** list

GRADUATED PANELS.

NOTE "D"—For graduated panels, add for each panel..... **30c** list

MOULDED PANELS.

RULE 5.—Doors with moulded panels, add to the list of similar 1⅜ or 1¾-inch O. G. door as follows:

Flush moulded 1 side, per panel	**40c** list
Flush moulded 2 side, per panel	**65c** list
Raised mould 1 side, per panel	**80c** list
Raised mould 2 side, per panel	**$1.30** list

DIFFERENT STYLES OF DOORS.

RULE 6.—(a) (One Panel) For one panel doors, special price.
(b) (Two Panel) For two panel doors, 1 wide, 2 high, special price.
(c) (Two Panel) For two panel doors, 2 wide, 1 high, use 4 panel list and add..... **15%** list
(d) (Three Panel) For three panel doors, special price.
(e) For four cross panel doors, special price.

DOOR EXTRAS—*Continued.*

SASH DOORS.

RULE 7.—(a) For sash doors not listed add to the list of a similar panel door of the same size:

If 1 light No. 4 quality, **20**c list—No. 1 and 2 quality **25**c list
If 2 light No. 4 quality, **40**c list—No. 1 and 2 quality **50**c list
If 4 light No. 4 quality, **40**c list—No. 1 and 2 quality **50**c list

(b) For sash doors with marginal or divided lights, add to the list of a similar 1 lt. door for each light, the same amount as provided in Rule 4, sash extras.

(c) For list on solid mould doors, 3 feet wide or less, segment head or segment corner glass, add to list for a similar 1-light door with square glass ..... **1.50** list

(d) For list on solid mould doors, 3 feet wide or less, half circle or gothic glass, add to list for a similar 1-light door with square glass ..... **6.00** list

(e) For list on solid mould doors, 3 feet wide or less, with gothic 2-light glass, add to list for a similar 2-light door with square glass ..... **2.80** list

(f) For raised mould sash or panel doors, 3 feet wide or less, with circle top glass or panels, add to proper list for each side moulded ..... **2.50** list

(g) For doors glazed with enameled, chipped or colored glass (any color except ruby), add to glazed list for each square foot of glass measure ..... **40**c. per ft.
If ruby, add ..... **70**c. per ft.

GLASS BEADS

RULE 8.—For beads or stops around glass in a door with one or more square lights, add to the proper list for such door for beads around each light of

16 united inches or less			.....	**18**c list
17 to 28	"	"	.....	**25**c "
29 to 40	"	"	.....	**30**c "
41 to 52	"	"	.....	**40**c "
53 to 64	"	"	.....	**45**c "
65 to 76	"	"	.....	**55**c "
77 to 88	"	"	.....	**70**c "
89 to 100	"	"	.....	**85**c "

STICKING

RULE 9.—For P. G., Ovolo, B. & C. or C. & B. sticking, not covered in lists, add to list of a similar O. G. door ..... **20**c list

DOOR EXTRAS—*Continued.*

DUTCH DOORS

RULE 10.—For Dutch doors or doors made to cut through lock rail, add to list of a similar door of same size.. **1.50** list
For same, cut and rabbeted..... **2.50** "

OIL FINISH AA

RULE 11.—(a) For AA selected stock doors for oil finish (machine smoothed) add to proper list for No. 1 door.. **80c** list

OIL FINISH AAA

(b) For AAA doors, 3- 0 x 9- 0 and under, free from sap and knots (machine smoothed), for oil finish, add to proper list for No. 1 door..... **2.00** list

(c) For AAA doors, 3- 0 x 9- 0 and under, free from sap and knots (hand smoothed), for oil finish, add to proper list for No. 1 door..... **3.00** list

BANDING

RULE 12.—For banding sliding doors, two sides, add to proper price for such doors for each lineal foot, measured around the opening of each door.. **5c net**

RABBETING.

RULE 13.—For rabbeting and beading folding doors, made extra wide for rabbeting, add to proper price for such door, per pair..... **50c net**

ASTRAGALS.

RULE 14. (a) For single astragals for folding doors not over eight foot high, add:
If doors are 1¾ inch thick or less..... **30c net**
If doors are 2¼ or 2½ inch thick..... **80c net**

(b) For double astragal for sliding doors not over eight foot high, add:
If doors are 1¾ inch thick or less..... **60c net**
If doors are 2¼ or 2½ inches or less..... **$1.25 net**

(c) For lengths over eight feet add for each additional 2 feet or part thereof..... **20%**

(d) For astragal joint on stiles, add:
If doors are 1¾ inch thick or less..... **50c net**
If doors are 2¼ or 2½ inch thick..... **75c net**

CLOSET DOORS.

Stationary Slats.



184



185



186



187

Size of Door	184 List 1⅛-in. No. 1 Quality	185 List 1⅛-in. No. 1 Quality	186 List 1⅛-in. No. 1 Quality	187 List 1⅛-in. No. 1 Quality
ft. in. ft. in.	$ cts.	$ cts.	$ cts.	$ cts.
2- 0 x 4- 0	5.90	5.00	4.80	5.60
2- 0 x 4- 6	6.10	5.20	5.00	5.80
2- 0 x 5- 0	6.30	5.40	5.20	6.00
2- 0 x 6- 0	6.75	5.85	5.65	6.45
2- 6 x 6- 6	7.55	6.65	6.45	7.25
2- 8 x 6- 8	7.75	6.85	6.65	7.45
2-10 x 6-10	8.90	8.00	7.80	8.60
3- 0 x 7- 0	9.45	8.55	8.35	9.15

For 1⅜-inch closet doors, add to above prices 15% list.
For irregular or intermediate sizes, see Note "B," page 65.
For larger that listed sizes, see Rule 1, page 65.
For Extras, see pages 65 to 68.

LISTED SIZES OF

OUTSIDE BLINDS FOR TWELVE LIGHT WINDOWS IN PAIRS

Size of Glass	List 1⅛-in. R. S. or S. S.	List 1⅛-in. ½ S. S.	List 1⅜-in. R. S. or S. S.	List 1⅜-in. ½ S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
8 x 10	2.92	3.08	3.23	3.39	2- 4½ x 3-11
12	3.38	3.56	3.75	3.93	4- 7
14	3.84	4.05	4.26	4.47	5- 3
9 x 12	3.48	3.66	3.85	4.03	2- 7½ x 4- 7
13	3.71	3.91	4.11	4.31	4-11
14	3.95	4.16	4.37	4.58	5- 3
15	4.18	4.40	4.63	4.85	5- 7
16	4.42	4.66	4.90	5.14	5-11
10 x 12	3.57	3.75	3.94	4.12	2-10½ x 4- 7
14	4.06	4.27	4.48	4.69	5- 3
15	4.30	4.52	4.75	4.97	5- 7
16	4.54	4.78	5.02	5.26	5-11
18	5.03	5.29	5.56	5.82	6- 7
20	5.79	6.09	6.37	6.67	7- 3

LISTED SIZES OF

OUTSIDE BLINDS FOR EIGHT LIGHT WINDOWS IN PAIRS

Size of Glass	List 1⅛-in. R. S. or S. S.	List 1⅛-in. ½ S. S.	List 1⅜-in. R. S. or S. S.	List 1⅜-in. ½ S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	$ cts.	ft. in. ft. in
9 x 12	3.21	3.39	3.58	3.76	1-10½ x 4- 7
14	3.65	3.86	4.07	4.28	5- 3
16	4.09	4.33	4.57	4.81	5-11
10 x 12	3.27	3.45	3.64	3.82	2- 0½ x 4- 7
14	3.72	3.93	4.16	4.35	5- 3
16	4.17	4.41	4.65	4.89	5-11
18	4.62	4.88	5.15	5.41	6- 7
20	5.31	5.62	5.89	6.20	7- 3
12 x 14	3.86	4.07	4.28	4.49	2- 4½ x 5- 3
16	4.32	4.56	4.80	5.04	5-11
18	4.79	5.05	5.32	5.58	6- 7
20	5.51	5.82	6.09	6.40	7- 3

For irregular or intermediate sizes, see Note ' B," page 76.
For larger than listed sizes, see Rule 1, page 76.
For Extras, see pages 76-77.

LISTED SIZES OF

OUTSIDE BLINDS FOR FOUR LIGHT WINDOWS IN PAIRS

Size of Glass	List 1⅛-in. R. S. or S. S.	List 1⅛-in. ½ S. S.	List 1⅜-in. R. S. or S. S.	List 1⅜-in. ½ S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
10 x 20	2.82	2.98	3.13	3.29	2- 0½ x 3-11
24	3.27	3.45	3.64	3.82	4- 7
26	3.49	3.69	3.89	4.09	4-11
28	3.72	3.93	4.14	4.35	5- 3
30	3.94	4.16	4.39	4.61	5- 7
32	4.17	4.41	4.65	4.89	5-11
34	4.40	4.65	4.90	5.15	6- 3
36	4.62	4.88	5.15	5.41	6- 7
38	5.12	5.38	5.68	5.94	6-11
40	5.31	5.62	5.89	6.20	7- 3
12 x 20	2.94	3.10	3.25	3.41	2- 4½ x 3-11
22	3.17	3.34	3.51	3.68	4- 3
24	3.40	3.58	3.77	3.95	4- 7
26	3.63	3.83	4.03	4.23	4-11
28	3.86	4.07	4.28	4.49	5- 3
30	4.09	4.31	4.54	4.76	5- 7
32	4.32	4.56	4.80	5.04	5-11
34	4.56	4.81	5.06	5.31	6- 3
36	4.79	5.05	5.32	5.58	6- 7
38	5.27	5.57	5.83	6.13	6-11
40	5.51	5.82	6.09	6.40	7- 3
14 x 24	3.52	3.70	3.89	4.07	2- 8½ x 4- 7
26	3.76	3.96	4.16	4.36	4-11
28	4.00	4.21	4.42	4.63	5- 3
30	4.24	4.46	4.69	4.91	5- 7
32	4.48	4.72	4.96	5.20	5-11
34	4.72	4.97	5.22	5.47	6- 3
36	4.96	5.22	5.49	5.75	6- 7
38	5.46	5.75	6.02	6.31	6-11
40	5.71	6.02	6.29	6.60	7- 3
15 x 24	3.58	3.76	3.95	4.13	2-10½ x 4- 7
26	3.82	4.02	4.22	4.42	4-11
28	4.07	4.28	4.49	4.70	5- 3
30	4.32	4.54	4.77	4.99	5- 7
32	4.56	4.80	5.04	5.28	5-11
34	4.80	5.05	5.30	5.55	6- 3
36	5.05	5.31	5.58	5.84	6- 7
38	5.55	5.85	6.11	6.41	6-11
40	5.81	6.11	6.39	6.69	7- 3

For irregular or intermediate sizes, see Note "B," page 76.
For larger than listed sizes, see Rule 1, page 76.
For Extras, see pages 76-77.

BARTLETT · SHOTTS · WILSON COMPANY

LISTED SIZES OF

OUTSIDE BLINDS FOR TWO LIGHT WINDOWS IN PAIRS

Size of Glass	List 1⅛-in. R. S. or S. S.	List 1¼-in. ½ S. S.	List 1⅜-in. R. S. or S. S.	List 1⅜-in. ½ S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	$ cts.	ft. in ft. in.
20 x 20	2.80	2.96	3.11	3.27	2- 0½ x 3-11
24	3.24	3.42	3.61	3.79	4- 7
26	3.46	3.66	3.86	4.06	4-11
28	3.69	3.90	4.11	4.32	5- 3
30	3.91	4.13	4.36	4.58	5- 7
32	4.13	4.37	4.61	4.85	5-11
34	4.36	4.61	4.86	5.11	6- 3
36	4.58	4.84	5.11	5.37	6- 7
38	5.04	5.33	5.60	5.89	6-11
40	5.27	5.58	5.85	6.16	7- 3
22 x 24	3.30	3.48	3.67	3.85	2- 2½ x 4- 7
26	3.53	3.73	3.93	4.13	4-11
28	3.76	3.97	4.18	4.39	5- 3
30	3.98	4.20	4.43	4.65	5- 7
32	4.21	4.45	4.69	4.93	5-11
34	4.44	4.69	4.94	5.19	6- 3
36	4.66	4.92	5.19	5.45	6- 7
38	5.13	5.43	5.69	5.99	6-11
40	5.37	5.67	5.95	6.25	7- 3
24 x 24	3.36	3.54	3.73	3.91	2- 4½ x 4- 7
26	3.60	3.80	4.00	4.20	4-11
28	3.83	4.04	4.25	4.46	5- 3
30	4.06	4.28	4.51	4.73	5- 7
32	4.29	4.53	4.77	5.01	5-11
34	4.52	4.77	5.02	5.27	6- 3
36	4.75	5.01	5.28	5.54	6- 7
38	5.23	5.52	5.89	6.08	6-11
40	5.46	5.76	6.04	6.34	7- 3
26 x 24	3.43	3.61	3.80	3.98	2- 6½ x 4- 7
26	3.66	3.86	4.06	4.26	4-11
28	3.90	4.11	4.32	4.53	5- 3
30	4.13	4.35	4.58	4.80	5- 7
32	4.36	4.60	4.84	5.08	5-11
34	4.60	4.85	5.10	5.35	6- 3
36	4.84	5.10	5.37	5.63	6- 7
38	5.32	5.62	5.88	6.18	6-11
40	5.57	5.87	6.15	6.35	7- 3
28 x 24	3.49	3.67	3.86	4.04	2- 8½ x 4- 7
26	3.72	3.92	4.12	4.32	4-11
28	3.97	4.18	4.39	4.60	5- 3
30	4.20	4.42	4.65	4.87	5- 7
32	4.44	4.68	4.92	5.16	5-11
34	4.68	4.93	5.18	5.43	6- 3
36	4.92	5.18	5.45	5.71	6- 7
38	5.42	5.71	5.98	6.27	6-11
40	5.86	5.96	6.44	6.54	7- 3
30 x 24	3.55	3.73	3.92	4.10	2-10½ x 4- 7
26	3.79	3.99	4.19	4.39	4-11
28	4.04	4.25	4.46	4.67	5- 3

(*Continued on next page*)

OUTSIDE BLINDS FOR TWO LIGHT WINDOWS, Etc.—*Cont.*

Size of Glass	List 1⅛-in. R. S. or S. S.	List 1⅛-in. ½ S. S.	List 1⅜-in. R. S. or S. S.	List 1⅜-in. ½ S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	$ cts	ft. in. ft. in.
30 x 30	4.28	4.50	4.73	4.95	2-10⅛ x 5- 7
32	4.52	4.76	5.00	5.24	5-11
34	4.76	5.01	5.26	5.51	6- 3
36	5.00	5.26	5.53	5.79	6- 7
38	5.50	5.80	6.06	6.36	6-11
40	5.76	6.07	6.34	6.65	7- 3

For irregular or intermediate sizes, see Note "B," page 76.
For larger than listed sizes, see Rule 1, page 76.
For Extras, see pages 76-77.

LISTED SIZES OF

SINGLE OUTSIDE BLINDS FOR TWO LIGHT WINDOWS

Size of Glass	List 1⅛-in. R. S. or S. S.	List 1⅛-in. ½ S. S.	List 1⅜-in. R. S. or S. S.	List 1⅜-in. ½ S. S.	Size of Opening
in. in.	$ cts.	$ cts.	$ cts.	$ cts.	ft. in. ft. in.
12 x 24	1.75	1.84	1.94	2.03	1- 4½ x 4- 7
26	1.87	1.97	2.07	2.17	4-11
28	1.99	2.10	2.20	2.31	5- 3
30	2.11	2.22	2.34	2.45	5- 7
32	2.22	2.34	2.46	2.59	5-11
34	2.35	2.47	2.60	2.72	6- 3
36	2.46	2.59	2.73	2.86	6- 7
14 x 24	1.81	1.90	2.00	2.09	1- 6½ x 4- 7
26	1.94	2.04	2.14	2.24	4-11
28	2.06	2.16	2.27	2.37	5- 3
30	2.18	2.29	2.41	2.52	5- 7
32	2.30	2.42	2.54	2.66	5-11
34	2.43	2.55	2.68	2.80	6- 3
36	2.55	2.68	2.82	2.95	6- 7

Single blinds for four light pantry windows not over 1 foot 6⅛ inches in width, same price as two light pantry window blinds of the same height.

LISTED SIZES OF

DOOR BLINDS.

Size of Opening	List for Pairs 1¼-in. Rolling Slats
ft. in. ft. in.	$ cts.
2- 6 x 6- 6	6.30
2- 8 x 6- 8	6.75
2-10 x 6-10	7.00
3- 0 x 7- 0	7.45

All door blinds made in pairs and rabbeted, same as window blinds, unless otherwise ordered.

For irregular or intermediate sizes, see Note "A," page 76.
For larger than listed sizes, see Rule 1, page 76.
For Extras, see pages 76-77.

INSIDE FOLDING BLINDS.



Fig. 500

All slats.



Fig. 501

Half panels, half slats.



Fig. **502**

Three-fourths panel.



Fig. **503**

All panel.

For prices, see page 75.

INSIDE BLINDS.

List Price No. 1 Pine, ¾ or 1⅛ Inch Thick. All Panel, All Slat, or a Combination of Both

	List Price Per Lin. Foot in Height
2 Fold—2 feet wide and under	**$1.00**
4 Fold—2 feet 11 inches wide and under	**1.50**
4 Fold—Over 2 feet 11 inches wide and not over 3 feet 5 inches wide	**1.75**
6 Fold—Up to 4 feet 5 inches wide	**2.50**
8 Fold—Up to 5 feet 5 inches wide	**3.00**

Prices for blinds made of other woods will be quoted on application.
If inside blinds are wanted hand cleaned for oil finish, add 50%.

DIRECTIONS FOR ORDERING

First—In all cases give the exact outside measure of blinds wanted

Second—Give the number of folds.

Third—State if blinds are to be all slats or half panels and half slats.

Fourth—State distance from top of window to center of meeting rail of sash, or where blinds are to be cut.

Fifth—Give thickness of blinds.

Sixth—If blinds fold in pockets, give size of pockets.

Seventh—State if blinds are to be painted or finished in oil.

Eighth—Always state style wanted, whether Fig. 500, 501, 502 or 503 see page 74.

BLIND EXTRAS

NOTE "A"—For irregular or intermediate sizes, use the same list as next larger listed size.

NOTE "B"—The list extras specified are presumed and intended to enable the building up of a list which when completed shall be subject to the "odd work" discount, except when ordered in stock quantities of a size and kind.

LARGER SIZES

RULE 1.—For list on outside blinds larger than listed sizes, use list on largest size of a similar blind and add as follows:

(a) For each additional 4 inches in length or part thereof, for 1⅛-inch blinds ..... 50c list

(b) For each additional 4 inches in length or part thereof, for 1⅜-inch blinds ..... 60c list

(c) For each additional 2 inches in width or part thereof, for 1⅛-inch blinds ..... 25c list

(d) For each additional 2 inches in width or part thereof, for 1⅜-inch blinds ..... 30c list

SEGMENT HEAD

RULE 2.—For list on segment head blinds, add to proper list $3.00

For wide top rail for imitation segment head, add to proper list $1.00

PEAK HEAD

RULE 3.—For list on peak head blinds, add to proper list $4.00

CIRCLE TOP HEAD

RULE 4.—For half circle top blinds, add to proper list $5.00

GOTHIC HEAD

RULE 5.—For Gothic head blinds, add to proper list $6.00

BLIND EXTRAS—*Continued*

STICKING

RULE 6.—(a) Stock blinds are made with O. G. sticking for rolling slat blinds, and square sticking for stationary or half stationary blinds. For special sticking use proper list and add ..... **5%** list

(b) NOTE—A minimum charge of $1.00 will be made for any one order. This charge is net.

SINGLE BLINDS

RULE 7.—For single blinds not otherwise listed, or for one-half of a pair of blinds, use one-half of the list of a pair double the opening of the single blind, and add ... **25%** list

MULLION BLINDS

RULE 8.—(a) For list on mullion blinds use list of a pair of similar blinds of the same opening, and add ..... **25%** list

(b) For same center beaded to represent a pair add ..... **35%** list

(c) All pairs of two-fold blinds 4-4 and wider are made with center mullion rail.

FOUR-FOLD BLINDS

RULE 9.—For list on four-fold outside blinds use double the list of a pair one-half the width of the opening, and add .. **40c** list

RULE 10.— (a) Minimum price, single blinds ..... **$1.80** list

(b) Minimum price, pair blinds ..... **$2.80** list

SOLID STUCK PANEL SHUTTERS

RULE 11.—For solid stuck panel shutters use the list of stationary slat blind of the same size and thickness, and add .. **40%** list

RULE 12.—For shutters bead and butt 1 S. solid stuck 1 S. use list of a stationary slat blind of the same size and thickness, and add ..... **60%** list

BLINDS FOR 34-INCH GLASS AND LONGER

RULE 13.—Blinds for 34-inch glass and longer are made three panels high unless otherwise ordered.

1¾ INCH THICK

RULE 14.—For 1¾-inch blinds use 1⅛-inch list for similar size and style, and add ..... **75%** list

GARAGE, FACTORY OR STABLE DOORS



No. B 25



No. B 26

Made to Order Promptly

PRICES QUOTED UPON APPLICATION

GARAGE, FACTORY OR STABLE DOORS



No. B 27



No. B 28

Made to Order Promptly

PRICES QUOTED UPON APPLICATION

FRONT WINDOWS

MODERN DESIGNS



No. B 4

Top Sash Glazed Leaded Clear
1⅜ inch Thick. Check-rail

PRICE—Bottom Sash Glazed Best Clear Double Strength

Bottom Glazed D. S.	Top Glazed Leaded Clear	Price
40 x 40	40 x 16	$ 8.50
40 x 44	40 x 16	9.80
44 x 40	44 x 16	10.30
44 x 44	44 x 16	10.80

PRICE—Bottom Sash Glazed Genuine Plain Polished Plate

Bottom Glazed Polished Plate	Top Glazed Leaded Clear	Price
40 x 40	40 x 16	$19.50
40 x 44	40 x 16	20.40
44 x 40	44 x 16	21.00
44 x 44	44 x 16	22.50

Crating Charges 35c. NET extra per bundle

DISCOUNTS QUOTED IN CURRENT PRICE BULLETIN

BARTLETT · SHOTTS · WILSON COMPANY

FRONT WINDOWS

MODERN DESIGNS

No. B 5

Top Sash Glazed Leaded Bev. Plate
1⅜ inch Thick. Check-rail

PRICE—Bottom Sash Glazed Best Clear Double Strength

Bottom Glazed D. S.	Top Glazed Leaded Beveled Plate	Price
40 x 40	40 x 16	$12.70
40 x 44	40 x 16	13.40
44 x 40	44 x 16	14.00
44 x 44	44 x 16	14.70

PRICE—Bottom Sash Glazed Genuine Plain Polished Plate

Bottom Glazed Polished Plate	Top Glazed Leaded Beveled Plate	Price
40 x 40	40 x 16	$22.70
40 x 44	40 x 16	24.00
44 x 40	44 x 16	24.60
44 x 44	44 x 16	26.00

Crating Charges 35c. NET extra per bundle

DISCOUNTS QUOTED IN CURRENT PRICE BULLETIN

BARTLETT · SHOTTS · WILSON COMPANY

COTTAGE FRONT WINDOWS

MODERN DESIGNS

No. B 6

Top Sash Glazed Art Sand Blast

Bottom Glazed Double Strength

1⅜ inch Thick. Heavy Check-rail

LIST PRICE

Bottom Light	Top Light	Opening	Price
40 x 40	40 x 16	3-8½ x 5-2⅛	$7.20
40 x 44	40 x 16	3-8½ x 5-6⅛	7.90
44 x 40	44 x 16	4-0½ x 5-2⅛	8.10

For 1¾ Thick, Add $1.50 List

DISCOUNT QUOTED IN CURRENT PRICE BULLETIN

COTTAGE FRONT WINDOWS

MODERN DESIGNS

No. B 7

Top Sash Glazed Art Sand Blast
Bottom Sash Glazed Double Strength
1⅜ Thick. Heavy Check-rail

LIST PRICE

Bottom Light	Top Light	Opening	Price
40 x 40	40 x 16	3-8½ x 5-2⅛	$7.00
40 x 44	40 x 16	3-8½ x 5-6⅛	7.70
44 x 40	44 x 16	4-0½ x 5-2⅛	7.90

For 1¾ Thick, Add $1.50 List

DISCOUNT QUOTED IN CURRENT PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

COTTAGE FRONT WINDOWS

MODERN DESIGNS



No. B 8

Top Sash Glazed Art Sand Blast

Bottom Sash Glazed Double Strength

1⅜ Thick. Heavy Check-rail

LIST PRICE

Bottom Light	Top Light	Opening	Price
40 x 40	40 x 16	3-8½ x 5-2⅛	$7.50
40 x 44	40 x 16	3-8½ x 5-6⅛	8.20
44 x 40	44 x 16	4-0½ x 5-2⅛	8.40

For 1¾ Thick, Add $1.50 List

DISCOUNT QUOTED IN CURRENT PRICE BULLETIN

BARTLETT · SHOTTS · WILSON COMPANY

COTTAGE FRONT WINDOWS

MODERN DESIGNS

No. B 9

Top Sash Glazed Art Sand Blast

Bottom Sash Glazed Double Strength

1⅜ Thick. Heavy Check-rail

LIST PRICE

Bottom Light	Top Light	Opening	Price
40 x 40	40 x 16	3-8½ x 5-2⅛	$7.00
40 x 44	40 x 16	3-8½ x 5-2⅛	7.70
44 x 40	44 x 16	4-0½ x 5-6⅛	7.90

For 1¾ Thick, Add List $1.50

DISCOUNT QUOTED IN CURRENT PRICE BULLETIN

WHITE PINE FRONT DOORS

Glass Size:
2—8 x 6—8 23½ x 24



No. B 50

Glass Size:
2—8 x 6—8 23½ x 26



No. B 51

All Regular Sizes in Stock
Furnished With or Without Sill
Open or Glazed With Any Design of Glass Selected

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

WHITE PINE FRONT DOORS

Glass Size:
2—8 x 6—8 23½ x 26

No. B 52

Glass Size:
2—8 x 6—8 23½ x 32

No. B 53

All Regular Sizes in Stock

Open or Glazed in Any Design Selected

FOR NET PRICES SEE DEALERS' PRICE GUIDE

WHITE PINE FRONT DOORS

Glass Size:
2—8 x 6—8 23½ x 34

No. B 54

Glass Size:
2—8 x 6—8 23½ x 30

No. B 55

All Regular Sizes in Stock
Furnished With or Without Sill or Cap
Open or Glazed, in Any Design Selected

FOR NET PRICES SEE DEALERS' PRICE GUIDE

WHITE PINE FRONT DOORS

Glass Size:
2—8 x 6—8 23½ x 26

No. B110

Glass Size:
2—8 x 6—8 23½ x 30

No. 111

All Regular Sizes in Stock
Furnished With or Without Cap or Sill
Open or Glazed, Any Design Selected

FOR NET PRICES SEE DEALERS' PRICE GUIDE

WHITE PINE FRONT DOORS

Glass Size:
2—8 x 6—8 23½ x 32

No. B 56

Glass Size:
2—8 x 6—8 23½ x 32



No. B 57

All Regular Sizes in Stock

Open or Glazed as Selected

Designs of Glass, See Pages 148-149

FOR NET PRICES SEE DEALERS' PRICE GUIDE

WHITE PINE FRONT DOORS

Glass Size:
3—0 x 7—0 24 x 60

No. B 60

Glass Size:
3—0 x 7—0 24 x 48

No. B 61

All Regular Sizes in Stock

Open or Glazed as Selected

Designs of Glass, See Pages 148-149

FOR NET PRICES SEE DEALERS' PRICE GUIDE

WHITE PINE FRONT DOORS

Glass Size:
2—8 x 6—8 19½ x 30

No. B 58

Glass Size:
2—8 x 6—8 23½ x 30

No. B 59

All Regular Sizes in Stock
Furnished Open or Glazed in Any Design Selected

SEE DEALERS' NET PRICE GUIDE FOR PRICES

BARTLETT · SHOTTS · WILSON COMPANY

STOCK WHITE PINE FRONT DOORS

Glass Size:
3—0 x 7—0 22 x 58

No. B 62

Glass Size:
3—0 x 7—0 22 x 46

No. B 63

Regular Sizes 1¾ Thick in Stock

Open or Glazed as Selected

SEE DEALERS' NET PRICE GUIDE FOR PRICES

BARTLETT · SHOTTS · WILSON COMPANY

STOCK FIR DOORS

No. 1 Fir Stiles, Rails and Panels. 3-Ply Flat Panels
B. & C. Sticking

No. B 64

Stiles and Top Rail 5⅜ in.
Lock Rail 8 in.
Bottom Rail 9⅜ in.

No. B 65

Stiles, Top and Lock Rail 5⅜ in.
Bottom Rail 11⅜ in.

All Regular Sizes in Stock Furnished Promptly

FOR DISCOUNT SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK FIR DOORS

No. 1 Fir Stiles, Rails and Panels. 3-Ply Flat Panels
B. & C. Sticking

No. B 66

Stiles and Top Rail 5⅜ in.
Bottom Rail 11⅜ in.

No. B 67

Stiles, Top and Lock Rail 5⅜ in.
Bottom Rail 11⅜ in.

All Stock Sizes Furnished Promptly

FOR DISCOUNT SEE DEALERS' PRICE GUIDE

STOCK FIR BUNGALOW DOORS

No. B 68

No. B 69

IN STOCK:

2-8 x 6-8 3-0 x 7-0

1⅜ and 1¾

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK FIR BUNGALOW DOORS

No. B 70

No. B 71

IN STOCK:

2-8 x 6-8 3-0 x 7-0

1⅜ and 1¾

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD VENEERED DOORS

No. B 72

No. B 73

Furnished in Oak or Birch

Quick Shipments

FOR DISCOUNT SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD VENEERED DOORS

No. B 74

Stiles 4⅞ in.
Top Rail 5 in.
Bottom Rail 9⅝ in.
Lock Rail 8¼ in.

No. B 75

Stiles 5½ in.
Top Rail 5½ in.
Bottom Rail 12 in.

Furnished in Oak or Birch Quick Shipments

FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD VENEERED DOORS

Mission Designs

Glass Opening for Door
3-0 x 7-0 26 x 18 in.

No. B 76

Oak, Birch or Fir
Stiles and Top Rail 5½ in.
Mullion 4⅞ in.
Flat Panels
Bottom Rail 9⅝ in.
Lock Rail 7 in.
Solid Bead and Cove Mould

No. B 77

Oak or Birch
Stiles and Top Rail 5½ in.
Lock Rail 5⅜ in.
Flat Panels
Bottom Rail 9⅝ in.
Mullion 4⅞ in.
Square Sticking

FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD VENEERED DOORS

Mission Designs

No. B 78

Stiles 4⅞ in.
Top Rail 5½ in.
Lock Rail 5⅝ in.
Mullion 4⅞ in.
Bottom Rail 9⅝ in.
Square Sticking

Oak or Birch

Glass Opening for Door
3-0 x 7-0 about 8 5/16 x 8⅝ in.

No. B 79

Stiles 4⅞ in.
Top Rail 5½ in.
Lock Rail 5⅝ in.
Mullion 4⅞ in.
Bottom Rail 9⅝ in.
Square Sticking

Furnished Promptly

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD FRONT DOORS

Glass Opening for Door
3-0 x 7-0 — 27⅛ x 38 in.

No. B 80

Glass Opening for Door
3-0 x 7-0 — 26 x 36 in.

No. B 81

Furnished in Oak or Birch

FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK HARDWOOD FRONT DOORS

Oak or Birch

Glass Opening for Door
3-0 x 7-0 22 x 58 in.

No. B 82

Glass Opening for Door
3-0 x 7-0 22 x 46 in.

No. B 83

¼ in. Veneers	SIZES IN STOCK:	¼ in. Veneers
2- 8 x 6- 8 1¾		2-8 x 7-0 1¾
3- 0 x 6- 8 1¾		3-0 x 7-0 1¾
2-10 x 6-10 1¾		

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK HARDWOOD FRONT DOORS

Veneered Plain Red Oak

Glass Opening for Door
3-0 x 7-0 22 x 58 in.

No. B 84

Glass Opening for Door
3-0 x 7-0 22 x 46 in.

No. B 85

¼ in. Veneers

SIZES IN STOCK:

¼ in. Veneers		¼ in. Veneers
2- 8 x 6- 8 1¾		2-8 x 7-0 1¾
3- 0 x 6- 8 1¾		3-0 x 7-0 1¾
2-10 x 6-10 1¾	Other Sizes Furnished Promptly	

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK HARDWOOD FRONT DOORS

Glass Opening for Door
3-0 x 7-0 20 x 44 in.

No. B 89
¼ in. Veneers

Glass Opening for Door
3-0 x 7-0 20 x 56 in.

No. B 90
¼ in. Veneers

Furnished Promptly in Oak or Birch
Furnished with Plain or Pressed Raised Moulding
FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD SIDE LIGHTS

Glass Size
1-6 x 7-0
11½ x 57½

No. B 91

Glass Size
1-6 x 7-0
11½ x 43½

No. B 92

Glass Size
1-6 x 7-0
14 x 60



No. B 93

Glass Size
1-6 x 7-6
14 x 16



No. B 94

Furnished in Oak or Birch
Plain or Pressed Moulding

SIZES:

1-4 x 6-8 1-6 x 6-8 1-4 x 7-0 1-6 x 7-0

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD FRONT DOORS

Glass Opening for Door
3-0 x 7-0 24 x 60 in.



No. B 95

Glass Opening for Door
3-0 x 7-0 26 x 26 in.

No. B 96

¼ in. Veneer
With or Without Sill A New Bungalow Design
Furnished in Oak or Birch

ASK FOR PRICES

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD VENEERED DOORS

SANITARY OR SLAB DOORS

No. B 101

No. B 102

Furnished in All Hardwoods

ASK FOR PRICES

HARDWOOD VENEERED DOORS

SLAB SASH DOORS

Glass Opening for Door
3-0 x 7-0 24 x 24 in.

No. B 103

Glass Opening for Door
3-0 x 7-0 7½ x 11⅜ in.

No. B 104

Furnished in All Hardwoods

FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD FRONT DOORS

Veneered Plain Red Oak

No. B 97

No. B 98

¼ inch Thick Veneers

Wood Bars

Regular Sizes Furnished Promptly

FOR NET PRICES SEE DEALERS' PRICE GUIDE

FRENCH DOORS

No. B 99

No. B 100

Furnished in Oak, Birch or White Pine

¼ inch Veneers Wood Bars

Regular Sizes in Stock

FOR NET PRICES SEE DEALERS' PRICE GUIDE

STOCK SLAB FRONT DOORS

Selected Red Oak—Veneers ¼ inch thick

Inlay, Ebony and White Holly

No. B 105

No. B 106

Also Furnished Without Inlay

Size	Thickness
3-0 x 7-0	1¾ inch

FOR NET PRICES SEE DEALERS' PRICE GUIDE

STOCK SLAB FRONT DOORS

Selected Red Oak—Veneers ¼ inch thick
Inlay, Ebony and White Holly
An Attractive Bungalow Door

No. B 107

No. B 108

Also Furnished Without Inlay

Size	Thickness
3-0 x 7-0	1¾ inch

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

MIRROR DOOR

Glass Opening for 3-0x7-0 Door
26 in. or 28 in. wide, 70 to 72 in. long

No. B 109

Cut Shows a 5x Panel Door with Moulding on Face

We put this Moulding on any of our Stock Doors

For Stock Doors routed out to receive Mirror, see Price Folder

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

VENEERED DOORS

WHAT WE DO AND WHAT WE DO NOT GUARANTEE

We do not guarantee our Veneered Doors unless certain necessary conditions are complied with.

First, it should be remembered that all the material in a Veneered Door is thoroughly kiln-dried, and if exposed to the weather will absorb any moisture in the atmosphere, as doors are shipped, as a rule, in the white. If shipped by local freight, we cover the doors with paper and crate them. This is sufficient to protect them under ordinary conditions until they reach destination. When the doors are received, they should be examined carefully, and if they have been damaged by exposure or rough handling while in transit, call the attention of your local railway agent to the matter, and have him make proper notation on the face of the expense bill. This will insure favorable consideration of a claim for damages. Doors should also be inspected at this time as to material and workmanship, as any claim of this character must be made while the doors are in the possession of the dealer. When taken from the crates, unless stored in a dry place, a coat of good stain or filler should be applied at once. Oak, being a porous wood, requires a pigment filler, but Birch, being a close-grained wood, should be given a coat of shellac, unless it is to be stained, in which case stain should be applied first.

DO NOT PUT VENEERED DOORS IN BUILDING UNTIL THE WALLS AND PLASTER ARE THOROUGHLY DRY

It should hardly be necessary to call attention to the fact that a veneered door must not be stored or hung in a building until the walls and plaster are thoroughly dried out, but we find that either through ignorance or carelessness this is frequently done, and we want it understood that under such conditions we will not assume any responsibility. If any complaint is made by your customer, we will ask that you investigate the matter carefully, as the chances are three to one the doors have either been put in a building before it was thoroughly dry, hung where exposed to the weather without protection of a deep porch or overhead projection, or have been improperly treated by the finisher.

CARE OF EXTERIOR DOORS

All outside doors should have at least one coat of good exterior varnish and the top and bottom edges thoroughly painted with lead and oil as soon as the door is fitted. We do not recommend, nor will we guarantee, a veneered door for outside use when not protected from the weather by a wide porch or overhanging projection. Doors that are exposed to the weather should be made of solid Pine, Fir, or Hardwood, either one, two or three-ply.

DO NOT REPAIR OR REPLACE ANY OF OUR DOORS WITHOUT OUR CONSENT

We will not consider any claim for cost of repairing or replacing any of our doors unless the matter has been referred to us and authority given for such exchange or repairs being made.

WHAT WE DO GUARANTEE

If the above suggestions are complied with, we guarantee our Veneered Doors both as to material and workmanship, and will gladly repair or replace any defective door sold by us.

BARTLETT · SHOTTS · WILSON COMPANY

VENEERED DOOR SQUARE FOOT TABLE

Shows the number of square feet in any door

Width	Height							
	6–6	6–8	6–10	7–0	7–2	7–4	7–6	8–0
2– 0	17½	17½	17½	17½	17½	17½	17½	17½
2– 2	17½	17½	17½	17½	17½	17½	17½	17½
2– 4	17½	17½	17½	17½	17½	17½	17½	18
2– 6	17½	17½	17½	17½	18	18½	19	20
2– 8	17½	18	18½	19	19½	19½	20	21½
2–10	18½	19	19½	20	20½	21	21½	23
3– 0	19½	20	20½	21	21½	22	22½	24
3– 2	20½	21½	22	22½	23	23½	24	25½
3– 4	22	22½	23	23½	24	24½	25	27
3– 6	23	23½	24	24½	25½	26	26½	28
3– 8	24	24½	25	26	26½	27	27½	29½
3–10	25	25½	26½	27	27½	28½	29	31
4– 0	26	27	27½	28	29	29½	30	32
4– 2	27	28	28½	29½	30	30½	31½	33½
4– 4	28½	29	30	30½	31	32	32½	35
4– 6	29½	30	31	31½	32½	33	34	36
4– 8	30½	31½	32	33	33½	34½	35	37½
4–10	31½	32½	33	34	35	35½	36½	39
5– 0	32½	33½	34½	35	36	37	37½	40
5– 2	34	34½	35½	36½	37	38	39	41½
5– 4	35	35½	36½	37½	38½	39½	40	43
5– 6	36	37	38	38½	39½	40½	41½	44
5– 8	37	38	39	40	41	41½	42½	45½
5–10	38	39	40	41	42	43	44	47
6– 0	39	40	41	42	43	44	45	48

No door figured less than 17½ square feet or side lights less than 13 square feet.

SPECIAL VENEERED DOORS

PRICE LIST PER SQUARE FOOT SUPERFICIAL MEASURE

Prices apply to FLAT PANEL Doors not over 1¾ inches thick, with not to exceed six panels of usual arrangement; Stiles and Rails our standard widths; Veneer ⅛ inch thick; Sticking B. and C., O. G., or light Flush Molding not over 1⅛ inches wide, our standard pattern; height allowed not over 7 feet 6 inches; width allowed not over 3 feet 6 inches; polished finish.

No Door figured at less than 17½ square feet.

BRACKET No. 1
Pine, Yellow Pine, Cypress, Unselected Birch, Unselected Maple $0.60

BRACKET No. 2
Plain Red or White Oak, Brown Ash, Chestnut ..... .62

BRACKET No. 3
Poplar, Butternut, Red Gum, Elm, Beech, Quarter-Sawed Red Oak, Quarter-Sawed Sycamore, White Ash, Northern White Pine ..... .66

BRACKET No. 4
Quarter-Sawed White Oak, Selected Red Birch, California Red Wood, Curly Yellow Pine ..... .70

BRACKET No. 5
Black Walnut, Cherry, Selected White Maple, Bird's-eye Maple (unselected), Curly Birch (unselected), Curly Maple (unselected) 1.00

BRACKET No. 6
Bird'e-eye Maple (selected white), Curly Red Birch (selected), Curly Maple (even color) 1.10

BRACKET No. 7
Red Mahogany (Tabasco, Mexican or African), White Mahogany (Prima Vera) 1.20

RAISED PANELS
For Bevel Raised Panels not over ¾ inch thick, add ..... List 10%

HAND SMOOTHED
For Hand Smoothed, cabinet finish, add ..... List 10%

TWO KINDS OF WOOD
For Doors Veneered with two kinds of wood, take highest priced wood and add per door ..... List $1.00

WIDE STILES
Doors with Stiles over 5 inches wide, for each additional ½ inch, add ..... List 5%

HIGH DOORS
For Doors over 7 feet 6 inches in height, add for every 6 inches up to 10 feet ..... List 10%

WIDE DOORS
Doors over 3 feet 6 inches wide.
For every 6 inches up to and including 5 feet, add per door. List $1.00
For Doors over 5 feet and not to exceed 6 feet wide, add per door ..... List 6.00

Prices subject to discount.

SPECIAL VENEERED DOORS

PRICE LIST—(Continued)

THICK DOORS

For every ¼ inch, over 1¾ inches in thickness, add per door.....List $1.00

THICK PANELS

For Panels thicker than ¾ inch, add for every ¼ inch additional thickness.....10%

EXTRA PANELS

For each Panel over 6 in number

Brackets Nos. 1 and 2, add per panel	List	$0.30
Brackets Nos. 3 and 4, add per panel	List	.50
Brackets Nos. 5 and 6, add per panel	List	.70
Bracket No. 7, add per panel	List	.90

WIDE PANELS

Doors 7 feet and under	Flat Panels List	Raised Panels List
Four Cross Panels, add	5%	7½%
Three Cross Panels, add	10%	15 %
Two Cross Panels, add	15%	25 %
One Panel, add	20%	30 %

For Doors, above 7 feet high, for each additional 12 inches of height or fraction thereof, add 5%

RAISED MOLDING

Not over ⅞x1¾ inches wide

Brackets Nos. 1 and 2, add per side	List	$1.20
Brackets Nos. 3 and 4, add per side	List	1.50
Brackets Nos. 5 and 6, add per side	List	2.00
Bracket No. 7, add per side	List	2.50

For Moulding other than 1¾ inch, for every ¼ inch additional width, add to above .....List 25%

PLAIN MOLDED CAP OR STOOL

One Member only

Brackets Nos. 1 and 2, add each	List	$1.00
Brackets Nos. 3 and 4, add each	List	1.50
Brackets Nos. 5 and 6, add each	List	2.00
Bracket No. 7, add each	List	2.50

FANCY MOLDED CAP AND STOOL

With Dentils, Bead or Pressed Egg and Dart Molding beneath

Brackets Nos. 1 and 2, add each	List	$1.50
Brackets Nos. 3 and 4, add each	List	2.00
Brackets Nos. 5 and 6, add each	List	3.00
Bracket No. 7, add each	List	3.50

SLIDING AND FOLDING DOOR ASTRAGALS

One kind of Wood, shipped loose for Doors 1⅜ and 1¾ inches thick

Brackets Nos. 1 and 2, add per set	List	$1.30
Brackets Nos. 3 and 4, add per set	List	1.90
Brackets Nos. 5 and 6, add per set	List	2.00
Bracket No. 7, add per set	List	3.00
For Astragals made of two kinds of wood, add to above		50%

BANDING SLIDING DOORS

Including Astragal joint. Band not over ⅝x2½ inches, add for each lineal foot around the opening of each door

Brackets Nos. 1 and 2, per lineal foot	List	$0.16
Brackets Nos. 3 and 4, per lineal foot	List	.18
Brackets Nos. 5 and 6, per lineal foot	List	.24
Bracket No. 7, per lineal foot	List	.30

RABBETING AND BEADING FOLDING DOORS

Add per pair .....List $1.50

GRADUATED PANELS

Add per panel .....List $0.20

GRADUATED PANELS AND RAILS

Add per panel .....List $0.40

Prices subject to discount.

STAIR WORK

On the following pages we show many beautiful designs of Stock Stair Work. Save much time and much money by confining your orders to designs carried in stock for prompt shipment.

BARTLETT · SHOTTS · WILSON COMPANY

STOCK STAIR NEWELS

Oak and Yellow Pine



No. B 10 No. B 11 No. B 12

Base 8″ x 8″, Shaft 6″ x 6″, Base 18″, Height 4′ to Cap.

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK STAIR NEWELS AND RAILS

Oak and Yellow Pine

No. B 13

8 in. Base
6 in. Shaft
4 ft. Height

No. B 14

5 in. x 5 in.
5 ft. 6 in. high



No. B 15

Rabbeted 1⅜ and 1¾



No. B 16

2 in. and 2½ in.

FOR NET PRICES
SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK STAIR RAIL, BALUSTERS, FILLET AND SHOE



No. B 17

Rabtd. 1⅜ and 1¾

No. B 19

1⅜ and 1¾

24″-26″-28″-32″

No. B 20

1⅜ and 1¾

24″-26″-28″-32″



No. B 18

Rabtd. 1⅜ and 1¾



No. B 21



No. 22

⅞ x 1⅜ and 1¾



No. B 23

⅝ x 3½ Rabtd. 1⅜ and 1¾

Oak and Yellow Pine in Stock

FOR PRICES SEE DEALERS' PRICE GUIDE

STOCK TREADS AND RISERS

HALF CIRCLE END TREADS AND RISERS

Put Up



No. B 200

Rise over all, 7/8 x 8. Treads, 1 1/8 x 11 1/2. Length, 4-6

State if for Right or Left Hand

QUARTER CIRCLE END TREADS AND RISERS

Put Up



No. B 201

Rise over all, 7/8 x 8. Treads, 1 1/8 x 11 1/2. Length, 4-0

State if for Right or Left Hand

ABOVE IN STOCK IN PLAIN OAK AND YELLOW PINE

TREADS AND RISERS

Furnished Promptly in Unselected Birch, Plain Oak and Yellow Pine

Tread-Nosed

1 1/8 x 9 3/4, 3'-6" 1 1/8 x 11 3/4, 3'-6"

1 1/8 x 9 3/4, 4'-6" 1 1/8 x 11 3/4, 4'-0"

If plowed and rabbeted as shown, please specify in ordering.



Riser

3/4 x 7 1/2, 3'-6", S4S

3/4 x 7 1/2, 4'-0", S4S

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK PORCH COLUMNS, NEWELS AND BALUSTERS

No. 2200

No. B 210

No. 2222

Sizes:

4 x 4
5 x 5
6 x 6

4 ft. long

No. 2221

SIZES IN STOCK:

1¾ x 1¾—20″
1¾ x 1¾—24″
2¼ x 2¼—20″
2¼ x 2¼—24″
2¾ x 2¾—20″
2¾ x 2¾—24″



No. B 211

No. B 212

No. 2200

SIZES IN STOCK:

4″ x 4″—8 ft. 9 ft.
5″ x 5″—8 ft. 9 ft. 10 ft.
6″ x 6″—8 ft. 9 ft. 10 ft.

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK PORCH WORK

SQUARE COLUMNS AND NEWELS

No. 1 Fir

No. B 207



COLUMNS

8 x 8 x 6 ft.
8 x 8 x 8 ft.
8 x 8 x 9 ft.
10 x 10 x 6 ft.
10 x 10 x 8 ft.
10 x 10 x 9 ft.
12 x 12 x 6 ft.
12 x 12 x 8 ft.

No. B 208

NEWELS

8 x 8 x 4 ft.
10 x 10 x 4 ft.
12 x 12 x 4 ft.

Built up with Dove Tailed Wedge Lock Joint. Well manufactured and made of well seasoned stock.

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

COLONIAL COLUMNS AND NEWEL

WHITE PINE
or
POPLAR



No. B 202 No. B 203

STOCK SIZES:

6 in. Diameter.
8 ft. 9 ft. 10 ft.

8 in. Diameter.
8 ft. 9 ft. 10 ft.

10 in. Diameter.
8 ft. 9 ft. 10 ft.



No. B 205
Italian Ionic—Scamozzi

No. B 206
Roman Corinthian

NEWEL

6 x 6 x 4-0
8 x 8 x 4-0
10 x 10 x 4-0

No. B 204

FOR NET PRICES
SEE DEALERS' PRICE GUIDE

STOCK PORCH RAIL

No. 1 Fir



No. B 214



No. B 215

Cuts Full Size

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK PORCH RAIL

No. 1 Fir



No. B 216



No. B 217



No. B 218



No. B 219



No. B 220

FOR NET PRICES SEE DEALERS' PRICE GUIDE

STOCK COLONIAL PORCH RAIL

No. 1 Fir





FOR NET PRICES SEE DEALERS' PRICE GUIDE



PLATE RAIL

Plate Shelf, two grooves	13/16 x 3½
Apron	13/16 x 3½
Apron Moulding	13/16 x 1¾
Brackets—if wanted	1⅜ x 2½ x 2½

Shipped in the Knock-Down

No. B 223
Oak or Yellow Pine



No. B 224

1¾ x 10 x 12
1¾ x 12 x 14
1¾ x 12 x 16
White Pine

No. B 225

10 x 12 x 1⅜
12 x 14 x 1⅜
White Pine



No. B 226

10 x 12 x 1⅜
12 x 14 x 1⅜
White Pine



THRESHOLD

Oak or Birch. Size ⅝ x 3¾



O. G. FIR GUTTER

3 x 5 Long Lengths
4 x 6 Long Lengths
5 x 7 Long Lengths

STOCK CORNER BEAD

No. B 227 1⅜—4 ft.

FOR NET PRICES SEE DEALERS' PRICE GUIDE

CORNER AND BASE BLOCKS

White Pine and Yellow Pine



No. B 228



No. B 229

IN STOCK:
1⅛ x 4 x 4 and 1⅛ x 5 x 5



No. B 230



No. B 231

IN STOCK:
1⅛ x 4 x 11 and 1⅛ x 5 x 11

WHITE PINE MANTEL SHELVES



No. B 232

IN STOCK:
2 ft., 2½ ft., 3 ft., 3½ ft. and 4 ft.

FOR NET PRICES SEE DEALERS' PRICE GUIDE

GABLE ORNAMENTS

Adjustable

No. B 260
Extends 6 feet down
Gable, 1⅛ in. thick



No. B 261
Extends 6 feet down
Gable, 1⅛ in. thick



No. B 262
Extends 5 feet down
Gable, 1⅛ in. thick

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

PULLEYS, WEIGHTS AND CORD

In Stock



No. B 263

No. B 264

SASH CORD

SASH WEIGHT



STEEL WHEEL GLASS CUTTERS

No. B 233

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

PITTSBURG STYLE FRAME HOUSE FRAMES



INSIDE DOOR JAMBS

Complete with Rabbett Strips in Knock Down



TRANSOM BAR FOR INSIDE DOOR JAMBS

All Regular Sizes in Stock. White Pine

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

PITTSBURG STYLE BRICK HOUSE FRAMES



BRICK VENEER WINDOW FRAME



BRICK WALL WINDOW FRAME

BRICK VENEER DOOR FRAMES



BRICK WALL DOOR FRAMES



CELLAR SASH FRAMES



All Regular Sizes in Stock. White Pine
Special Sizes Made to Order Promptly

FOR NET PRICES SEE DEALERS' PRICE GUIDE

EXTENSIBLE MANTELS

Dambach Patent

Our regular stock are made of White Pine, Poplar and White Wood.

For mantels made of White or Yellow Pine throughout, add $1.00 list, and for plain Oak add $3.00 list.

These Mantels are shipped knock-down, well crated. This shows how easily they can be assembled — a few minutes is all that is required.

FOR DISCOUNT SEE PRICE GUIDE

EXTENSIBLE MANTELS



No. 1

Jambs 8″
Breast 3′ 10″
Shelf ⅞″ x 7″ x 4′ 0⅝″
Grate Opg. 30″ x 34″
Height 3′ 7½″

LIST PRICE.....$3.00



No. 5

Jambs 8½″
Breast 4′ 3″
Shelf 1⅛ x 8″ x 4′ 6″
Grate Opg. 34″ x 34″
Height 3′10″

LIST PRICE $3.70

FOR DISCOUNT SEE PRICE GUIDE

EXTENSIBLE MANTELS



N

Jambs 9¾"
Breast 4' 5½"
Shelf 1⅛ x 8" x 4' 9"
Grate Opg. 34" x 34"
Height 3'11"

LIST PRICE $4.50



M

Jambs 11⅜"
Breast 4' 9"
Shelf 1⅛" x 8" x 4' 9"
Grate Opg. 34" x 34"
Height 4' 0"

LIST PRICE....$7.00

FOR DISCOUNT SEE PRICE GUIDE

EXTENSIBLE MANTELS



MM

Jambs 11⅜"
Breast 4' 9"
Shelf 1⅛" x 8" x 4' 9"
Grate Opg. 34" x 34"
Height 4' 0"

LIST PRICE....$7.50



H

Jambs 11⅜"
Breast 4' 9"
Shelf 1⅛" x 8" x 4' 9"
Grate Opg. 34" x 34"
Height 4' 0"

LIST PRICE....$8.00

FOR DISCOUNT SEE PRICE GUIDE

EXTENSIBLE MANTELS

No. 20

Jambs 11½"
Breast 4' 9"
Shelf 2½" x 9½" x 5' ½"
Grate Opg. 34" x 34"
Height 4' 1⅜"

LIST PRICE...$10.00



OO

Jambs 10¼"
Breast 4' 6½"
Shelf 1⅛" x 8" x 4' 9"
Grate Opg. 34" x 34"
Height 3' 11½"

LIST PRICE....$5.00

FOR DISCOUNT SEE PRICE GUIDE

EXTENSIBLE MANTELS



P

Jambs 10½"
Breast 4' 6½"
Shelf 1⅛" x 8" x 4' 9"
Grate Opg. 34" x 34"
Height 3' 11½"

LIST PRICE....$5.50



PP

Jambs 10½"
Breast 4' 6½"
Shelf 1⅛" x 8" x 4' 9"
Grate Opg. 34" x 34"
Height 3' 11½"

LIST PRICE....$6.00

FOR DISCOUNT SEE PRICE GUIDE

EXTENSIBLE MANTELS



Q

Jambs 11½"
Breast 4' 9"
Shelf 1⅜" x 8" x 4' 10"
Grate Opg. 34" x 34"
Height 4' 0¼"

LIST PRICE....$6.50



No. 30

Jambs 11½"
Breast 4' 9"
Shelf 2" x 9" x 5' 0"
Grate Opg. 34" x 34"
Height 4' 1"

LIST PRICE.....$9.50

FOR DISCOUNT SEE PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

MEDICINE CABINETS

Not Finished

RECESS CABINET No. B 1

No Outside Cabinets

No Hardware

	Inches
Opening in Wall	17 x 24 x 4¼
Opening inside	15 x 22 x4
Size of Mirror	12 x 18

Oak or Yellow Pine

WALL CABINET No. B 2

No Hardware

	Inches
Outside Measure	17 x 24 x 5¼
Inside Measure	15 x 22 x 4¼
Size of Mirror	12 x 18

Oak or Birch

FOR PRICES
SEE DEALERS'
PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

BEAM FINISH

No. B 234

Cross Beam

Main Beam

Wall Half Beam

Wall Cornice

No. B 235

Cross Beam

Main Beam

Following sizes are for beams proper, without moulds:

Wall Beam	Main Beam	Cross Beam
3" projection, 6" drop	5½" wide, 5¾" drop	4½" wide, 5½" drop
7¾" drop	6" wide, 7" in drop	5" wide, 5¾" drop

Furnished Promptly in Oak or Yellow Pine

FOR PRICES SEE PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

GLASS

WE handle and constantly carry in stock all the ordinary sizes of Window Glass, and can furnish promptly all sizes of Plate Glass and the various designs of Fancy Glass shown herein.

We can also supply you with any of the varieties of Glass in ordinary use, such as Ground, Chipped, Enamel, Figured, Wire Glass for skylights, and the different kinds of Colored Glass, viz: Cathedral, Ondoyant, Venetian, etc., etc.

ESTIMATES PROMPTLY FURNISHED

LEADED DOUBLE STRENGTH GLASS



3464. $0.60 square foot



3463. $0.75 square foot



3494. $1.00 sq. ft.



3491. $0.75 sq. ft.



3465. $0.90 per sq. ft.



3473. $0.70 sq. ft.



3470. $0.65 sq. ft.

Any of above in Zinc Bars 30c list per foot extra

FOR DISCOUNT SEE PRICE GUIDE

LEADED BEVELED PLATE



1170. $3.15 square foot



1175. $3.40 square foot

1139. $3.15 sq. ft.

3433. $3.00 sq. ft.



1206. $3.40 sq. ft.

1181. $5.00 square foot



3372. $2.30 per square foot

Above in Zinc Bars, 70c square foot list extra
Above in Coppered Bars, 90c square foot list extra

FOR DISCOUNT SEE PRICE GUIDE

FANCY DOOR LIGHTS

In Stock

No. B 236

No. B 237



No. B 238
Geometric Chipped

No. B 239

FOR PRICES SEE DEALERS' PRICE GUIDE

FANCY DOOR LIGHTS

In Stock

No. B 240



No. B 241

No. B 242

No. B 243

FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

FANCY GLASS

Maze—⅛ Inch



Florentine—⅛ Inch



Chipped—⅛ Inch



Cathedral—⅛ Inch All Colors



Sheet Prism—¼ Inch
Refracts and Diffuses Light

Ribbed—⅛ and ¼ Inch

FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY



WIRE GLASS

Recommended by the Boards of Fire Underwriters of All Principal Cities in the United States as a Perfect Fire Retardant

Some Advantages of "WIRE GLASS" WINDOWS

They offer a positive resistance to spread of fire.

Shutters must be opened for lighting, closed for protection.

Windows are shut nine times where shutters are closed once.

Closed shutters hinder the watchman from detecting an interior fire.

"Wire Glass" windows aid the watchman; the blaze will reveal the fire.

Closed shutters are an obstacle to the fire department.

"Wire Glass" windows can readily be broken through by the axes in the hands of the firemen.

"Wire Glass" windows admit light, giving access to the building at all times without the labor of opening shutters.

"Wire Glass" in approved metallic frames or sashes will reduce rate of insurance in many cases **10%** or more.

FULL SIZE DETAILS OF "WIRE GLASS"

Shown in Illustrations

POLISHED A product equal in strength with respect to the fire and break hazards, to the better known Ribbed, Holly and Rough or Hammered "Wire Glass," and possessing at the same time complete transparency and adaptable for all purposes where "Wire Glass" is demanded together with an unobstructed vision.

MAZE Is the ideal surface for high-class mercantile structures, office buildings, hotels, apartment houses, colleges and schools, and all places where greatest distribution of daylight is desired, together with exclusion of vision.

RIBBED Adapted to skylight service in factories, warehouses, piers, power plants, etc. It is patterned in accordance with Edward Atkinson's specifications for maximum diffusion of light.

ROUGH A semi-transparent fire-retardant glass for use where complete vision or decorative effect is not particularly essential. Used in skylights, windows and doors of all classes of buildings, and most extensively employed in factories, mills, warehouses, train sheds and power buildings.

CRAFTSMAN DOOR AND WINDOW TRIM



No. B 250

Made of "B" grade dry Yellow Pine; head, 1⅛ x 7¼; buttons, 2½ x 2½ x ⅜; casing, No. 8311; apron, No. 8641; scotia, No. 8060; stool, No. S415; stops for windows and base blocks for doors.

PRICE LIST PER SIDE	With no tr.	With 24 in. tr.
Door trim, 3-0 x 7-0, or smaller	$1.40	$1.70
Each foot extra in width, add	.10	.15
" " height, add	.10	.10
Window trim, 3-2 x 3-6, or smaller	1.80	
Each foot extra in width, add	.20	
" " height, add	.10	

Extension, sub or knuckle jamb, extra; listed under box frames

The above prices are F. O. B. cars our city and are
SUBJECT TO DISCOUNT

SEE DEALERS' PRICE GUIDE

COLONNADE

No. B 244

This Colonnade is made to order from clear, dry Oak or Yellow Pine. The columns are 6 inches in diameter at the base. The pedestals are made to straddle the jamb. Jambs and trim included but sent K. D.

PRICE LIST

For openings not larger than 8 ft. by 8 ft.....$40.00

The above price is F. O. B. cars our city and is
SUBJECT TO DISCOUNT

SEE DEALERS' PRICE GUIDE

BOOKCASE COLONNADE



No. B 245

This Colonnade is a wonderful improvement to any home. It is especially artistic when used in separating the den from the living room. It is also appropriate for use in any large opening. We furnish this Colonnade made from selected dry Oak or Yellow Pine, made up by our most skillful cabinetmakers. Furnished with trim K. D., square columns, 8 x 8, packed separately and cases put together with doors fitted but not hung. Carefully crated for shipment. This Colonnade requires a 7½ inch jamb. Pedestals extend 3 feet; are 3 feet high.

PRICE LIST

For openings not over 8 feet high

With plain glass in doors	$60.00
With leaded glass in doors	66.00

The above prices are F. O. B. cars our city and are
SUBJECT TO DISCOUNT

SEE DEALERS' PRICE GUIDE

INTERIOR COLONNADES

PARLOR COLONNADE

No. B 252

DESCRIPTION

Columns are 6 inches in diameter, tapering to receive 5-inch cap. Pedestals are 20 inches high and width is made in proportion to size opening ordered.

Made for 5¾ inch Jambs. Casings and cap trim not included.

PRICES:

For opening up to	Oak or Birch	Yellow Pine
6 ft. x 8 ft.	$27.00	$25.50
7 ft. x 8 ft.	28.00	26.50
8 ft. x 8 ft.	29.00	27.50
9 ft. x 8 ft.	30.00	28.50
10 ft. x 8 ft.	31.00	30.00

All prices cover work in the white.

Give exact width and height of opening and specify kind of wood when ordering.

FOR DISCOUNT SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

INTERIOR COLONNADES



HANDSOME PARLOR COLONNADE

No. B 251

DESCRIPTION

Height of pedestals 24 inches. Width of pedestals made in proportion to opening ordered. Columns are 6 inches in diameter, tapering to 5 inches at neck. Half Columns to Jambs made for 5¾ inch Jambs.

Casings and cap trim not included.

PRICES:

Any height not exceeding 9 ft.

Width Opening	
Not to exceed 6 ft	$41.60
Not to exceed 7 ft	42.40
Not to exceed 8 ft	44.00
Not to exceed 9 ft	46.00
Not to exceed 10 ft	48.00

Above prices cover work made of Oak, Yellow Pine, Birch, Cypress or wood of equal value, in the White, ready for shipment.

FOR DISCOUNT SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

BOOKCASE PEDESTAL COLONNADE

CRAFTSMAN DESIGN



BOOKCASE COLONNADE

No. B 253

PRICES:

Any height not exceeding 9 feet

Width of opening	Yellow Pine	Oak
Not to exceed 6 ft.	$42.00	$44.00
Not to exceed 7 ft.	43.00	45.00
Not to exceed 8 ft.	44.50	46.50
Not to exceed 9 ft.	46.00	48.00
Not to exceed 10 ft.	48.00	50.00

Above prices cover work in the white, ready for finishing.

Subject to Discount

SEE DEALERS' PRICE GUIDE

DESCRIPTION

Height of Pedestals 4 feet. Width of Pedestal made in proportion to size opening ordered. Leaded glass doors, panelled back, adjustable shelves, columns are 6 inches square, chamfered at top.

Made for 5¾ inch Jambs. Casings, Cap Trim and Hardware not included.

INTERIOR COLONNADE



No. B 254

A VERY PLEASING AND ATTRACTIVE COLONNADE

DESCRIPTION

Turned Columns 6 inches in diameter, tapering to receive 5-inch Cap as shown. The Pedestals are 30 inches high and the width is made in proportion to size opening ordered.

Made for 5¾-inch Jambs. Casings and Cap Trim not included.

PRICES:

Any height not exceeding 9 feet.

Width of opening	
Not to exceed 6 ft.	$27.00
Not to exceed 7 ft.	28.00
Not to exceed 8 ft.	29.00
Not to exceed 9 ft.	30.00
Not to exceed 10 ft.	31.00

Above prices cover work made in Oak, Yellow Pine, Birch, Cypress or woods of equal value, in the white, ready for finishing.

Subject to Discount

SEE DEALERS' PRICE GUIDE

INTERIOR ARCH GRILLE COLONNADE



No. B 255

Suitable anywhere. A high class Grille Colonnade. Made special for any size opening.

DESCRIPTION

Grille drop to top of cap is 16 inches. Turned Columns are 5 inches in diameter, tapering to receive 3½ inch cap.

The Pedestals are 30 inches high and width is made in proportion to size opening ordered.

Made for 5¾ inch Jambs. Casings and Cap Trim not included.

PRICES:

Width of opening

Not to exceed 6 ft	$32.00
Not to exceed 7 ft	33.00
Not to exceed 8 ft	34.00
Not to exceed 9 ft	35.00
Not to exceed 10 ft	36.00

Above prices cover work made of Oak, Yellow Pine, Birch, Cypress or woods of equal value, in the white, ready for finishing.

Subject to Discount

SEE DEALERS' PRICE GUIDE

INTERIOR GRILLES

No. B 256

Drop at Ends 24 inches

	4 ft.	5 ft.	6 ft.
List Price, per grille, any length up to.....	$8.00	$10.00	$12.00

Larger sizes add $2.20 per lineal foot, list.



No. B 257

Drop at Ends 18 inches

	4 ft.	5 ft.	6 ft.
List Price, per grille, any length up to.....	$5.50	$6.50	$7.50

Larger sizes add $1.20 per lineal foot, list.



No. B 257½

Drop at Ends 16 inches

	4 ft.	5 ft.	6 ft.
List Price, per grille, any length up to.....	$5.50	$6.50	$7.50

Larger sizes add $1.30 per lineal foot, list.

Subject to Discount

SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

CRAFTSMAN STYLE BOOKCASE

No. B 246

This Craftsman style Bookcase is about 5 ft. 6 in. high to the top of shelf and is about 12 in. deep. Made from the very best Yellow Pine or Oak, thoroughly seasoned, by expert cabinetmakers. Doors glazed with clear glass set in with glass bead stops. Shelves are movable.

LIST PRICES

Not more than 3 ft. wide	$24.00
Not more than 4 ft. wide	31.00
Not more than 5 ft. wide	38.00
Not more than 6 ft. wide	45.00
Not more than 7 ft. wide	53.00

The above prices are F. O. B. cars our city and are
SUBJECT TO DISCOUNT.

SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

COMBINATION BOOKCASE AND MANTEL SHELF



No. B 247

The above design will make a wonderful improvement in the appearance of a home. We furnish the above combination, made to order from clear, dry Yellow Pine or Fir, suitable for oil finish. Cases are about 5 ft. 6 in. high and 14 inches deep. Glazed with clear glass.

LIST PRICES

Above combination with cases not wider than 3 ft	$60.00
Above combination with cases not wider than 4 ft	76.00
Above combination with cases not wider than 5 ft	92.00

In ordering, please give width of mantel and exact length of cases.

The above prices are F. O. B. cars our city and are
SUBJECT TO DISCOUNT

SEE DEALERS' PRICE GUIDE

CHINA CASE

No. B 248

This China Case is made especially to order from the best quality of clear, dry Oak or Yellow Pine by expert cabinetmakers. It is designed to set in a recess about 18 inches deep and 7 feet high. Doors and drawers fitted. No hardware included. Sold only in the white. In ordering, give depth and width of recess.

PRICE LIST

	4 Ft. or Less	5 Ft. or Less	6 Ft. or Less
Knock Down	$36.00	$44.00	$52.00
Put Together	42.00	50.00	58.00

The above prices are F. O. B. cars our city and are
SUBJECT TO DISCOUNT

SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

BUFFET



No. B 249

This illustration shows a most attractive and up-to-date design Buffet. The mirror is of the best quality and has a 1½ inch bevel. This Buffet is made especially to order from clear, dry Yellow Pine or Oak. It is furnished put together with doors and drawers fitted, but no hardware is furnished. Height is 5 feet 6 inches. Sold only in the white.

PRICE LIST

6 feet or less	7 feet or less	8 feet or less
$75.00	$82.00	$94.00

The above prices are F. O. B. cars our city and are
SUBJECT TO DISCOUNT

SEE DEALERS' PRICE GUIDE

COMBINATION BUFFET AND CHINA CABINET

BUFFET No. B 259

SPECIFICATIONS:

Made to fit in recess opening 5 feet wide, 5 feet 4 inches high and 14 inches deep. Height from floor to counter, 2 feet 9 inches. Glass size, 10 inches by 46 inches. Mirror size, 24 inches by 24 inches. Buffet is backed with tongue and grooved beaded ceiling.

PRICES:

Complete as shown including glass and bevel plate mirror, but no hardware.

Buffet No. B 259 Yellow Pine, in the white..... $54.50
Buffet No. B 259 Plain Red Oak, in the white..... 58.50

Subject to Discount

SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

BUILT-IN SIDEBOARD

Sideboard No. B 258

SPECIFICATIONS:

Made to fit into a recess opening 5 feet wide, 7 feet high and 14 inches deep. Height from floor to counter is 2 feet 9 inches. Glass size 16 inches by 28 inches. Mirror size, 54 inches by 12 inches. Sideboard is backed with tongue and grooved beaded ceiling. Built in two sections, easy to install.

PRICES:

Complete as shown including glass and bevel plate mirror, but no hardware.

Sideboard No. B 258 Yellow Pine, in the white.....$46.25
Sideboard No. B 258 Plain Red Oak, in the white..... 50.00

Subject to Discount

SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

DIMENSION SHINGLES



Square Cove Octagon Circle

Clothes Post

PICKETS



No. 1 No. 2 No. 3 No. 4

Hitching Post

FOR NET PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

HARDWOOD FLOORING

PLAIN OR QUARTER-SAWED RED OR WHITE OAK, MAPLE, CHERRY, WALNUT.



Nothing is more characteristic of the modern home or shares more pride of the home builder than the glistening hardwood floor. First, because it is so prominently attractive and also because it is so sanitary, durable and economical.

We can furnish for prompt shipment:

3/8 x 1½ in. face	13/16 x 1½ in. face
3/8 x 2 in. face	13/16 x 2 in. face
	13/16 x 2½ in. face

13/16 in. flooring is end matched and hollow backed.
3/8 in. flooring is end matched but not hollow backed.
13/16 x 2 in. and wider counted ¾ in. more than finished face.
13/16 x 1½ in. and all widths 3/8 in. counted ½ in. more than finished face.

TO REDUCE SURFACE MEASURE TO STRIP COUNT:

3/8 x 1½ in. face add 33⅓% to surface measure.
3/8 x 2 in. face add 25% to surface measure.
13/16 x 1½ in. face add 33⅓% to surface measure.
13/16 x 2 in. face add 37½% to surface measure.
13/16 x 2¼ in. face add 33⅓% to surface measure.

When ordering specify: Thickness; width; grade; whether plain or quartered; whether red or white; and whether quantity given is surface measure or strip count.

HOW TO LAY, FINISH AND CARE FOR A HARDWOOD FLOOR.

The finest flooring material will not make a satisfactory floor unless properly laid under proper conditions. Before hardwood flooring is laid, the building should be thoroughly dry and the surface on which it is to be laid should be smooth and clean.

Oak flooring should be scraped evenly and sandpapered smooth, then filled with a "wood filler" and allowed to stand eight to ten hours. If a varnish finish is desired, apply two coats of very thin varnish, allowing the first coat to dry thoroughly before applying the second. If a wax finish is desired, apply two light coats of white floor shellac, allowing the first coat to stand a day before applying the second. Before applying the wax, use a No. 0 sandpaper on the surface, lightly removing any specks or lines that may have appeared. Apply the wax by using weighted brush made for this purpose, brushing across the grain, and then lengthwise, and repeat until brush slips easily, then place a piece of soft carpet under the brush and continue rubbing until the desired polish is obtained.

SEE DEALERS PRICE GUIDE FOR NET PRICES.

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS

WITH EXACT SIZE
MARKED ON EACH

In Stock for Immediate Shipment. By ordering our Stock Designs you always secure LOWEST PRICES

FOR PRICES SEE
DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS

















FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



































FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



































FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



DEALERS' PRICE GUIDE
FOR PRICES SEE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



8367
$\frac{13}{16}$ x 3⅝



8646
$\frac{13}{16}$ x 3⅝



8617
$\frac{13}{16}$ x 3⅝



8641
$\frac{13}{16}$ x 3⅝



8181
$\frac{13}{16}$ x 2¾



8264
$\frac{13}{16}$ x 1¾

FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



8308
$\frac{13}{16}$ x $3\frac{5}{8}$



8650
$\frac{13}{16}$ x $3\frac{5}{8}$



8651
$\frac{13}{16}$ x $4\frac{1}{2}$



8309
$\frac{13}{16}$ x $4\frac{1}{2}$



8309½
1 x $4\frac{3}{4}$

FOR PRICES SEE DEALERS' PRICE GUIDE

STOCK MOULDINGS











FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



FOR PRICES SEE DEALERS' PRICE GUIDE

BARTLETT · SHOTTS · WILSON COMPANY

STOCK MOULDINGS



FOR PRICES
SEE DEALERS'
PRICE GUIDE

STOCK MOULDINGS

ASTRAGALS







SLIDING DOOR BANDING





FOR PRICES SEE DEALERS' PRICE GUIDE

GLOSSARY OF TRADE TERMS

The definitions below give the meaning of various terms used in this book or in quotations affecting articles described as established by general usage.

IN GENERAL.

MEASUREMENTS.

OUTSIDE OPENING—The measurement of any given article from outside to outside. The frame opening. Always should be given in feet and inches.

BETWEEN GLASS—The difference between the outside opening and the total glass measurement of a given window or sash.

FACE MEASURE—The measurement of any part of an article exclusive of any solid mold or rabbet.

FINISHED SIZE—The measurement of any given part of an article over all or including the solid mold or rabbet.

RIPPING SIZE—The size of stock necessary to produce any given finished size. Usually ¼ inch over finished size up to 5 inch cuts and ½ inch over above.

MOLDING

SOLID MOLD or SOLID STUCK—A mold which is worked on the article itself.

APPLIED MOLD—A separate mold applied or attached to any part of an article.

FLUSH MOLD—An applied molding which finishes flush with or below the face or surface of the stiles or rails of the article.

RAISED MOLD—An applied molding which partly covers or which extends above the face or surface of the stiles or rails of the article.

MULLION.

An upright or vertical bar, usually wider than the ordinary bar, dividing the glass in a sash, or a wide upright bar dividing two sash in a frame. Applied also to single blinds made to represent pairs.

MUNTIN.

Applies to any short or light bars—either vertical or horizontal—in a sash or in a door between panels not extending the full width or length of the article.

ODD WORK.

This term applies to any article which is not listed under listed sizes, or for which a list must be formed by the application of any of the Foot Notes or Rules for Extras—unless these specifically state to the contrary.

RAIL.

The cross or horizontal pieces of the framework of a sash, door or blind.

STILES.

The upright or vertical outside pieces of a sash, door or blind.

STOCK QUANTITY.

Ten or more of any given article of one kind, size and quality.

STICKING. (See Solid Mold.)

O. G.—A solid mold which is a combination of a cove and a quarter round with no fillet between.—The standard sticking for doors, sash and blinds.

COVE AND BEAD—A solid mold which is a combination of a cove and quarter round with a small fillet between.

BEAD AND COVE—A solid mold which is a combination of a quarter round and cove with a small fillet between and on each side.

OVOLO—A solid mold which is a quarter round with a small fillet on each side.

P. G.—A solid mold which is a long bevel with a small fillet on each side.

APPLYING TO SASH OR WINDOWS.

SASH.

A sash indicates a single piece to fill a given opening.

WINDOW.

A window indicates two pieces—one upper, one lower—to fill an opening arranged to slide vertically.

CASEMENT.

Applies to a sash or pair of sash made to be hung on hinges to swing.

COTTAGE.

COTTAGE WINDOW—A window in which the meeting rails are placed above the center of the opening.

COTTAGE SASH—A sash made to correspond to a cottage window.

FRENCH WINDOW.

A pair of sash made to be hung on hinges like a pair of doors—A long pair of casement sash.

FACTORY SASH OR WINDOWS.

Sash or windows divided into small lights for factory use—The term implies an inferior quality of material for paint, permitting the use of reasonable defects of any nature not weakening the sash.

FULL BOUND.

This term indicates that the sash so described shall have a similar amount of wood in stiles and top and bottom rails, usually described as "same rail all around."

MEETING RAILS.

The rails of a window which meet when the window is hung and closed.
PLAIN RAIL—Meeting rails of the same thickness as the rest of the window. .

CHECK RAILS—Meeting rails sufficiently thicker than the window to fill the opening between the top and bottom sash made by the check strip or parting strip in the frame. They are usually beveled.

LUGS OR HORNS.

An extension of the stiles of a window beyond the meeting rails. They are usually molded on the inside of the stile with an O. G. Mold—(O. G. Lugs).

QUEEN ANNE.

Windows or sash divided into small lights.

SUSPENDED LIGHTS.

A term applied to a light within a sash, formed by straight bars, any one of which must be attached to the free end or to the beveled joint of other bars are munts.

APPLYING TO DOORS.

ASTRAGAL.

MOLD—For Folding Doors—A strip of molding the length of the door of any desired pattern to be applied to one of a pair of folding doors so as to form a rabbet.

SINGLE—For Folding Doors—A strip the length of the doors with a cross-section usually similar to a letter "T"—used to form a rabbet

DOUBLE—For Sliding Doors—A pair of strips the length of the doors—rabbeted to receive the doors on the back and molded or grooved reciprocally on the face to make a tight joint.

JOINT—For Sliding Doors—A molding or groove worked reciprocally on the meeting edges of each of a pair of doors to make a tight joint

BANDED DOORS.

Doors with a thin band or strip—usually molded—on the outside edge of the face of each stile and top and bottom rail—Also called friction strips.

CHAMFERED DOORS.

Doors with the corner of the stiles or rails beveled at an angle of about 45 degrees.

STOP CHAMFER—A chamfer stopped or ended short of the length of the piece chamfered.

DOWELED DOORS.

Doors put together with dowels instead of tenons.

DUTCH DOOR.

A door made to be cut horizontally through the lock rail so that the upper part can be opened independently of the lower part.

FOUR-PANEL DOOR.

Unless specifically otherwise stated is understood to mean the standard listed four-panel door No. 200.

FIVE-PANEL DOOR.

Unless specifically otherwise stated is understood to mean the standard listed five-panel lock rail panel door No. 201.

PANELS.

Bevel raised panels are standard.

GRADUATED PANELS.

Doors with cross panels of a different width usually graduated from a wide lower panel to a narrow top panel.

LOCK RAIL.

The center rail of a standard four-panel door.

PANEL—The horizontal panel of a standard five-panel or similar door.

TENONS.

THROUGH TENONED—A door made with tenons on the end of the rails mortised or tenoned through and showing on the outside of the stile.

BLIND—TENONED OR MORTISED—A door made with the tenons on the ends of the rails mortised into but extending only part way through the stile.

APPLYING TO BLINDS.

BLIND.

SINGLE—A single blind is one piece to fill a given opening.

PAIR—A pair of blinds is two pieces to fill a given opening, made and rabbeted to fold.

SET—A set of blinds is more than two pieces for a given opening made to fold upon each other.

STATIONARY SLAT BLINDS.

Blinds with slats mortised into or so attached to the stiles as to be fixed.

HALF STATIONARY BLINDS—Blinds with one panel of movable or rolling slats, and one of stationary or fixed slats.

SHUTTERS.

Blinds with solid panels instead of slat panels.

BEAD AND BUTT SHUTTERS.

Shutters with panels flush with the stiles and rails on one side and with beads lengthwise of the panels, at or near the stiles on one side only.

FLUSH MOLD.

See Flush Mold under "General."

APPLYING TO TERMS AND DISCOUNTS.

CAR LOTS.

Quantities of mill work sold at one time for shipment at one time which aggregate the minimum weight allowed by the published railroad tariff for the given destination—usually 24,000 pounds.

LOCAL OR WAY FREIGHTS.

Terms applied to sales or shipments which for any reason take less than car lot rates of freight.

CASH DISCOUNT.

A discount allowed for payment of an invoice within a specified time from date of invoice. It does not apply to any freight or other allowance, which should always be deducted before cash discount is taken.

F. O. B. OR FREE ON BOARD.

This term indicates that the quotation or sale is made for goods on the cars at seller's shipping point without charge for loading or handling.

FREIGHT ALLOWED.

Signifies that the seller will allow the purchaser on presentation of paid freight bill to deduct from settlement the full amount of freight paid on any given shipment from shipping point to destination. It does not guarantee the safe delivery of goods.

FREIGHT EQUALIZED.

Signifies that the seller will allow the purchaser on presentation of paid freight bill to deduct from the settlement an amount equal to the excess—if any—of the amount paid for freight over the sum which the buyer would have had to pay on a similar shipment from the point equalized with. It does not guarantee safe delivery of goods.

OPENINGS.

Quotations are frequently made at a specified discount for a given number of openings.

In this connection an opening is understood to mean

One Door or two Cupboard Doors.
One Window.
Two Sash.
One Pair of Blinds or two Single Blinds.

STOCK GOODS OR STOCK ITEMS.

Terms frequently used in quotations to indicate such listed sizes as are regularly carried in stock by the party quoting. Must not be confused with "listed sizes" which may be "stock sizes" in one locality and not in another.

APPROXIMATE WEIGHTS OF WINDOWS.

Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.	Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.
in. in.		in.	lbs.	lbs.	lbs.	in. in.		in.	lbs.	lbs.	lbs.
8 x 10	8	1⅛	5	10		9 x 12	12	1⅛	9	20	
12	8	1⅛	5	12		13	12	1⅛	9	21	
14	8	1⅛	7	14		14	12	1⅛	9	22	
16	8	1⅛	8	18		15	12	1⅛	9	23	
9 x 12	8	1⅛	6	14		16	12	1⅛	9	24	
14	8	1⅛	7	17		18	12	1⅛	10	26	
16	8	1⅛	9	18		10 x 12	12	1⅛	9	21	
10 x 12	8	1⅛	8	15		14	12	1⅛	9	23	
14	8	1⅛	8	18		16	12	1⅛	10	26	
16	8	1⅛	9	20		18	12	1⅛	10	29	
18	8	1⅛	10	23		20	12	1⅛	11	31	
12 x 14	8	1⅛	9	19		12 x 14	12	1⅛	10	25	
16	8	1⅛	11	22		16	12	1⅛	10	28	
18	8	1⅛	12	25		18	12	1⅛	10	31	
9 x 12	8	1⅜	8	17		8 x 10	12	1⅜	8	19	
14	8	1⅜	9	18		12	12	1⅜	9	20	
16	8	1⅜	9	20		14	12	1⅜	10	22	
10 x 12	8	1⅜	9	18		9 x 12	12	1⅜	10	22	
14	8	1⅜	10	19		14	12	1⅜	11	24	
16	8	1⅜	11	22		15	12	1⅜	11	25	
18	8	1⅜	12	24		16	12	1⅜	11	27	
12 x 14	8	1⅜	11	23		10 x 12	12	1⅜	11	23	
16	8	1⅜	12	24		14	12	1⅜	12	26	
18	8	1⅜	13	27		15	12	1⅜	12	27	
14 x 16	8	1⅜	13	28		16	12	1⅜	13	29	
18	8	1⅜	14	31		18	12	1⅜	13	32	
20	8	1⅜	15	35		20	12	1⅜	14	36	
						12 x 14	12	1⅜	14	32	
7 x 9	12	1⅛	6	15		16	12	1⅜	14	36	
8 x 10	12	1⅛	7	17		18	12	1⅜	15	38	
12	12	1⅛	8	18		20	12	1⅜	15	40	
14	12	1⅛	9	19		10 x 16	4	1⅜	5½	13	
						18	4	1⅜	6	14	

(*Continued on next page*)

APPROXIMATE WEIGHTS OF WINDOWS—*Continued.*

Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.	Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.
in. in.		in.	lbs.	lbs.	lbs.	in. in.		in.	lbs.	lbs.	lbs.
10 x 20	4	1⅜	6	16		14 x 36	4	1⅜	13	32	35
22	4	1⅜	7	17		38	4	1⅜	13	33	36
24	4	1⅜	8	18		40	4	1⅜	13½	34	38
26	4	1⅜	8	19		42	4	1⅜	14	35	40
28	4	1⅜	9	20		44	4	1⅜	14	36	42
30	4	1⅜	9	21		46	4	1⅜	15	38	44
32	4	1⅜	9½	22		48	4	1⅜	15	40	45
34	4	1⅜	10	23		15 x 24	4	1⅜	10½	24	27
36	4	1⅜	11	24		26	4	1⅜	11	25	29
12 x 16	4	1⅜	6	15		28	4	1⅜	11½	27	30
18	4	1⅜	7	17		30	4	1⅜	12	29	32
20	4	1⅜	7	18		32	4	1⅜	12	31	34
22	4	1⅜	8	19		34	4	1⅜	12½	33	36
24	4	1⅜	8	20		36	4	1⅜	13	35	38
26	4	1⅜	9	21		38	4	1⅜	13½	36	39
28	4	1⅜	9	22		40	4	1⅜	14	37	40
30	4	1⅜	10	23		42	4	1⅜	14½	38	42
32	4	1⅜	11	25		44	4	1⅜	15	39	44
34	4	1⅜	12	26		46	4	1⅜	15	42	45
36	4	1⅜	12	27		48	4	1⅜	15½	44	47
38	4	1⅜	13	29		12 x 20	2	1⅜	6	11	
40	4	1⅜	13	31		22	2	1⅜	6	12	
42	4	1⅜	14	32		24	2	1⅜	6½	13	
44	4	1⅜	14	33		26	2	1⅜	7	13	
46	4	1⅜	15	35		28	2	1⅜	7	13	
48	4	1⅜	15	36		30	2	1⅜	8	14	
14 x 20	4	1⅜	9	20		32	2	1⅜	8	15	
22	4	1⅜	9½	22		34	2	1⅜	9	16	
24	4	1⅜	10	23		36	2	1⅜	9	17	
26	4	1⅜	10½	24		14 x 20	2	1⅜	6½	12	
28	4	1⅜	11	25		22	2	1⅜	7	12	
30	4	1⅜	12	27		24	2	1⅜	8	13	
32	4	1⅜	12	29	32	26	2	1⅜	8	14	
34	4	1⅜	12½	31	34	28	2	1⅜	9	16	

(*Continued on next page*)

APPROXIMATE WEIGHTS OF WINDOWS—*Continued.*

Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.	Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.
in. in.		in.	lbs.	lbs.	lbs.	in. in.		in.	lbs.	lbs.	lbs.
14 x 30	2	1⅜	10	17		20 x 38	2	1⅜	11	26	28
32	2	1⅜	10	18		40	2	1⅜	11½	27	29
34	2	1⅜	10	19		22 x 24	2	1⅜	8½	19	21
36	2	1⅜	11	20		26	2	1⅜	9	20	22
16 x 20	2	1⅜	7	12	14	28	2	1⅜	9½	21	23
22	2	1⅜	7	13	15	30	2	1⅜	9½	22	24
24	2	1⅜	7½	14	16	32	2	1⅜	10	24	26
26	2	1⅜	8	15	17	34	2	1⅜	10½	25	27
28	2	1⅜	8	16	18	36	2	1⅜	11	26	28
30	2	1⅜	8½	17	19	38	2	1⅜	11	28	30
32	2	1⅜	9	18	20	40	2	1⅜	12	29	31
34	2	1⅜	9½	20	22	42	2	1⅜	12	31	33
36	2	1⅜	10	21	23	44	2	1⅜	12½	32	34
18 x 20	2	1⅜	7	13	15	46	2	1⅜	13	34	36
22	2	1⅜	7½	14	16	48	2	1⅜	13	35	38
24	2	1⅜	8	16	18	24 x 24	2	1⅜	9	20	22
26	2	1⅜	8	17	19	26	2	1⅜	9	21	23
28	2	1⅜	8½	18	20	28	2	1⅜	9½	23	25
30	2	1⅜	9	19	21	30	2	1⅜	10	25	27
32	2	1⅜	9½	20	22	32	2	1⅜	10½	26	28
34	2	1⅜	10	21	24	34	2	1⅜	11	27	30
36	2	1⅜	10	23	25	36	2	1⅜	11	28	32
38	2	1⅜	10½	24	26	38	2	1⅜	11½	30	33
40	2	1⅜	11	25	28	40	2	1⅜	12	31	34
20 x 20	2	1⅜	7½	15	17	42	2	1⅜	12	33	35
22	2	1⅜	8	16	18	44	2	1⅜	12½		36
24	2	1⅜	8	17	19	46	2	1⅜	13		38
26	2	1⅜	8½	19	21	48	2	1⅜	13½		39
28	2	1⅜	9	21	23	26 x 26	2	1⅜	9½	23	25
30	2	1⅜	9½	22	24	28	2	1⅜	10	24	27
32	2	1⅜	9½	23	25	30	2	1⅜	10½	26	29
34	2	1⅜	10	24	26	32	2	1⅜	10½	27	30
36	2	1⅜	10½	25	27	34	2	1⅜	11	29	32

(*Continued on next page*)

APPROXIMATE WEIGHTS OF WINDOWS—*Continued.*

Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.	Size of Window	No. of lights	Thickness	Weight open	Weight glazed S. S.	Weight glazed D. S.
in. in.		in.	lbs.	lbs.	lbs.	in. in.		in.	lbs.	lbs.	lbs.
26 x 36	2	1⅜	11½	31	34	32 x 42	2	1⅜	13½		44
38	2	1⅜	12	32	35	44	2	1⅜	14		46
40	2	1⅜	12	34	36	46	2	1⅜	14½		47
42	2	1⅜	12½	35	38	48	2	1⅜	15		48
44	2	1⅜	13		39	34 x 34	2	1⅜	12½		38
46	2	1⅜	13		40	36	2	1⅜	13		40
48	2	1⅜	13½		42	38	2	1⅜	13		42
28 x 28	2	1⅜	10	25	28	40	2	1⅜	13½		44
30	2	1⅜	10½	27	30	42	2	1⅜	14		46
32	2	1⅜	11	29	31	44	2	1⅜	14		47
34	2	1⅜	11½	31	33	46	2	1⅜	14½		49
36	2	1⅜	12	32	35	48	2	1⅜	15		51
38	2	1⅜	12	33	36	36 x 36	2	1⅜	13		41
40	2	1⅜	12½	33	37	38	2	1⅜	13½		43
42	2	1⅜	13		39	40	2	1⅜	14		46
44	2	1⅜	13		41	42	2	1⅜	14		48
46	2	1⅜	13½		43	44	2	1⅜	14½		50
48	2	1⅜	14		44	46	5	1⅜	15		51
30 x 30	2	1⅜	11	29	32	48	2	1⅜	15½		53
32	2	1⅜	11½	31	34	40 x 40	2	1⅜	14½		49
34	2	1⅜	12	33	36	42	2	1⅜	15		51
36	2	1⅜	12	35	38	44	2	1⅜	15		53
38	2	1⅜	12½	36	39						
40	2	1⅜	13	37	40						
42	2	1⅜	13		41						
44	2	1⅜	13½		43						
46	2	1⅜	14		45						
48	2	1⅜	14½		46						
32 x 32	2	1⅜	12		35						
34	2	1⅜	12		37						
36	2	1⅜	12½		39						
38	2	1⅜	13		41						
40	2	1⅜	13		42						

APPROXIMATE WEIGHTS of O. G. FOUR PANEL DOORS.

SIZE				THICKNESS			
				⅞ inch	1⅜ inch	1⅝ inch	1¾ inch
ft.	in.	ft.	in.	lbs.	lbs.	lbs.	lbs.
2	0	x 6	0	17	23	28	
2	4	x 6	4	21	27	31	
2	6	x 6	6	23	30	35	42
2	8	x 6	8	25	32	37	46
2	10	x 6	10		35	40	52
3	0	x 7	0		38	45	55
3	0	x 7	6			50	60
3	0	x 8	0			55	65

For Moulded Doors add 5 pounds to each side moulded.

WEIGHT OF MOULDINGS.—1x1 inch, per 100 lineal feet, fifteen pounds.

TABLE FOR RAFTERS AND GABLES

Width of Building.	FOURTH PITCH				THIRD PITCH			HALF PITCH		
	Length of Rafter.		From Plate to Comb.	Area of Two Gables.	Length of Rafter.	From Plate to Comb.	Area of Two Gables.	Length of Rafter.	From Plate to Comb.	Area of Two Gables.
	FT.	IN.	FT. IN.		FT. IN.	FT. IN.		FT. IN.	FT. IN.	
6	3	4	1 6	9	3 7	2 0	12	4 3	3 0	18
7	3	11	1 9	12	4 0	2 4	16	5 0	3 6	25
8	4	6	2 0	16	4 10	2 8	21	5 8	4 0	32
9	5	0	2 3	20	5 5	3 0	27	6 5	4 6	41
10	5	7	2 6	25	6 0	3 4	33	7 1	5 0	50
12	6	8	3 0	36	7 2	4 0	48	8 6	6 0	72
14	7	10	3 6	49	8 5	4 8	65	9 11	7 0	98
16	9	0	4 0	64	9 7	5 4	85	11 4	8 0	128
18	10	1	4 6	81	10 10	6 0	108	12 9	9 0	162
20	11	2	5 0	100	12 0	6 8	133	14 2	10 0	200
22	12	4	5 6	121	13 2	7 4	161	15 7	11 0	242
24	13	5	6 0	144	14 5	8 0	192	17 0	12 0	288
26	14	6	6 6	169	15 7	8 8	225	18 6	13 0	338
28	15	8	7 0	196	16 10	9 4	261	19 11	14 0	392
30	16	9	7 6	225	18 0	10 0	300	21 4	15 0	450
32	17	11	8 0	256	19 2	10 8	341	22 9	16 0	512

BARTLETT · SHOTTS · WILSON COMPANY

INDEX TO OFFICIAL LIST

BLINDS—

	PAGE
Directions for Ordering	7
Door	73
Extras	76-77
Grades	5
Inside	74–75
Outside, 12 Light	70
" 8 "	70
" 4 "	71
" 2 "	72–73
" Single	73

DOORS—

B & C Sash	62
Closet	69
Cupboard	58
Directions for Ordering	6–7
Extras	65–68
Five Panel, No. 1 and No. 2 O G	54
Five Cross Panel, No. 1 and No. 2 O G	55–56
" " " " " " Bead and Cove	57
Four Panel, No. 1 and No. 2 O G	52–53
Grades	4
Grained	59
Number Four Quality	59
O G Sash	60–61
Painted	59
Side Lights	64
Store	63
Weights of	191

GRADES—

Blinds	5
Doors	4
Windows	5

INDEX TO OFFICIAL LIST—Continued

SASH—

	PAGE
Cellar	24–25
Cottage Front	29–32
Cupboard	23
Directions for Ordering	6
Extras	47–51
Four Light	25–26
Gable	46
Hot Bed	27–28
One Light	21–22
Queen Anne	39
Six Light	26
Transoms	27-40-45

WINDOWS—

Bent (Circle Face)	42
Circle Top	41–44
Cottage Front	29–31
Directions for Ordering	6
Eight Light	14
Extras	47–51
Factory	16–20
Four Light	12–13
Gothic and Peak Head	38
Grades	5
Queen Anne	33–37
Segment	41–44
Twelve Light	15
Two Light	8-11-13
Weights	188–191

BARTLETT · SHOTTS · WILSON COMPANY

INDEX TO SPECIALTIES.

	PAGE
Beam Finish	144
Bookcase and Mantel Shelf	162
Brackets	130
Buffet	164
Buffet and China Cabinet	165
China Case	163
Clothes Posts	167
Colonnades	153-159
Corner Beads, Stock	130
Corner and Base Blocks	131
Cottage Front Windows	80-85
Craftsman Style Bookcase	161
Craftsman Door and Window Trim	152
Dimension Shingles	167
DOORS—	
Garage	78-79
Factory	78-79
Fir, Stock	94-97
Hardwood Veneered	98-111
Hardwood Sidelights	106
Stable	78-79
Slab Front Doors	112-113
Mirror	114
Veneered Door Price List	117-118
Veneered Door Square Foot Table	116
White Pine Front Doors	86-93
Extensible Mantels	136-142
Flooring, Hardwood	168
Gable Ornaments	132
Glass Cutters	133
Glossary of Trade Terms	183-187
Grilles, Interior	160
Gutter, O. G.	130
Hardwood Flooring	168
Hitching Posts	167
Interior Grilles	160
Mantels	136-142
Mantel Shelves	131
Medicine Cabinets	143
Mouldings, Stock	169-182
Pickets	167
Plate Rail	130

INDEX TO SPECIALTIES—Continued.

	PAGE
FRAMES—	
Brick House Frames	135
Brick Veneer Door Frames	135
Brick Wall Door Frames	135
Cellar Sash Frames	135
Frame House Frames	134
Inside Door Frames	134
GLASS—	
Cathedral	150
Chipped	150
Fancy Door Lights	148-149
Florentine	150
Leaded Beveled Plate	147
Leaded Double Strength	146
Maze	150
Ribbed	150
Sheet Prism	150
Wire	151
PORCH WORK—	
Balusters, Stock	124
Brackets, Stock	130
Columns, Stock	124-125-126
Colonial, Stock	126
Newels, Stock	125-126
Composition Caps	126
Rail, Stock	127-129
Sash Cord	133
Sash Pulleys	133
Sash Weights	133
Shingles	167
Sideboards	166
STAIR WORK—	
Balusters, Stock	122
Fillet and Shoe	122
Newels, Stock	120-121
Rails, Stock	121-122
Treads and Risers	123
Stock Mouldings	169-182
Table for Rafters and Gables	192
Thresholds	130

SHATTOCK & MCKAY CO.
CHICAGO


DOORS · SASH · AND · GENERAL · MILLWORK
BSW